

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



BJ

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : C12N 15/13, C07K 16/36, 16/46, A61K 39/395 // C12N 5/10, 15/85		A1	(11) International Publication Number: WO 96/40921 (43) International Publication Date: 19 December 1996 (19.12.96)
(21) International Application Number: PCT/US96/09287 (22) International Filing Date: 6 June 1996 (06.06.96) (30) Priority Data: 08/480,120 7 June 1995 (07.06.95) US		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(71) Applicant: JOHNSON & JOHNSON [US/US]; One Johnson & Johnson Plaza, New Brunswick, NJ 08933-0001 (US). (72) Inventors: JOLIFFE, Linda, K.; 16 Davenport Way, Belle Mead, NJ 08502 (US). ZIVIN, Robert, A.; 6 Glenbrook Court, Lawrenceville, NJ 08648 (US). PULITO, Virginia, L.; 37 Winding Way, Flemington, NJ 08822 (US). (74) Agents: CIAMPORCERO, Audley, A., Jr. et al.; Johnson & Johnson, One Johnson & Johnson Plaza, New Brunswick, NJ 08933-0001 (US).			
(54) Title: CDR-GRAFTED ANTI-TISSUE FACTOR ANTIBODIES AND METHODS OF USE THEREOF (57) Abstract <p>The present invention provides CDR-grafted antibodies against human tissue factor that retain the high binding affinity of rodent monoclonal antibodies against tissue factor but have reduced immunogenicity. The present humanized antibodies are potent anticoagulants and are thus useful in the treatment and prophylaxis of human thrombotic disease. The invention also provides methods of making the CDR-grafted antibodies and pharmaceutical compositions for the attenuation or prevention of coagulation.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LJ	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

CDR-GRAFTED ANTI-TISSUE FACTOR

1 ANTIBODIES AND METHODS OF USE THEREOFFIELD OF THE INVENTION

5 Monoclonal antibodies capable of inhibiting tissue factor (TF) are useful as anticoagulants. Conventional rodent monoclonal antibodies, however, have limited use in human therapeutic and diagnostic applications due to immunogenicity and short serum half-life. The present invention provides CDR-grafted monoclonal antibodies against TF that retain the high binding affinity of rodent antibodies but have reduced immunogenicity. The present humanized antibodies are potent anticoagulants and are thus useful in the treatment and prophylaxis of human thrombotic disease. The invention also provides methods of making the CDR-grafted antibodies and pharmaceutical compositions for the attenuation or prevention of coagulation.

20 BACKGROUND OF THE INVENTION

The coagulation of blood involves a cascading series of reactions leading to the formation of fibrin. The coagulation cascade consists of two overlapping pathways, both of which are required for hemostasis. The intrinsic pathway comprises protein factors present in circulating blood, while the extrinsic pathway requires tissue factor, which is expressed on the cell surface of a variety of tissues in response to vascular injury. Davie *et al.*, 1991, Biochemistry 30:10363. Agents that interfere with the coagulation cascade, such

-2-

as heparin and coumarin derivatives, have well-known
1 therapeutic uses in the prophylaxis of venous
thrombosis. Goodman and Gilman, eds., 1980, The
Pharmacological Basis of Therapeutics, MacMillan
Publishing Co., Inc., New York.

5 Tissue factor (TF) has been investigated as a target for anticoagulant therapy. TF is a membrane glycoprotein that functions as a receptor for factor VII and VIIa and thereby initiates the extrinsic pathway of the coagulation cascade in response to vascular injury.
10 In addition to its role in the maintenance of hemostasis by initiation of blood clotting, TF has been implicated in pathogenic conditions. Specifically, the synthesis and cell surface expression of TF has been implicated in vascular disease (Wilcox et al., 1989, Proc. Natl. Acad.
15 Sci. 86:2839) and gram-negative septic shock (Warr et al., 1990, Blood 75:1481).

Ruf et al. (1991, Thrombosis and Haemostasis 66:529) characterized the anticoagulant potential of murine monoclonal antibodies against human TF. The
20 inhibition of TF function by most of the monoclonal antibodies that were assessed was dependent upon the dissociation of the TF/VIIa complex that is rapidly formed when TF contacts plasma. Such antibodies were thus relatively slow inhibitors of TF in plasma. One
25 monoclonal antibody, TF8-5G9, was capable of inhibiting the TF/VIIa complex without dissociation of the complex, thus providing an immediate anticoagulant effect in plasma. Ruf et al. suggest that mechanisms that inactivate the TF/VIIa complex, rather than prevent its
30 formation, may provide strategies for interruption of coagulation in vivo.

-3-

- The therapeutic use of monoclonal antibodies
1 against TF is limited in that currently available
monoclonals are of rodent origin. The use of rodent
antibodies in human therapy presents numerous problems,
the most significant of which is immunogenicity.
5 Repeated doses of rodent monoclonal antibodies have been
found to elicit an anti-immunoglobulin response termed
human anti-mouse antibody (HAMA), which can result in
immune complex disease and/or neutralization of the
therapeutic antibody. See, e.g., Jaffers et al. (1986)
10 Transplantation 41:572. While the use of human
monoclonal antibodies would address this limitation, it
has proven difficult to generate large amounts of human
monoclonal antibodies by conventional hybridoma
technology.
15 Recombinant technology has been used in an
effort to construct "humanized" antibodies that maintain
the high binding affinity of rodent monoclonal
antibodies but exhibit reduced immunogenicity in humans.
Chimeric antibodies have been produced in which the
20 variable (V) region of a mouse antibody is combined with
the constant (C) region of a human antibody in an effort
to maintain the specificity and affinity of the rodent
antibody but reduce the amount of protein that is non-
human and thus immunogenic. While the immune response
25 to chimeric antibodies is generally reduced relative to
the corresponding rodent antibody, the immune response
cannot be completely eliminated, because the mouse V
region is capable of eliciting an immune response.
Lobuglio et al. (1989) Proc. Natl. Acad. Sci. 86:4220;
30 Jaffers et al. (1986) Transplantation 41:572.

-4-

In a recent approach to reducing
1 immunogenicity of rodent antibodies, only the rodent
complementarity determining regions (CDRs), rather than
the entire V domain, are transplanted to a human
antibody. Such humanized antibodies are known as CDR-
5 grafted antibodies. CDRs are regions of
hypervariability in the V regions that are flanked by
relatively conserved regions known as framework (FR)
regions. Each V domain contains three CDRs flanked by
four FRs. The CDRs fold to form the antigen binding
10 site of the antibody, while the FRs support the
structural conformations of the V domains. Thus by
transplanting the rodent CDRs to a human antibody, the
antigen binding domain can theoretically also be
transferred. Owens et al. (1994) J. Immunol. Methods
15 168:149 and Winter et al. (1993) Immunology Today 14:243
review the development of CDR-grafted antibodies.

Orlandi et al. (1989) Proc. Natl. Acad. Sci.
USA 86:3833 constructed a humanized antibody against the
relatively simple hapten nitrophenacetyl (NP). The CDR-
20 grafted antibody contained mouse CDRs and human FRs, and
exhibited NP binding activity similar to the native
mouse antibody. However, the construction of CDR-
grafted antibodies recognizing more complex antigens has
resulted in antibodies having binding activity
25 significantly lower than the native rodent antibodies.
In numerous cases it has been demonstrated that the mere
introduction of rodent CDRs into a human antibody
background is insufficient to maintain full binding
activity, perhaps due to distortion of the CDR
30 conformation by the human FR.

-5-

For example, Gorman et al. (1991) Proc. Natl.

- 1 Acad. Sci. 88:4181 compared two humanized antibodies
against human CD4 and observed considerably different
avidies depending upon the particular human framework
region of the humanized antibody. Co et al. (1991)
5 Proc. Natl. Acad. Sci. USA 88:2869 required a refined
computer model of the murine antibody of interest in
order to identify critical amino acids to be considered
in the design of a humanized antibody. Kettleborough et
al. (1991) Protein Engineering 4:773 report the
10 influence of particular FR residues of a CDR-grafted
antibody on antigen binding, and propose that the
residues may directly interact with antigen, or may
alter the conformation of the CDR loops. Similarly,
Singer et al. (1993) J. Immunol. 150:2844 report that
15 optimal humanization of an anti-CD18 murine monoclonal
antibody is dependent upon the ability of the selected
FR to support the CDR in the appropriate antigen binding
conformation. Accordingly, recreation of the antigen-
binding site requires consideration of the potential
20 intrachain interactions between the FR and CDR, and
manipulation of amino acid residues of the FR that
maintain contacts with the loops formed by the CDRs.
While general theoretical guidelines have been proposed
for the design of humanized antibodies (see, e.g., Owens
25 et al.), in all cases the procedure must be tailored and
optimized for the particular rodent antibody of
interest.

There is a need in the art for humanized
antibodies with reduced immunogenicity and comparable
30 binding affinity relative to the parent rodent antibody
for various therapeutic applications. In particular,

-6-

there is a need for a humanized antibody against human
1 tissue factor having anticoagulant activity and useful
in the treatment and prevention of thrombotic disease.

SUMMARY OF THE INVENTION

5

The present invention is directed to CDR-grafted antibodies capable of inhibiting human tissue factor wherein the CDRs are derived from a non-human monoclonal antibody against tissue factor and the FR and
10 constant (C) regions are derived from one or more human antibodies. In a preferred embodiment, the murine monoclonal antibody is TF8-5G9.

In another embodiment, the present invention provides a method of producing a CDR-grafted antibody
15 capable of inhibiting human tissue factor which method comprises constructing one or more expression vectors containing nucleic acids encoding CDR-grafted antibody heavy and light chains, transfecting suitable host cells with the expression vector or vectors, culturing the
20 transfected host cells, and recovering the CDR-grafted antibody.

The present invention also provides a method of attenuation of coagulation comprising administering a CDR-grafted antibody capable of inhibiting human tissue
25 factor to a patient in need of such attenuation.

The present invention further provides a method of treatment or prevention of thrombotic disease comprising administering a CDR-grafted antibody capable of inhibiting human tissue factor to a patient in need
30 of such treatment or prevention. In a preferred

-7-

embodiment, the thrombotic disease is intravascular
1 coagulation, arterial restenosis or arteriosclerosis.

Another embodiment of the present invention is
directed to a pharmaceutical composition comprising CDR-
grafted antibodies capable of inhibiting human tissue
5 factor and further comprising a pharmaceutically
acceptable carrier.

BRIEF DESCRIPTION OF THE DRAWINGS

10 Fig. 1 provides the nucleotide and deduced
amino acid sequences of the heavy chain of murine
monoclonal antibody TF8-5G9.

Fig. 2 provides the nucleotide and deduced
amino acid sequences of the light chain of murine
15 monoclonal antibody TF8-5G9.

Fig. 3 is a graph depicting the ability of
CDR-grafted antibody TF8HCDR1 x TF8LCDR1 to bind to
human tissue factor and to compete with murine
monoclonal antibody TF85G9 for binding to tissue factor.
20 Solid symbols indicate direct binding of TF8HCDR1 x
TF8LCDR1 and the positive control chimeric TF85G9 to
tissue factor. Open symbols indicate competition
binding of TF8HCDR1 x TF8LCDR1 or chimeric TF85G9 with
murine monoclonal antibody TF85G9.

25 Fig. 4 presents the DNA sequence of expression
vector pEe6TF8HCDR20 and the amino acid sequence of the
coding regions of the CDR-grafted heavy chain TF8HCDR20.

Fig. 5 presents the DNA sequence of expression
vector pEe12TF8LCDR3 and the amino acid sequence of the
30 coding regions of the CDR-grafted light chain TF8LCDR3.

-8-

Fig. 6 is a graph depicting the ability of
1 CDR-grafted antibody TF8HCDR20 x TF8LCDR3 to bind to
human tissue factor.

Fig. 7 is a graph depicting the ability of
CDR-grafted antibody TF8HCDR20 x TF8LCDR3 to compete
5 with murine monoclonal antibody TF85G9 for binding to
tissue factor.

Fig. 8 is a graph depicting the ability of
CDR-grafted antibody TF8HCDR20 x TF8LCDR3 to inhibit
factor X activation.

10 Fig. 9 provides expression vector
pEe6TF8HCDR20 resulting from the subcloning of CDR-
grafted heavy chain TF8HCDR20 into myeloma expression
vector pEehCMV-BglI. The following abbreviations are
used: VH is the CDR-grafted heavy chain variable
15 region; C γ 4 is the human IgG4 constant region; pA is the
polyadenylation signal; ampR is the β -lactamase gene;
and hCMV is human cytomegalovirus.

Fig. 10 provides expression vector
pEe12TF8LCDR3 resulting from the subcloning of CDR-
20 grafted light chain TF8LCDR3 into myeloma expression
vector pEe12. The following abbreviations are used: VL
is the CDR-grafted light chain variable region; CK is
the human kappa constant region; SVE is the SV40 early
promoter; GS is glutamine synthetase cDNA. Other
25 abbreviations are as noted in Fig. 9.

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides CDR-grafted
30 antibodies capable of inhibiting human tissue factor
wherein the CDRs are derived from a non-human monoclonal

-9-

antibody against tissue factor and the FR and C regions
1 are derived from one or more human antibodies. The
present invention further provides methods of making and
using the subject CDR-grafted antibodies.

In accordance with the present invention, the
5 CDR-grafted antibody is an antibody in which the CDRs
are derived from a non-human antibody capable of binding
to and inhibiting the function of human tissue factor,
and the FR and C regions of the antibody are derived
from one or more human antibodies. The CDRs derived
10 from the non-human antibody preferably have from about
90% to about 100% identity with the CDRs of the non-
human antibody, although any and all modifications,
including substitutions, insertions and deletions, are
contemplated so long as the CDR-grafted antibody
15 maintains the ability to bind to and inhibit tissue
factor. The regions of the CDR-grafted antibodies that
are derived from human antibodies need not have 100%
identity with the human antibodies. In a preferred
embodiment, as many of the human amino acid residues as
20 possible are retained in order than immunogenicity is
negligible, but the human residues, in particular
residues of the FR region, are substituted as required
and as taught hereinbelow in accordance with the present
invention. Such modifications as disclosed herein are
25 necessary to support the antigen binding site formed by
the CDRs while simultaneously maximizing the
humanization of the antibody.

Non-human monoclonal antibodies against human
tissue factor from which the CDRs can be derived are
30 known in the art (Ruf et al., 1991; Morrisey et al.,
1988, Thrombosis Research 52:247) or can be produced by

-10-

well-known methods of monoclonal antibody production
1 (see, e.g. Harlow et al., eds., 1988, Antibodies, A
Laboratory Manual, Cold Spring Harbor Laboratories, Cold
Spring Harbor, New York). Purified human tissue factor
against which monoclonal antibodies can be raised is
5 similarly well-known (Morrisey et al., 1987, Cell
50:129) and available to the skilled artisan. Murine
monoclonal antibodies, and in particular murine
monoclonal antibody TF8-5G9 disclosed by Ruf et al. and
Morrisey et al., 1988, Thrombosis Research 52:247, and
10 U.S. Patent No. 5,223,427 are particularly preferred.

The ordinarily skilled artisan can determine
the sequences of the CDRs by reference to published
scientific literature or sequence databanks, or by
cloning and sequencing the heavy and light chains of the
15 antibodies by conventional methodology. In accordance
with the present invention, the cDNA and amino acid
sequences of the heavy chain (SEQ ID NOS:1 and 2,
respectively) and light chain (SEQ ID NOS:3 and 4,
respectively) of murine monoclonal antibody TF8-5G9 are
20 provided. The cDNA and deduced amino acid sequence of
the murine TF8-5G9 heavy chain is provided at Figure 1.
The cDNA and deduced amino acid sequence of the murine
TF8-5G9 light chain is provided at Figure 2.

Each of the heavy and light chain variable
25 regions contain three CDRs that combine to form the
antigen binding site. The three CDRs are surrounded by
four FR regions that primarily function to support the
CDRs. The sequences of the CDRs within the sequences of
the variable regions of the heavy and light chains can
30 be identified by computer-assisted alignment according
to Kabat et al. (1987) in Sequences of Proteins of

-11-

Immunological Interest, 4th ed., United States

- 1 Department of Health and Human Services, US Government
Printing Office, Washington, D.C., or by molecular
modeling of the variable regions, for example utilizing
the ENCAD program as described by Levitt (1983) J. Mol.
5 Biol. 168:595.

In a preferred embodiment the CDRs are derived from murine monoclonal antibody TF8-5G9. The preferred heavy chain CDRs have the following sequences:

10	CDR1	DDYMH	(SEQ ID NO:5)
	CDR2	LIDPENGNTIYDPKFQG	(SEQ ID NO:6)
	CDR3	DNSYYFDY	(SEQ ID NO:7)

- 15 The preferred light chain CDRs have the following
sequences:

CDR1	KASQDIRKYLN	(SEQ ID NO:8)
CDR2	YATSLAD	(SEQ ID NO:9)
CDR3	LQHGESPYT	(SEQ ID NO:10)

- 20 The sequences of the CDRs of the murine or other non-human antibody, and in particular the sequences of the CDRs of TF8-5G9, may be modified by insertions, substitutions and deletions to the extent that the CDR-
25 grafted antibody maintains the ability to bind to and inhibit human tissue factor. The ordinarily skilled artisan can ascertain the maintenance of this activity by performing the functional assays described hereinbelow. The CDRs can have, for example, from about
30 50% to about 100% homology to the CDRs of SEQ ID NOS:5-10. In a preferred embodiment the CDRs have from about

-12-

80% to about 100% homology to the CDRs of SEQ ID NOS:5-
l 10. In a more preferred embodiment the CDRs have from
about 90% to about 100% homology to the CDRs of SEQ ID
NOS:5-10. In a most preferred embodiment the CDRs have
from about 100% homology to the CDRs of SEQ ID NOS:5-10.

5 The FR and C regions of the CDR-grafted
antibodies of the present invention are derived from one
or more human antibodies. Human antibodies of the same
class and type as the antibody from which the CDRs are
derived are preferred. The FR of the variable region of
10 the heavy chain is preferably derived from the human
antibody KOL (Schmidt et al., 1983, Hoppe-Seyler's Z.
Physiol. Chem. 364:713) The FR of the variable region
of the light chain is preferably derived from the human
antibody REI (Epp et al., 1974, Eur. J. Biochem.
15 45:513). In accordance with the present invention, it
has been discovered that certain residues of the human
FR are preferably replaced by the corresponding residue
of the non-human antibody from which the CDRs are
derived. For example, certain FR residues of TF8-5G9
20 are preferably retained to achieve optimal binding to
antigen.

For convenience, the numbering scheme of Kabat
et al. has been adopted herein. Residues are designated
by lower case numbers or hyphens as necessary to conform
25 the present sequences to the standard Kabat numbered
sequence.

In accordance with the present invention,
residues that are retained in the FR region, i.e.
residues that are not replaced by human FR residues, are
30 determined according to the following guidelines.
Residues that are idiosyncratic to the parent antibody,

-13-

e.g. TF8-5G9, relative to a human consensus sequence of 1 Kabat et al, are retained. Residues of the parent antibody that are in agreement with the consensus sequence are retained if the corresponding residue of the human antibody, e.g. KOL or REI, is idiosyncratic. 5 Residues that are part of the antibody loop canonical structures defined by Chothia et al. (1989) Nature 342:877, such as residue 71 of the heavy and light chains, are retained. FR residues predicted to form loops, such as residues 28-30 of the heavy chain, are 10 retained. FR residues predicted to influence the conformation of the CDRs such as residues 48 and 49 preceding CDR2 of the heavy chain, are retained. Residues that have been demonstrated to be critical in the humanization of other antibodies may also be 15 retained. The foregoing guidelines are followed to the extent necessary to support the antigen binding site formed by the CDRs while simultaneously maximizing the humanization of the antibody.

The amino acid sequence of a representative 20 CDR-grafted heavy chain variable region derived from murine monoclonal antibody TF8-5G9 and human antibody KOL is shown below. The CDR-grafted heavy chain is designated TF8HCDR1; murine residues were retained in the FR at residues 6, 17, 23, 24, 28, 29, 30, 48, 49, 25 68, 71, 73, 78, 88 and 91. CDRs are underlined.

10	20	30	35ab	50
QVQLVQSGGG VVQPGRLRL SCKASGFNIK <u>DYYMH</u> --WVR QAPGKGLEWIG				
52abc	60	70	80 82abc	90
<u>LIDP</u> -- <u>ENGNTIYD</u> PKFQGRFSIS ADTSK--NTAFL QMDSLRPEDTAVY				
100	110			
30 <u>YCARDNSYYF</u> <u>DYWGQGTPVT</u> VSS (SEQ ID NO:11)				

-14-

The amino acid sequence of a representative
1 CDR-grafted light chain variable region derived from
murine monoclonal antibody TF8-5G9 and human antibody
REI is shown below. The CDR-grafted light chain is
designated TF8LCDR1; murine residues were retained in
5 the FR at residues 39, 41, 46 and 105. CDRs are
underlined.

	10	20	30	40	50
	DIQMTQSPSS	LSASVGDRVT	ITCK <u>A</u> SQDIR	KYLNWYQQK	WKAPKTLIYY
10	60	70	80	90	100
	<u>ATSLADGVPS</u>	RFSGSGSGTD	YTFTISSLQP	<u>EDIATYYCLO</u>	<u>HGESPYTFGQ</u>
	GTKLEITR (SEQ ID NO:12)				

A CDR-grafted antibody containing variable
15 regions TF8HCDR1 and TF8LCDR1 has been demonstrated in
accordance with the present invention to be as effective
as murine monoclonal antibody TF8-5G9 in binding to
human tissue factor. It has been further discovered in
accordance with the present invention, by examination of
20 the molecular structure of murine monoclonal antibody
TF8-5G9, and by design, construction, and analysis of
CDR-grafted antibodies, that the FR regions can be
further humanized without the loss of antigen binding
activity. In particular, the FR region may retain the
25 human FR residue at residues 6, 17, 68, 73 and 78 of the
heavy chain, and residues 39, 41, 46 and 105 of the
light chain, with maintenance of antigen binding
activity.

In a most preferred embodiment, the heavy
30 chain variable region contains a FR derived from human
antibody KOL in which murine monoclonal antibody TF8-5G9

-15-

residues are retained at amino acids 23, 24, 28, 29, 30,
1 48, 49, 71, 88 and 91. The preferred heavy chain
variable region is designated TF8HCDR20 and has the
following sequence.

5 10 20 30 35ab 50
QVQLVESGGG VVQPGRLRL SCKASGFNIK DYYMH--WVR QAPGKGLEWIGL

52abc 60 70 80 82abc 90 100
IDP--ENGNTIYD PKFQGRFTIS ADNSKNTLFL QMDSLRPEDTAVY YCARDNSYYF

10 110
DYWGQQGTPVT VSS (SEQ ID NO:13)

In a most preferred embodiment, the light
chain variable region contains a FR derived from human
15 antibody REI in which murine monoclonal antibody TF8-5G9
residues are retained at amino acids 39 and 105. The
preferred light chain variable region is designated
TF8LCDR20 and has the following sequence.

10 20 30 40 50
DIQMTQSPSS LSASVGDRVIT ITCKASQDIR KYLNWYQQKP GKAPKLLIYY
20 60 70 80 90 100
ATSLADGVPS RFSGSGSGTD YTFTISSLQP EDIATYYCLO HGESPYTFGQ
GTKEITR (SEQ ID NO:14)

It is within the ken of the ordinarily skilled
25 artisan to make minor modifications of the foregoing
sequences, including amino acid substitutions, deletions
and insertions. Any such modifications are within the
scope of the present invention so long as the resulting
CDR-grafted antibody maintains the ability to bind to
30 and inhibit human tissue factor. The ordinarily skilled
artisan can assess the activity of the CDR-grafted

-16-

antibody with reference to the functional assays
1 described hereinbelow.

The human constant region of the CDR-grafted antibodies of the present invention is selected to minimize effector function. The intended use of the 5 CDR-grafted antibodies of the present invention is to block the coagulation cascade by inhibition of tissue factor, and thus antibody effector functions such as fixation of complement are not desirable. Antibodies with minimal effector functions include IgG2, IgG4, IgA, 10 IgD and IgE. In a preferred embodiment of the present invention, the heavy chain constant region is the human IgG4 constant region, and the light chain constant region is the human IgG4 kappa constant region.

In that effector functions may not be 15 desirable for therapeutic uses, the present invention further contemplates active fragments of the CDR-grafted antibodies, and in particular Fab fragments and F(ab')₂ fragments. Active fragments are those fragments capable of inhibiting human tissue factor. Fab fragments and 20 F(ab')₂ fragments may be obtained by conventional means, for example by cleavage of the CDR-grafted antibodies of the invention with an appropriate proteolytic enzyme such as papain or pepsin, or by recombinant production. The active fragments maintain the antigen binding sites 25 of the CDR-grafted antibodies and thus are similarly useful therapeutically.

The ability of the CDR-grafted antibodies designed and constructed as taught in accordance with the present invention to bind and inhibit human tissue 30 factor can be assessed by functional assays. For example, in a rapid and convenient assay, expression

- vectors containing nucleic acids encoding the CDR-
1 grafted heavy and light chains can be co-transfected
into suitable host cells and transiently expressed. The
resulting antibodies can be assessed by standard assays
for ability to bind human tissue factor, and for ability
5 to compete for binding to tissue factor with the non-
human antibody from which the CDRs are derived.

For example, transient expression of nucleic
acids encoding the CDR-grafted heavy and light chains in
COS cells provides a rapid and convenient system to test
10 antibody gene expression and function. Nucleic acids
encoding the CDR-grafted heavy and light chains,
respectively, are cloned into a mammalian cell
expression vector, for example pSG5, described by Green
et al. (1988) Nucleic Acids Res. 16:369 and commercially
15 available from Stratagene Cloning Systems, La Jolla, CA.
The pSG5 expression vector provides unique restriction
sites for the insertion of the heavy and light chain
genes, and in vivo expression is under the control of
the SV40 early promoter. Transcriptional termination is
20 signaled by the SV40 polyadenylation signal sequence.

The pSG5-based expression vectors containing
nucleic acids encoding the heavy and light chains are
cotransfected into COS cells and cultured under
conditions suitable for transient expression. Cell
25 culture media is then harvested and examined for
antibody expression, for example by an enzyme linked
immunosorbent assay (ELISA), to determine that suitable
levels of antibody have been produced. An ELISA may
then be used to assess the ability of the CDR-grafted
30 antibody to bind to human tissue factor. Human tissue
factor is immobilized on a microtiter plate and the COS

-18-

cell supernatant containing the CDR-grafted antibody is
1 added followed by an incubation at room temperature for
about one hour. The plates are then washed with a
suitable detergent-containing buffer such as phosphate
buffered saline (PBS)/Tween, followed by the addition of
5 the components of a suitable detection system. For
example, horseradish peroxidase conjugated goat anti-
human kappa chain polyclonal antibody is added, followed
by washing, followed by addition of substrate for
horseradish peroxidase, and detection. The CDR-grafted
10 antibodies within the scope of the present invention are
those which are capable of binding to human tissue
factor to a degree comparable to the non-human antibody
from which the CDRs are derived as determined by the
foregoing assay.

15 The ability of the CDR-grafted antibodies to
inhibit the activity of human tissue factor in vivo can
be conveniently assessed by the following in vitro assay
that mimics in vivo coagulation events. In response to
vascular injury in vivo, tissue factor binds to factor
20 VII and facilitates the conversion of factor VII to a
serine protease (factor VIIa). The factor VIIa-tissue
factor complex converts factor X to a serine protease
(factor Xa). Factor Xa forms a complex with factor Va
(from the intrinsic coagulation pathway), resulting in
25 the conversion of prothrombin to thrombin, which in turn
results in the conversion of fibrinogen to fibrin. In a
convenient in vitro functional assay, tissue factor is
incubated in the presence of factor VIIa and the CDR-
grafted anti-tissue factor antibody produced in the
30 transient expression system described above. Factor X
is added and the reaction mixture is incubated, followed

-19-

by an assay for factor Xa activity utilizing a
1 chromogenic substrate for factor Xa (Spectrozyme FXa,
American Diagnostica, Inc., Greenwich, CT). The ability
of the CDR-grafted antibody to inhibit factor X
activation thus provides a measure of the ability of the
5 CDR-grafted antibody to inhibit the activity of human
tissue factor.

The CDR-grafted antibodies within the scope of
the present invention are those which are capable of
inhibiting human tissue factor to a degree comparable to
10 the non-human antibody from which the CDRs are derived
as determined by the foregoing assay. In one
embodiment, the CDR-grafted antibody has at least 50% of
the inhibitory activity of TF8-5G9 for human tissue
factor. In a preferred embodiment, the CDR-grafted
15 antibody has at least 70% of the inhibitory activity of
TF8-5G9 for human tissue factor. In a more preferred
embodiment, the CDR-grafted antibody has at least 80% of
the inhibitory activity of TF8-5G9 for human tissue
factor. In a most preferred embodiment, the CDR-grafted
20 antibody has at least 90% of the inhibitory activity of
TF8-5G9 for human tissue factor.

In another embodiment, the present invention
provides a method of producing a CDR-grafted antibody
capable of inhibiting human tissue factor. The method
25 comprises constructing an expression vector containing a
nucleic acid encoding the CDR-grafted antibody heavy
chain and an expression vector containing a nucleic acid
encoding the CDR-grafted antibody light chain,
transfected suitable host cells with the expression
30 vectors, culturing the transfected host cells under
conditions suitable for the expression of the heavy and

-20-

light chains, and recovering the CDR-grafted antibody.

- 1 Alternately, one expression vector containing nucleic acids encoding the heavy and light chains may be utilized.

Standard molecular biological techniques, for example as disclosed by Sambrook *et al.* (1989), Molecular Cloning: A Laboratory Manual Cold Spring Harbor Press, Cold Spring Harbor, NY may be used to obtain nucleic acids encoding the heavy and light chains of the CDR-grafted antibodies of the present invention.

5 10 15 20 25 30

A nucleic acid encoding the CDR-grafted variable domain may be constructed by isolating cDNA encoding the antibody to be humanized, e.g. murine monoclonal antibody TF8-5G9, by conventional cloning methodology from the hybridoma producing the antibody, or by polymerase chain reaction (PCR) amplification of the variable region genes, as described for example by Winter *et al.*, followed by site-directed mutagenesis to substitute nucleotides encoding the desired human residues into the FR regions. Alternately, the cDNA encoding the human antibody can be isolated, followed by site-directed mutagenesis to substitute nucleotides encoding the desired murine residues into the CDRs.

Nucleic acids encoding the CDR-grafted variable domain may also be synthesized by assembling synthetic oligonucleotides, for example utilizing DNA polymerase and DNA ligase. The resulting synthetic variable regions may then be amplified by PCR. Nucleic acids encoding CDR-grafted variable domains may also be constructed by PCR strand overlap methods that are known in the art and reviewed by Owens *et al.*

-21-

Accordingly, having determined the desired
1 amino acid sequences of the CDR-grafted variable domains
in accordance with the present invention, the ordinarily
skilled artisan can obtain nucleic acids encoding the
variable domains. Further, the skilled artisan is aware
5 that due to the degeneracy of the genetic code, various
nucleic acid sequences can be constructed that encode
the CDR-grafted variable domains. All such nucleic acid
sequence are contemplated by the present invention.

The nucleic acids encoding the CDR-grafted
10 variable domains are linked to appropriate nucleic acids
encoding the human antibody heavy or light chain
constant region. Nucleic acid sequences encoding human
heavy and light chain constant regions are known in the
art. It is within the ken of the ordinarily skilled
15 artisan to include sequences that facilitate
transcription, translation and secretion, for example
start codons, leader sequences, the Kozak consensus
sequence (Kozak, 1987, J. Mol. Biol. 196:947) and the
like, as well as restriction endonuclease sites to
20 facilitate cloning into expression vectors.

The present invention thus further provides
nucleic acids encoding the heavy and light chains of
CDR-grafted antibodies capable of inhibiting human
tissue factor wherein the CDRs are derived from a murine
25 monoclonal antibody against tissue factor and the FR and
C regions are derived from one or more human antibodies.

In accordance with the present invention,
representative nucleic acids encoding CDR-grafted heavy
and light chains were constructed. The CDR-grafted
30 heavy chain comprises a variable region containing FR
regions derived from human antibody KOL and CDRs derived

-22-

from murine monoclonal antibody TF8-5G9 and further
1 comprises a constant region derived from the heavy chain
of human IgG4. The CDR-grafted light chain comprises a
variable region containing FR regions derived from human
antibody REI and CDRs derived from murine monoclonal
5 antibody TF8-5G9 and further comprises a constant region
derived from human IgG4 kappa chain. Nucleic acids
encoding the heavy and light chains were constructed by
assembling the variable regions from synthetic
nucleotides, amplifying the assembled variable regions
10 by PCR, purifying the amplified nucleic acids, and
ligating the nucleic acid encoding the variable region
into a vector containing a nucleic acid encoding the
appropriate human constant region.

The sequences of representative nucleic acids
15 encoding CDR-grafted heavy and light chains are
presented as nucleotides 1-2360 of SEQ ID NO:15 and
nucleotides 1-759 of SEQ ID NO:20, respectively.

The nucleic acid sequence encoding a preferred
heavy chain (nucleotides 1-2360 of SEQ ID NO:15) is
20 designated the TF8HCDR20 gene. The nucleic acid
sequence contains the following regions: 5' EcoRI
restriction site (nucleotides 1-6); Kozak sequence
(nucleotides 7-15); start codon and leader sequence
(nucleotides 16-72); CDR-grafted variable region
25 (nucleotides 73-423); human IgG4 CH1 domain (nucleotides
424-717); human IgG4 intron 2 (nucleotides 718-1110);
human IgG4 hinge (nucleotides 1111-1146); human IgG4
intron 3 (nucleotides 1147-1267); human IgG4 CH2 domain
(nucleotides 1268-1594); human IgG4 intron 4
30 (nucleotides 1595-1691); human IgG4 CH3 domain
(nucleotides 1692-2012); 3' untranslated region

-23-

(nucleotides 2013-2354); 3' BamHI end spliced to BclI site of expression vector (nucleotides 2355-2360).

The nucleic acid sequence encoding a preferred light chain gene (nucleotides 1-759 of SEQ ID NO:20) is designated the TF8LCDR3 gene. The nucleic acid sequence 5 contains the following regions: 5' EcoRI restriction site- (nucleotides 1-5); Kozak sequence (nucleotides 6-8); start codon and leader sequence (nucleotides 9-68); CDR-grafted variable region (nucleotides 69-392); human kappa constant region (nucleotides 393-710); 3' 10 untranslated region (nucleotides 711-753); 3' BamHI end spliced to BclI site of expression vector (nucleotides 754-759).

The foregoing preferred sequences can be modified by the ordinarily skilled artisan to take into 15 account degeneracy of the genetic code, and to make additions, deletions, and conservative and nonconservative substitutions that result in a maintenance of the function of the nucleic acid, i.e. that it encodes a heavy or light chain of a CDR-grafted 20 antibody capable of inhibiting human tissue factor. Restriction sites and sequences that facilitate transcription and translation may be altered or substituted as necessary depending upon the vector and host system chosen for expression.

25 Suitable expression vectors and hosts for production of the CDR-grafted antibodies of the present invention are known to the ordinarily skilled artisan. The expression vectors contain regulatory sequences, such as replicons and promoters, capable of directing 30 replication and expression of heterologous nucleic acids sequences in a particular host cell. The vectors may

-24-

also contain selection genes, enhancers, signal
1 sequences, ribosome binding sites, RNA splice sites,
polyadenylation sites, transcriptional terminator
sequences, and so on. The vectors may be constructed by
conventional methods well-known in the art, or obtained
5 from commercial sources. The expression vectors
preferably have convenient restriction sites at which
the nucleic acids encoding the antibody chains of the
invention are inserted. Myeloma expression vectors in
which antibody gene expression is driven by the human
10 cytomegalovirus promoter-enhancer or are particularly
preferred.

Expression vectors containing a nucleic acid
encoding the CDR-grafted heavy chain under the control
of a suitable promoter and expression vectors containing
15 a nucleic acid encoding the CDR-grafted light chain
under the control of a suitable promoter are
cotransfected into a suitable host cell. In another
embodiment, nucleic acids encoding both heavy and light
chains are provided in a single vector for transfection
20 of a suitable host cell.

Suitable host cells or cell lines for
expression of the CDR-grafted antibodies of the present
invention include bacterial cells, yeast cells, insect
cells, and mammalian cells such as Chinese hamster ovary
25 (CHO) cells, COS cells, fibroblast cells and myeloid
cells. Mammalian cells are preferred. CHO, COS and
myeloma cells are particularly preferred. Myeloma cells
are preferred for establishing permanent CDR-grafted
antibody producing cell lines. Expression of antibodies
30 in myeloma cells, bacteria, and yeast is reviewed by

-25-

Sandhu (1992) Critical Reviews in Biotechnology 12:437.

- 1 Expression in mammalian cells is reviewed by Owen et al..
Transfection of host cells by the expression
vectors containing nucleic acids encoding the CDR-
grafted heavy and light chains can be accomplished by
5 methods well-known to one of ordinary skill in the art.
Such methods include, for example, calcium chloride
transfection, calcium phosphate transfection,
lipofection and electroporation. Suitable culture
methods and conditions for the production of the CDR-
10 grafted antibodies are likewise well-known in the art.
The CDR-grafted antibodies can be purified by
conventional methods, including ammonium sulfate
precipitation, affinity chromatography, gel
electrophoresis, and the like. The ability of the CDR-
15 grafted antibodies to bind to and inhibit human tissue
factor can be assessed by the in vitro assays described
above.

The CDR-grafted antibodies of the present
invention have a variety of utilities. For example, the
20 antibodies are capable of binding to human tissue factor
and thus are useful in assays for human tissue factor
from body fluid samples, purification of human tissue
factor, and so on.

The CDR-grafted antibodies of the present
25 invention are capable of inhibiting human tissue factor.
Human tissue factor is well-known to be an essential
element in the human coagulation cascade. The ability
of the antibodies of the present invention to disrupt
the coagulation cascade is demonstrated by in vitro
30 assays in which the antibodies prevent factor X
activation. Accordingly, the present antibodies are

-26-

useful in the attenuation of coagulation. The present
1 invention thus provides a method of attenuation of
coagulation comprising administering a therapeutically
effective amount of CDR-grafted antibody capable of
inhibiting human tissue factor to a patient in need of
5 such attenuation.

Numerous thrombotic disorders are
characterized by excessive or inappropriate coagulation
and are effectively treated or prevented by
administration of agents that interfere with the
10 coagulation cascade. Accordingly, the present invention
further provides a method of treatment or prevention of
a thrombotic disorder comprising administering a
therapeutically effective amount of a CDR-grafted
antibody capable of inhibiting human tissue factor to a
15 patient in need of such treatment or prevention. In a
preferred embodiment, the thrombotic disorder is
intravascular coagulation, arterial restenosis or
arteriosclerosis. The antibodies of the invention may be
used in combination with other antibodies or therapeutic
20 agents.

A therapeutically effective amount of the
antibodies of the present invention can be determined by
the ordinarily skilled artisan with regard to the
patient's condition, the condition being treated, the
25 method of administration, and so on. A therapeutically
effective amount is the dosage necessary to alleviate,
eliminate, or prevent the thrombotic disorder as
assessed by conventional parameters. For example, a
therapeutically effective dose of a CDR-grafted antibody
30 of the present invention may be from about 0.1 mg to
about 20 mg per 70 kg of body weight. A preferred

dosage is about 1.0 mg to about 5 mg per 70 kg of body weight.

A patient in need of such treatment is a patient suffering from a disorder characterized by inappropriate or excessive coagulation, or a patient at 5 risk of such a disorder. For example, anticoagulant therapy is useful to prevent postoperative venous thrombosis, and arterial restenosis following balloon angioplasty.

The CDR-grafted antibodies of the present 10 invention are useful in the same manner as comparable therapeutic agents, and the dosage level is of the same order of magnitude as is generally employed with those comparable therapeutic agents. The present antibodies may be administered in combination with a 15 pharmaceutically acceptable carrier by methods known to one of ordinary skill in the art.

Another embodiment of the present invention is directed to a pharmaceutical composition comprising a least one CDR-grafted antibody capable of inhibiting 20 human tissue factor and further comprising a pharmaceutically acceptable carrier. As used herein, "pharmaceutically acceptable carrier" includes any and all solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying 25 agents, and the like. The use of such media and agents for pharmaceutically active substances is well-known in the art. Except insofar as any conventional media or agent is incompatible with the active ingredient, its use in the therapeutic compositions is contemplated. 30 Supplementary active ingredients can also be incorporated into the compositions.

-28-

The antibodies can be administered by well-known routes including oral and parenteral, e.g., intravenous, intramuscular, intranasal, intradermal, subcutaneous, and the like. Parenteral administration and particularly intravenous administration is preferred. Depending on the route of administration, the pharmaceutical composition may require protective coatings.

The pharmaceutical forms suitable for injectionable use include sterile aqueous solutions or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersions. In all cases the ultimate solution form must be sterile and fluid. Typical carriers include a solvent or dispersion medium containing, for example, water buffered aqueous solutions (i.e., biocompatible buffers), ethanol, polyol such as glycerol, propylene glycol, polyethylene glycol, suitable mixtures thereof, surfactants or vegetable oils. The antibodies may be incorporated into liposomes for parenteral administration. Sterilization can be accomplished by an art-recognized techniques, including but not limited to, addition of antibacterial or antifungal agents, for example, paraben, chlorobutanol, phenol, sorbic acid or thimersal. Further, isotonic agents such as sugars or sodium chloride may be incorporated in the subject compositions.

Production of sterile injectable solutions containing the subject antibodies is accomplished by incorporating these antibodies in the required amount in the appropriate solvent with various ingredients enumerated above, as required, followed by

-29-

sterilization, preferably filter sterilization. To
1 obtain a sterile powder, the above solutions are vacuum-
dried or freeze-dried as necessary.

The following examples further illustrate the
present invention.

5

10

15

20

25

30

35

-30-

EXAMPLE 1

1 Isolation and Sequencing of TF8-5G9
Light Chain (LC) and Heavy Chain (HC)

Two DNA libraries were generated from oligo
5 (dT)-primed TF8-5G9 hybridoma RNA utilizing standard
molecular biology procedures as described by Sambrook et
al. The cDNA was cloned into the Librarian II plasmid
vector from Invitrogen (San Diego, CA), and the
libraries were screened for cDNA clones encoding murine
10 IgG HC and LC. A full-length cDNA clone for the heavy
chain could not be isolated, despite the construction of
two independent libraries. A random primed TF8-5G9 cDNA
library was generated to obtain the missing 5' sequence
of the heavy chain. Consequently, the heavy chain cDNA
15 was in two pieces: a 5' clone of 390 nucleotides and a
3' clone of 1392 nucleotides. The two HC clones overlap
by 292 nucleotides.

The HC and LC clones were completely sequenced
by the dideoxy chain termination method of Sanger et al.
20 (1977) Proc. Natl. Acad. Sci. USA 74:5463. To verify
the variable region sequence, sequence was obtained from
PCR-amplified cDNA that had been synthesized from total
TF8-5G9 hybridoma RNA. Total TF8-5G9 hybridoma RNA was
isolated by the guanidinium thiocyanate method of
25 Chrigwin et al. (1970) Biochemistry 18:5294. cDNA was
synthesized using the Perkin Elmer (Norwalk, CT) GeneAmp
RNA Polymerase Chain Reaction (PCR) kit with an oligo
(dT) primer. Components of the same kit were used in
the PCR to amplify the LC and HC variable regions using
30 primers based on the sequence that had been obtained for
the cDNA clones. The amplified variable region

-31-

fragments were gel-purified and sequenced according to
1 the method of Tracy et al. (1991) BioTechniques 11:68 on
a Model 373A Applied Biosystems, Inc. (Foster City, CA)
automated fluorescent DNA sequencer. The sequence for
TF8-5G9 LC and HC obtained from RNA amplification and
5 the sequence obtained from the cDNA clones agreed. The
TF8-5G9 HC variable region sequence with protein
translation is shown in Figure 1 and SEQ ID NO:1, and
that for the LC is shown in Figure 2 and SEQ ID NO:3.

10

15

20

25

30

35

EXAMPLE 2

1 Chimeric LC and HC Expression Vector Construction

In order to test the binding activity of the CDR-grafted anti-TF LC and HC individually, mouse-human 5 chimeric TF8-5G9 LC and HC were constructed. This allowed the CDR-grafted LC to be tested for TF binding ability in combination with the chimeric HC, and the CDR-grafted HC to be tested in combination with the chimeric LC.

10 Primers were designed to amplify the TF8-5G9 LC variable region using as template cDNA clones in the Librarian II vector. The 5' primer was designed with an EcoRI site while the 3' primer was designed with a NarI site. PCR was used to amplify the LC variable region, 15 generating a 433 bp fragment with a 5'EcoRI end and 3'NarI end. The fragment included the signal sequence from the TF8-5G9 LC cDNA clone but incorporated a 2 base change in the arginine codon immediately following the ATG start codon. This change retained the arginine 20 residue but made the sequence conform to the Kozak consensus sequence in order to potentially improve translation of the LC mRNA. The PCR amplified LC variable region fragment was digested with EcoRI and NarI restriction enzymes and purified by electrophoresis 25 on a 2% Nusieve, 1% Seakem agarose gel (FMC Bio Products, Rockland, ME).

The DNA was extracted from the gel slice and purified by the Geneclean (Bio 101, La Jolla, CA) procedure. The full-length chimeric TF8-5G9 LC gene was 30 generated by cloning this DNA into the EcoRI and NarI sites of a pSP73 vector (Promega, Madison, WI) which

-33-

contains the human kappa constant region. The gene was
1 isolated from the pSP73 vector by EcoRI digestion and
subcloned into the EcoRI site of the pSG5 mammalian cell
expression vector (Stratagene Cloning Systems, La Jolla,
CA).

5 The chimeric TF8-5G9 HC gene was assembled in
a manner similar to that of the chimeric LC. Since
there was no full-length HC cDNA isolated from the
Librarian II vector cDNA libraries, the HC variable
region fragment that was generated by the PCR from total
10 TF8-5G9 hybridoma cell RNA was used as the template.
Primers which incorporated an EcoRI site at the 5' end
and a SacI site at the 3' end were used in the PCR to
generate a 430 bp fragment which contained the TF8-5G9
HC Kozak sequence, start codon, signal sequence, and
15 variable region. This fragment was digested with the
restriction enzymes EcoRI and SacI, and gel-purified
using the same procedure that was used with the chimeric
LC construction.

20 The full-length TF8-5G9 chimeric HC gene was
constructed by cloning the variable region fragment into
the EcoRI and SacI sites of the pSG5 expression vector
containing the human IgG4 constant region.

25

30

35

EXAMPLE 31 Design and Construction of the
CDR-Grafted Heavy and Light Chain Genes

The variable region domains of the CDR-grafted
5 HC and LC genes were designed with an EcoRI overhang at
the 5' end followed by a Kozak sequence to improve
antibody expression. The leader sequences were derived
from the heavy and light chains of the murine monoclonal
antibody B72.3 (Whittle et al. (1987) Protein
10 Engineering 1:499). The 3' end of the variable regions
were designed to have overhangs which allowed for
splicing to the appropriate human constant region DNA.

In the initially designed CDR-grafted TF8-5G9
heavy and light chains the CDRs were derived from murine
15 TF8-5G9 sequence while the frameworks were derived
primarily from human antibody sequence. The human
antibody KOL (Schmidt et al.) was used for the heavy
chain frameworks, while the human antibody dimer (Epp et
al.) was used for the light chain frameworks.

20 Several criteria were used to select murine
framework residues in the design of the TF8-5G9 CDR-
grafted heavy and light chain variable regions.
Framework residues which, at a particular position, are
idiosyncratic to TF8-5G9 were retained as murine
25 sequence with the assumption that they contributed to
its unique binding characteristics. TF8-5G9 murine
residues were also retained at framework positions where
they were in agreement with the human consensus sequence
but where the corresponding residues in KOL or REI were
30 idiosyncratic. Residues that are part of antibody loop
canonical structures such as residue 71 (numbering

according to Kabat et al.) of the heavy and light chains
1 were also retained as murine sequence. Framework
residues that form loops such as residues 26-30 of the
HC were kept as TF8-5G9 murine sequence at positions
where the murine sequence differed from the human.

5 Residues known to directly influence the conformation of
CDRs, such as 48 and 49 immediately preceding CDR2 of
the HC, were also retained as murine sequence.

The amino acid sequence of the variable region
for the initially designed CDR-grafted TF8-5G9 HC,
10 TF8HCDR1, is shown in SEQ ID NO:11. Murine residues
were retained at framework positions 6, 17, 23, 24, 28,
29, 30, 48, 49, 68, 71, 73, 78 88 and 91. The CDR-
grafted HC variable region was attached to a human IgG4
constant region.

15 The amino acid sequence of the variable region
for the initially designed CDR-grafted TF8-5G9 LC,
TF8LCDR1, is shown in SEQ ID NO:12. Murine residues
were retained at framework positions 39, 41, 46 and 105.
The CDR-grafted LC variable region was attached to a
20 human kappa constant region.

The variable region for the CDR-grafted HC and
LC described above were each assembled from 13 synthetic
oligonucleotides which were synthesized by Research
Genetics, Inc., Huntsville, AL. These oligonucleotides
25 ranged in length from 42 to 80 bases, and encoded both
variable region strands. When the 6 complementary
oligonucleotide pairs were annealed, the overhangs
generated were 17 to 24 bases in length. These
oligonucleotide pairs were combined, annealed at their
30 complementary overhangs, and ligated to give the final
full length double-stranded variable regions.

- 36 -

The HC variable region oligonucleotides were assembled into a 452 bp fragment which contains a 5' EcoRI site and a 3' SacI site. The polymerase chain reaction was used to amplify this fragment. The resulting amplified DNA was purified on a 2% Nusieve, 1% Seakem agarose gel (FMC). The appropriate size band of DNA was excised and the DNA was recovered by the Geneclean (Bio 101) procedure. The fragment was then digested with EcoRI and SacI, and purified again by the Geneclean method. This HC variable region fragment with EcoRI and SacI ends was cloned into the EcoRI and SacI sites of the pSport-1 vector (GIBCO-BRL Life Technologies, Gaithersburg, MD). DNA from several clones was isolated and sequenced to verify proper variable region assembly. All clones had unexpected base changes. One clone with the fewest base changes (two mismatches at bases 133 and 140) was selected to be corrected by site-directed mutagenesis according to Kunkel (1985) Proc. Natl. Acad. Sci. USA 82:488. Briefly, CJ236 (ung-, dut-) competent cells (Invitrogen Corporation, San Diego, CA) were transformed with the pSport vector containing the CDR-grafted HC variable region with the two base mismatch. Single-stranded, uridine-incorporated DNA templates were purified from phage following M13 helper phage (Stratagene Cloning Systems) infection of the transformed cells. Mutagenesis oligos containing the desired base changes were synthesized on an Applied Biosystems Model 380B DNA synthesizer. The mutagenesis oligos were annealed to the template DNA, and T7 DNA Polymerase and T4 DNA Ligase (MutaGene InVitro Mutagenesis Kit, Bo-Rad Laboratories, Richmond, CA) were used to incorporate the

-37-

oligo into a newly synthesized DNA strand. DH5 α
1 competent cells (GIBCO-BRL Life Technologies) were
transformed with the double-stranded DNA. The original
uridine-incorporated strand is destroyed while the newly
synthesized strand containing the mutagenesis oligo is
5 replicated. Phagemid DNA was prepared from the
resulting mutagenesis clones and the variable regions
were sequenced to identify the clones which had
incorporated the desired changes. The corrected HC
EcoRI/SacI variable region fragment was excised from the
10 pSport vector, purified and ligated into the EcoRI/SacI
sites of a pSG5 vector containing the human IgG4
constant region. This resulted in the generation of a
full-length humanized TF8-5G9 HC gene, TF8HCDR1, in the
pSG5 COS cell expression vector. The vector was
15 designated pSG5TF8HCDR1.

The CDR-grafted TF8-5G9 LC variable region was
also amplified by the PCR from the assembled synthetic
oligonucleotides into a 433 bp fragment which contained
a 5' EcoRI site and a 3' NarI site. This fragment was
20 purified as described above for the HC, digested with
EcoRI and NarI and purified by the Geneclean procedure.
This fragment was cloned into the EcoRI and NarI sites
of a pSG5 vector which contains the human kappa constant
region. This resulted in the generation of a full-
25 length humanized TF8-5G9 LC gene, TF8LCDR1, in the pSG5
COS cell expression vector. Seven clones were
sequenced, and one was found to have the desired CDR-
grafted LC sequence. The vector was designated
pSQ5TF8LCDR1.

30

35

- 38 -

EXAMPLE 4

1 **Expression of the CDR-Grafted
Heavy and Light Chain Genes in COS Cells**

The transient expression of antibody genes in
5 COS-1 cells provides a rapid and convenient system to
test antibody gene expression and function. COS-1 cells
were obtained from the American Type Culture Collection
(CRL 1650) and cultured in Dulbecco's Modified Eagle
Medium (DMEM, from GIBCO BRL Life Technologies) with 10%
10 fetal calf serum. The pSG5TF8HCDR1 expression factor
was cotransfected into COS cells with the pSG5 chimeric
LC expression vector using the DEAE-Dextran method
followed by DMSO shock as described by Lopata *et al.*
(1984) Nucleic Acids Res. 14:5707. After 4 days of
15 culture, media was harvested from the wells and examined
for antibody expression levels.

Antibody levels were determined by an ELISA-based assembly assay. Plates were coated with a goat anti-human Fc specific antibody. Various dilutions of
20 the COS cell supernatant containing secreted antibody were added, incubated for one hour, and washed. A horseradish peroxidase-linked goat anti-human kappa chain antibody was added, incubated for one hour at room temperature, and washed. Substrate for the horseradish peroxidase was added for detection. Antibody levels in
25 the COS cell media were found to be nearly undetectable for the TF8HCDR1 x chimeric LC. Upon closer examination of the TF8HCDR1 variable region sequence, it was found that an unexpected base change, which had occurred
30 during the site-directed mutagenesis process described in Example 3, introduced a stop codon into framework 4

- 39 -

of the TF8HCDR1 gene. This substitution was corrected
1 by site-directed mutagenesis as described above.
Thorough sequencing of the variable region confirmed
that the correction was made with no additional changes
introduced. Upon transfection of this corrected
5 TF8HCDR1 gene with the chimeric LC, reasonable
expression levels were obtained.

COS cells which had been co-transfected with
the CDR-grafted LC expression vector, pSGTF8LCDR1, and
either the chimeric HC or TF8HCDR1, produced antibody at
10 reasonable levels. Antibody levels in COS cell
supernatants ranged from 0.5 µg to 10.0 µg per ml.

15

20

25

30

35

-40-

EXAMPLE 5

1 Binding of the CDR-Grafted TF8-5G9 to Tissue Factor

An ELISA was used to determine the ability of the CDR-grafted TF8-5G9 antibody, TF8HCDR1 x TF8LCDR1, 5 to bind to tissue factor. Tissue factor was immobilized on a microtiter plate. The test COS cell supernatant, containing the CDR-grafted antibody, was added to the well, incubated for one hour at room temperature.

Following three washes with PBS/Tween, a goat anti-human 10 kappa chain polyclonal antibody conjugated to horseradish peroxidase was added, incubated for one hour at room temperature and washed. Substrate for the horseradish peroxidase was added for detection. The positive control was the TF8-5G9 chimeric antibody. The 15 CDR-grafted TF8-5G9 antibody was able to bind to tissue factor to a degree comparable to the chimeric TF8-5G9 antibody (Figure 3, solid symbols).

The ability of the humanized antibody to compete with murine TF8-5G9 for binding to tissue factor 20 was also examined. Varying amounts of COS cell supernatant containing the test CDR-grafted antibody and a fixed amount of murine TF8-5G9 were added simultaneously to wells coated with tissue factor. Binding was allowed to occur for one hour at room 25 temperature. The wells were washed three times with PBS/Tween. A goat anti-human kappa chain antibody conjugated to horseradish peroxidase was added, incubated for one hour at room temperature and washed. Substrate for the horseradish peroxidase was added for 30 detection. The positive antibody competed as well as

-41-

the chimeric antibody with murine TF8-5G9 for binding to
1 TF.

These data indicate that the initially
designed CDR-grafted antibody, TF8HCDR1 x TF8LCDR1, was
approximately as active as the chimeric TF8-5G9 in
5 binding to TF and competing with the murine antibody for
binding to TF.

10

15

20

25

30

35

-42-

EXAMPLE 6

1 Construction and Characterization
of Additional CDR-Grafted Heavy Chains

Upon examination of the molecular structure of
5 murine TF8-5G9, framework residues at positions 27, 68,
73 and 78 were found to lie on the antibody surface and
had no discernible contact with the CDRs. These
framework residues were of murine sequence in TF8HCDR1
but were changed to the human KOL sequence in various
10 combinations to generate a series of CDR-grafted heavy
chains with framework residue variations. The changes
were made by the process of site-directed mutagenesis as
described in Example 3. Each CDR-grafted heavy chain
version was expressed in COS cells in combination with
15 the CDR-grafted LC, TF8LCDR1, and tested for its ability
to bind TF and compete with murine TF8-5G9 for binding.
Every version of the CDR-grafted heavy chain in
combination with TF8LCDR1 was shown to bind TF with an
affinity comparable to chimeric TF8-5G9. Every CDR-
20 grafted HC in combination with TF8LCDR1 was able to
compete with murine TF8-5G9 for binding to TF to a
degree comparable to the chimeric antibody.

Changes in sequence from murine to human for
HC framework positions 6, 7, 68, 73 and 78 did not
25 adversely affect the antigen binding ability of the
antibody. The CDR-grafted HC version which had human
sequence at all of these positions, and thus was the
most humanized HC, was TF8HCDR20.

The complete sequence of the TF8HCDR20 gene
30 was determined. The DNA sequence is shown as a 2360 bp
EcoRI/BamHI insert with protein translation in the

-43-

pEe6TF8HCDR20 expression vector in Figure 4 and SEQ ID
1 NO:15.

The essential regions of the gene are as follows:

	Nucleotide #	Region
5	1-6	5' <u>Eco</u> RI restriction site
	- 7-15	Kozak sequence
	16-72	Start codon and leader sequence
	73-423	CDR-grafted variable region
	424-717	Human IgG4 CH1 domain
10	718-1110	Human IgG4 intron 2
	1111-1146	Human IgG4 hinge
	1147-1267	Human IgG4 intron 3
	1268-1594	Human IgG4 CH2 domain
	1595-1691	Human IgG4 intron 4
15	1692-2012	Human IgG4 CH3 domain
	2013-2354	3' untranslated region
	2355-2360	3' <u>Bam</u> HI end spliced to <u>Bcl</u> I site of the expression vector

20

25

30

35

EXAMPLE 71 Construction and Characterization
of Additional CDR-Grafted Light Chains

The initially designed CDR-grafted LC,
5 TF8LCDR1, contained four framework residues from the
murine TF8-5G9 sequence. At two of these positions, 39
and 105, the human REI framework sequence is unique to
REI; however, the murine TF8-5G9 LC sequence is in
agreement with the human consensus sequence. The other
10 two murine framework residues, trp41 and thr46, are
unique to TF8-5G9. Several versions of the CDR-grafted
LC were generated in which the sequence at these four
positions were changed from the murine to the human REI
in various combinations. These changes were made by
15 site-directed mutagenesis. Each version of the CDR-
grafted LC was expressed in COS cells in combination
with the CDR-grafted HC, TF8HCDR20, and tested for
ability to bind tissue factor and compete with murine
TF8-5G9 for binding. Every version of the CDR-grafted
20 LC, in combination with TF8HCDR20, was shown to bind TF
with an affinity comparable to TF8-5G9. Also every CDR-
grafted LC version, in combination with TF8HCDR20, was
able to compete with murine TF8-5G9 for binding to TF in
a manner comparable to the chimeric TF8-5G9 control.
25 Changes in sequence from murine to human for
LC framework positions 39, 41, 46 and 105 did not
adversely effect the ability of the antibody to
recognize antigen. The CDR-grafted LC of choice was
TF8LCDR3, where murine TF8-5G9 sequence was used at
30 positions 39 and 105 because these are in agreement with

-45-

the human consensus sequence. The preferred CDR-grafted
1 TF8-5G9 antibody is TF8HCDR20 x TF8LCDR3.

The complete sequence of the TF8LCDR3 gene was
determined and is shown as a 759 bp EcoRI-BamHI insert
with protein translation in the pEel2TF8LCDR3 expression
5 vector in Figure 5 and SEQ ID NO:17. The essential
regions of the gene are as follows:

	Nucleotide #	Region
	1-5	5' <u>EcoRI</u> restriction site
	6-8	Kozak sequence
10	9-68	Start codon and leader sequence
	69-392	CDR-grafted variable region
	393-710	Human kappa constant region
	711-753	3' untranslated region
15	754-759	3' <u>BamHI</u> end spliced to <u>BclI</u> site of the expression vector

20

25

30

35

-46-

EXAMPLE 8

1 CDR-Grafted TF8-5G9 Antibody TF8HCDR20 x TF8LCDR3
Inhibits Human Tissue Factor

The binding of the CDR-grafted TF8-5G9
5 antibody, TF8HCDR20 x TF8LCDR3, to TF was assessed as
described in Example 5 and was found to be comparable to
that of the chimeric TF8-5G9 as illustrated in Figure 6.
The ability of the CDR-grafted TF8-5G9 to compete with
the murine antibody for binding to TF is comparable to
10 that of the chimeric TF8-5G9 as shown in Figure 7.

An in vitro assay was used to measure the
level of inhibition of factor X activation by the CDR-
grafted TF8-5G9 antibody. In this assay, TF forms an
active proteolytic complex with factor VII. This
15 complex then converts factor X to factor Xa by
proteolysis. The activated Xa enzymatically cleaves a
substrate, Spectrozyme FXa, which releases a chromogen.
The level of chromogen, as detected by optical density,
is an indication of factor X activation due to TF-factor
20 VIIa activity.

The following reaction mixtures were prepared
in 12 x 75 mm borosilicate glass tubes.

25 μ l TBS (50 mM Tris, pH 7.4, 150 mM NaCl)
15 μ l 20 mM CaCl₂/1% bovine serum albumin
25 (BSA)
20 μ l human placental tissue factor solution
(prepared by reconstituting one vial of
Thromborel S, Curtin Matheson Scientific
#269-338 with 4.0 ml dH₂O and diluting
30 1:10 in TBS)

-47-

30 μ l Factor VII (Enzyme Research Labs #HFVII
1 1007 at 237.66 ng/ml in TBS)
30 μ l TBS or TF8-5G9 or TF8MCDR20 x TF8LCDR3
at 1.18 μ g/ml or as indicated in Fig. 8
The reaction mixtures were incubated at 37°C
5 for ten minutes before the addition of Factor X. (In
some cases the reaction mixture was preincubated for
five minutes before addition of Factor VII or antibody,
followed by a ten minute incubation before addition of
Factor X.) Thirty μ l of Factor X solution (Enzyme
10 Research Labs, DHFX 330, 247.38 μ g/ml TBS) was added and
the mixture was incubated at 37°C for three minutes.
Factor X activation was terminated by pipetting 40 μ g of
reaction mixture into 160 μ l of stop buffer (50 mM Tris,
pH 7.4, 100 mM EDTA, 150 mM NaCl) in 96 well microtiter
15 plates. Each tube of reaction mixture was pipetted into
three microtiter wells. Fifty μ l of Spectrozyme FXa
substrate (American Diagnostica #222, 1 μ M/ml TBS) was
added to each well. OD₄₀₅ was read on a Molecular
Devices kinetic plate reader with readings taken every
20 twenty seconds for ten minutes. Factor X activity was
recorded as mOD/minute, and enzyme velocities over the
linear portion of the reaction curve were compared to
determine inhibition of factor X activation by the anti-
TF antibodies.
25 As shown in Figure 8, the CDR-grafted TF8-5G9
antibody is approximately as effective as the murine
TF8-5G9 in inhibiting factor X activation. This
indicates that the CDR-grafted TF8-5G9 is functionally
active.

30

EXAMPLE 91 Construction of the CDR-Grafted Heavy
and Light Chain Myeloma Expression Vectors

For the purpose of establishing a permanent
5 CDR-grafted antibody-producing cell line, the TF8HCDR20
and TF8LCDR3 genes were subcloned into myeloma cell
expression vectors. The heavy chain TF8HCDR20 was
subcloned into the EcoRI and BclI sites of the pEe6hCMV-
BglII myeloma expression vector described by Stephens *et*
10 *al.* (1989) Nucleic Acids Res. 17:7110 to produce
pEe6TF8HCDR20. The light chain TF8LCDR3 was subcloned
into the EcoTI and BclI sites of the pEe12 myeloma
expression vector to produce pEe12TF8LCDR3. The heavy
and light chain expression vectors are illustrated in
15 Figures 9 and 10, respectively. In both vectors
antibody gene transcription was driven by the human
cytomegalovirus (hCMV) promoter-enhancer, which lies
directly 5' to the multiple cloning site. The
polyadenylation signal sequence lies 3' to the multiple
20 cloning site and signals the termination of
transcription. Each vector contains the β -lactamase
gene to allow for ampicillin selection in E. coli. The
pEe12 vector contains a glutamine synthetase cDNA gene
under the transcriptional control of the SV40 early
25 promoter. Glutamine synthetase allows for myeloma cell
transfectants to be selected in glutamine-free media.
Myeloma cells are devoid of glutamine synthetase
activity and are dependent on a supply of glutamine in
the culture media. Cells which have been transfected
30 with the pEe12 vector, containing the glutamine

synthetase gene, are able to synthesize glutamine from 1 glutamate and can survive in the absence of glutamine.

The pEe6TF8HCDR20 expression vector is a 7073 bp plasmid whose DNA sequence is shown in Figure 4 and SEQ ID NO:15. The coding regions of the TF8HCDR20 gene are 5 translated. The essential regions of this vector are described below:

1. Nucleotides #1-2360: The TF8HCDR20 CDR-grafted HC gene is described in Example 6. The HC gene was inserted as an EcoRI/BamHI fragment into the EcoRI/BclI sites of the pEe6hCMV-BglII vector.
- 10 2. Nucleotides #2361-2593: This region encodes the SV40 early gene polyadenylation signal (SV40 nucleotides 2770-2537), which acts as a transcriptional terminator. This fragment is flanked by a 5' BclI site and a 3' BamHI site. The 3' BamHI end of the heavy chain gene was spliced to the 5' BclI site of the polyadenylation signal, thus eliminating both sites.
- 15 3. Nucleotides #2594-3848: This region is a BamHI-BglI fragment from pBR328 (nucleotides 375-2422) but with a deletion between the SalI and AvaI sites (pBR328 nucleotides 651-1425) following the addition of a SalI linker to the AvaI site. This region contains the Col E1 bacterial origin of replication.
- 20 4. Nucleotides #3849-4327: This is a BglI-XmnI fragment site from the β -lactamase gene of pSP64 (Promega Corporation, Madison, WI). This gene provides ampicillin resistance to bacteria transformed with this vector.
- 25 5. Nucleotides #4328-4885: This is an XmnI-HindIII fragment of the ColE1 based plasmid pCT54 described by Emtege et al. (1983) Proc. Natl. Acad. Sci. USA

-50-

1 80:3671. The HindIII site was converted
to a BglII site by the addition of a
linker following the addition of the hCMV
promoter described below.

5 6. Nucleotides #4886-7022: These
nucleotides encode the Pst-1m fragment of
human cytomeglovirus (hCMV) strain AD 169
described by Greenway et al. (1982) Gene
18:355 containing the region coding for
the hCMV middle intermediate early
promoter. This Pst-1m fragment was
cloned into the HindIII site of pEe6hCMV
by addition of oligonucleotides of the
following sequence to either end of the
fragment:

10 5' GTCACCGTCCTTGACACGA 3'

15 3' ACGTCAGTGGCAGGAACTGTGCTTCGA 5'

15 The resulting 2100 bp fragment was
inserted such that the promoter directed
transcription towards the EcoRI site of
pEe6hCMV. The oligonucleotide above
served to recreate the complete 5'
untranslated sequence of the hCMV-MIE
gene the added irrelevant sequence at the
very 5' end of the fragment. The HindIII
site at the 5' end was subsequently
converted to a BglII site by the addition
of a further linker.

20 7. Nucleotides #7023-7073: The pSP64
polylinker with the BamHI and SaII sites
removed.

25 The pEel2TF8LCDR3 expression vector is a 7864
bp plasmid whose DNA sequence is shown in Figure 5 and
SEQ ID NO:17. The coding regions of the TF8LCDR3 gene
are translated. The essential regions of this
expression vector are described below:

30 1. Nucleotides #1-759: The TF8LCDR3 CDR-
grafted LC gene is described in Example
7. The gene was inserted as an

- 1 EcoRI/BamHI fragment into the EcoRI/BclII
sites of the pEe12 expression vector.
2. Nucleotides #760-3284: These regions of
pEe12 are identical to the regions
encoded by nucleotides 2361-4885 of the
pEe6TF8HCDR20 vector described above
(regions #2-5).
- 5
3. Nucleotides #3285-5736: This region
encodes the Chinese hamster ovary
glutamine synthetase cDNA under the
transcriptional control of the SV40 early
promoter and followed by the SV40
polyadenylation and splice signals from
the pSV2.dhfr vector described by
Subramani *et al.* (1981) Mol. Cell. Biol.
1:854. The following describes the
derivation of this region: A 1200 bp
NaeI-PvuII fragment, containing a
complete GS coding sequence, was excised
from the Chinese hamster ovary cDNA clone
 λ GS1.1 described by Hayward *et al.* (1986)
Nucleic Acid Res. 14:999. After addition
of a HindIII linker to the NaeI site and
a BglII linker to the PvuII site (hence
destroying the NaeI and PvuII sites), the
1200 bp fragment was cloned in place of
DHFR sequences in pSV2.dhfr between the
HindIII and BglII sites to form pSV2.GS.
The single remaining PvuII site in
pSV2BamGS was converted to a BamHI site
by addition of an oligonucleotide linker
to form pSV2BamGS. An EcoRI site in the
GS cDNA was destroyed by site directed
mutagenesis without altering the amino
acid sequence in pSV2BamGS and the
HindIII site was destroyed by filling in
with DNA polymerase I. The 2451 bp BamHI
fragment from this plasmid, containing
the complete SV40-GS hybrid transcription
unit, was excised and inserted at the
BglII site of pEe6hCMV-BglII site of
pEe6hCMV-BglII such that transcription
from the SV40 early promoter proceeds
towards the hCMV promoter.
- 10
- 15
- 20
- 25
- 30

-52-

1 4. Nucleotides #5737-7864: This region is
identical to the hCMV promoter and pSP64
polylinker encoded by nucleotides 4886-
7073 of the pEe6TF8HCDR20 vector
described above (regions 6 and 7).

5 For the purpose of ensuring that both the
pEe6TF8HCDR20 and pEe12TF8LCDR3 vectors co-transfected
myeloma cells, the vectors were joined in linear
concatamers. Both the pEe6TF8HCDR20 and pEe12TF8LCDR3
vectors were digested at the unique SalI site. The SalI
10 linearized pEe6TF8HCDR20 vector was phosphatased at its
5' ends to prohibit ligation of two pEe6TF8HCDR20
vectors onto each other. This phosphatased HC vector
was ligated in a 2:1 molar ratio to the Sal linearized
pEe12TF8LCDR3. The resulting concatamers were most
likely of the following composition:

15 SalI SalI SalI SalI
| | | |
pEe6TF8HCDR20 | pEe12TF8LCDR3 | pEe6TF8HCDR20 |

This concatamerized DNA was extracted with phenol and
chloroform, and precipitated with ammonium acetate and
20 ethanol. The DNA precipitate was resuspended in
distilled water to a concentration of 1 μ g/ μ L and used
to transfect myeloma cells.

25

30

35

EXAMPLE 10

1 Development of NSO Expression Cell Lines

Stably transformed cell lines expressing the humanized TF8-5G9 antibody were prepared by transfecting 5 CDR-grafted heavy and light chain expression vectors into NSO mouse myeloma cells. Selection of transfected cells was carried out using the dominant selectable marker gene, glutamine synthetase (GS).

The NSO mouse myeloma cell line, obtained from 10 Celltech, Ltd., is a subclone derived from NS-1 and does not express intracellular light chains. These cells were cultured in Dulbecco's modified Eagle's medium (DMEM) with added glutamine and 10% fetal bovine serum (FBS). To prepare for transfection, the cells were 15 harvested in mid-log phase of the growth cycle, centrifuged for 5 minutes, washed with phosphate buffered saline (PBS), centrifuged again, and the cell pellet was resuspended in 2.2 mL of PBS. The final cell concentration was 2.18×10^7 mL. Cells were maintained 20 on ice during the entire procedure.

The DNA to be transfected (pEe12TF8LCDR3 x pEe6TF8HCDR20) was prepared as a concatamer as described in Example 9. The DNA and NSO cells were added to a 0.4 cm BioRad Gene Pulser cuvette in the following order:
25 40 μ L (40 μ g) DNA concatamer
 320 μ L double distilled water
 40 μ L 10 x PBS
 400 μ L NSO cells (8.72×10^6 cells)
Transfection was performed by electroporation 30 following a protocol provided by Celltech, Ltd. In this procedure, the cells and DNA in PBS buffer were exposed

to a brief, high voltage pulse of electricity causing
1 transient micropores to form on the cell membrane. DNA
transfer takes place through these openings. To prepare
for electroporation, the suspension of NSO cells and DNA
was gently mixed and incubated on ice for 5 minutes.
5 The cuvette was placed in a BioRad Gene Pulser and given
2 consecutive electrical pulses at settings of 3 μ F
(capacitance) and 1.5V (voltage). Following
electroporation, the cuvette was returned to the ice for
5 minutes. The suspension was then diluted in prewarmed
10 growth medium and distributed into seven 96-well plates.
Control plates containing cells electroporated without
DNA were also prepared at the same time to measure the
presence of spontaneous mutants. Plates were placed in
a 37°C incubator with 5% CO₂.

15 Glutamine synthetase, encoded by the GS gene,
is an enzyme that converts glutamate to glutamine. NSO
cells require glutamine for growth due to inadequate
levels of endogenous GS gene expression. In the DNA
concatamer, this gene is located on the pEel2TF8LCDR3
20 vector. Transfected cells which incorporate the GS gene
become glutamine-independent. Cells not integrating the
GS gene into their genome would remain glutamine-
dependent and would not survive in glutamine-free
medium. Approximately 18 hours post electroporation,
25 all plates were fed with glutamine-free selection medium
and returned to the incubator until viable colonies
appeared.

Approximately 3 weeks after transfection,
distinct macroscopic colonies were observed. These were
30 screened for expression of the intact humanized antibody
using the assembly ELISA as described in Example 5.

-55-

Tissue culture supernatants from wells containing
1 colonies were screened at a 1:10 dilution. Positive
wells showing activity greater than the 25 ng/mL
standard were subcultured and expanded for further
analysis.

5 For selection of high producers, antibody
production was quantitated after a 96 hour growth
period. Tissue culture flasks were seeded with 2×10^5
cells/mL in 10 mL of selection medium and incubated at
37°C, 5% CO₂, for 96 hours. At the end of that time
10 period, an aliquot was taken to determine cell
concentration and antibody titer. Evaluation of
antibody production was calculated as $\mu\text{g/mL}$ and
pg/cell/96 hours. The highest producers from this
transfection were:

15	<u>Cell Line</u>	<u>$\mu\text{g/mL}$</u>	<u>pg/cell/96 hour</u>
	2B1	26.3	24.3
	3E11	27.6	59.9
	4G6	30.2	41.9

20

25

30

35

-56-

EXAMPLE 111 CDR Grafted Antibody TF8HCDR20 x TF8LCDR3
 Inhibits Tissue Factor In Vivo

CDR grafted antibody TF8HCDR20 x TF8LCDR3 was
5 compared to murine antibody TF8-5G9 for its ability to
protect rats from experimentally induced disseminated
intravascular coagulation (DIC). In the DIC model, rats
are challenged with human thromboplastin (a crude tissue
extract containing TF activity), resulting in fibrinogen
10 consumption and death. Pretreatment of rats with anti-
TF antibody was demonstrated to protect rats from
fibrinogen consumption and death as follows.

Human thromboplastin was prepared as described
in U.S. Patent 5,223,427. Saline control or 30 µ/ml of
15 TF8-5G9 or CDR-grafted antibody was injected through the
tail vein of rats, followed by injection of
thromboplastin equivalent to 200 ng of recombinant TF.
Clotting times were determined at T=0 and T=1 minute as
a measure of fibrinogen concentration. Clotting times
20 are proportional to fibrinogen concentration, with a 60
second clotting time corresponding to an 80% reduction
in fibrinogen concentration. Clotting times of greater
than 60 seconds cannot be accurately measured and were
recorded as 60 seconds.

25 Survivability and clotting times for three
representative studies are shown below.

Survivors

	Study	Controls	TF8-5G9	CDR-grafted Ab
30	1	0/8	5/8	6/8
	2	0/8	4/7	7/8
	3	0/8	8/8	3/7

-57-

Clotting Times
Controls

1

Study #1
T=0 T=1

16	>60
16	>60
5	16 >60
17	>60
15	>60
16	>60
16	>60
16	>60

Study #2
T=0 T=1

18	>60
18	>60
18	>60
18	>60
16	>60
18	>60
17	>60
17	>60

Study #3
T=0 T=1

19	>60
21	>60
18	>60
19	>60
18	54
18	>60
18	>60
18	>60

10

Clotting Times
Murine TF8-5G9

Study #1
T=0 T=1

16	36
15	41
15	33
15	31
15	>60
16	>60
16	33
16	33
16	>60

Study #2
T=0 T=1

18	34
18	36
18	>60
17	>60
18	50
17	34
17	34
18	31

Study #3
T=0 T=1

19	28
18	29
19	29
18	29
18	28
19	40
19	40
19	34
19	>60

20

Clotting Times
CDR-grafted TF8-5G9

Study #1
T=0 T=1

25	16 >60
16	>60
16	>60
22	37
16	32
15	>60
16	>60
16	>60

Study #2
T=0 T=1

17	>60
17	33
18	32
18	>60
17	32
18	31
17	31
16	32

Study #3
T=0 T=1

21	>60
18	34
17	>60
20	35
17	58
18	33
18	31

30

-58-

Twenty-three of the twenty-four control rats
1 had clotting times of greater than 60 seconds indicating
that virtually all untreated rats were consuming more
than 80% of their fibrinogen. Both the CDR-grafted and
murine antibody treated rats had similar clotting times
5 at one minute of 44.5 and 40 seconds. Further, only six
of the murine antibody treated rats and nine of the CDR-
grafted antibody treated rats had clotting times in
excess of 60 seconds. Accordingly, both the murine and
CDR-grafted antibodies were able to neutralize TF and
10 thus protect rats from fibrinogen consumption and death.

15

20

25

30

35

SEQUENCE LISTING

1

(1) GENERAL INFORMATION:

(i) APPLICANT: Joliffe, Linda K.
Zivin, Robert A.
Pulito, Virginia L.

5

(iii) TITLE OF INVENTION: CDR-GRAFTED ANTI-TISSUE FACTOR
ANTIBODIES AND METHODS OF USE THEREOF

(iii) NUMBER OF SEQUENCES: 20

(iv) CORRESPONDENCE ADDRESS:
(A) ADDRESSEE: Scully, Scott, Murphy & Presser
(B) STREET: 400 Garden City Plaza
(C) CITY: Garden City
(D) STATE: New York
(E) COUNTRY: United States
(F) ZIP: 11530

(v) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:
(A) APPLICATION NUMBER:
(B) FILING DATE: 07-JUN-1995
(C) CLASSIFICATION:

(viii)- ATTORNEY/AGENT INFORMATION:
(A) NAME: DiGilio, Frank S.
(B) REGISTRATION NUMBER: 31,346
(C) REFERENCE/DOCKET NUMBER: 9598

(ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: (516) 742-4343
(B) TELEFAX: (516) 742-4366
(C) TELEX: 230 901 SANS UR

25

30

35

-60-

(2) INFORMATION FOR SEQ ID NO:1:

- 1 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1489 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear
- 5 (ii) MOLECULE TYPE: DNA (genomic)
- 5 (ix) FEATURE:
 (A) NAME/KEY: CDS
 (B) LOCATION: 11..1391

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

10	GGTCCTTACA ATG AAA TGC AGC TGG GTC ATC TTC TTC CTG ATG GCA GTG Met Lys Cys Ser Trp Val Ile Phe Phe Leu Met Ala Val 1 5 10	49
	GTT ACA GGG GTC AAT TCA GAG ATT CAG CTG CAG CAG TCT GGG GCT GAG Val Thr Gly Val Asn Ser Glu Ile Gln Leu Gln Ser Gly Ala Glu 15 20 25	97
15	CTT GTG AGG CCA GGG GCC TTA GTC AAG TTG TCC TGC AAA GCT TCT GGC Leu Val Arg Pro Gly Ala Leu Val Lys Leu Ser Cys Lys Ala Ser Gly 30 35 40 45	145
	TTC AAC ATT AAA GAC TAC TAT ATG CAC TGG GTG AAG CAG AGG CCT GAA Phe Asn Ile Lys Asp Tyr Tyr Met His Trp Val Lys Gln Arg Pro Glu 50 55 60	193
20	CAG GGC CTG GAG TGG ATT GGA TTG ATT GAT CCT GAG AAT GGT AAT ACT Gln Gly Leu Glu Trp Ile Gly Leu Ile Asp Pro Glu Asn Gly Asn Thr 65 70 75	241
	ATA TAT GAC CCG AAG TTC CAG GGC AAG GCC AGT ATA ACA GCA GAC ACA Ile Tyr Asp Pro Lys Phe Gln Gly Lys Ala Ser Ile Thr Ala Asp Thr 80 85 90	289
	TCC TCC AAC ACA GCC TAC CTG CAG CTC AGC AGC CTG ACA TCT GAG GAC Ser Ser Asn Thr Ala Tyr Leu Gln Leu Ser Ser Leu Thr Ser Glu Asp 95 100 105	337
25	ACT GCC GTC TAT TAC TGT GCT AGA GAT AAC TCG TAC TAC TTT GAC TAC Thr Ala Val Tyr Tyr Cys Ala Arg Asp Asn Ser Tyr Tyr Phe Asp Tyr 110 115 120 125	385

30

35

-61-

	TGG GGC CAA GGC ACC ACT CTC ACA GTC TCC TCA GCC AAA ACG ACA CCC Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Ala Lys Thr Thr Pro 1 130 135 140	433
	CCA TCT GTC TAT CCA CTG GCC CCT GGA TCT GCT GCC CAA ACT AAC TCC Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser 5 145 150 155	481
5	ATG GTG ACC CTG GGA TGC CTG GTC AAG GGC TAT TTC CCT GAG CCA GTG Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val 160 165 170	529
	ACA GTG ACC TGG AAC TCT GGA TCC CTG TCC AGC GGT GTG CAC ACC TTC Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe 175 180 185	577
10	CCA GCT GTC CTG CAG TCT GAC CTC TAC ACT CTG AGC AGC TCA GTG ACT Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr 190 195 200 205	625
	GTC CCC TCC AGC ACC TGG CCC AGC GAG ACC GTC ACC TGC AAC GTT GCC Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala 210 215 220	673
	CAC CCC GCC AGC AGC ACC AAG GTG GAC AAG AAA ATT GTG CCC AGG GAT His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp 225 230 235	721
15	TGT GGT TGT AAG CCT TGC ATA TGT ACA GTC CCA GAA GTA TCA TCT GTC Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val 240 245 250	769
	TTC ATC TTC CCC CCA AAG CCC AAG GAT GTG CTC ACC ATT ACT CTG ACT Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr 255 260 265	817
20	CCT AAG GTC ACG TGT GTG GTA GAC ATC AGC AAG GAT GAT CCC GAG Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu 270 275 280 285	865
	GTC CAG TTC AGC TGG TTT GTA GAT GAT GTG GAG GTG CAC ACA GCT CAG Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln 290 295 300	913
25	ACG CAA CCC CGG GAG GAG CAG TTC AAC AGC ACT TTC CGC TCA GTC AGT Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser 305 310 315	961

-62-

	GAA CTT CCC ATC ATG CAC CAG GAC TGG CTC AAT GGC AAG GAG TTC AAA Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys 1 320 325 330	1009
	TGC AGG GTC AAC AGT GCA GCT TTC CCT GCC CCC ATC GAG AAA ACC ATC Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile 5 335 340 345	1057
5	TCC AAA ACC AAA GGC AGA CCG AAG GCT CCA CAG GTG TAC ACC ATT CCA Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro 350 355 360 365	1105
	CCT CCC AAG GAG CAG ATG GCC AAG GAT AAA GTC AGT CTG AAC TGC ATG Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Asn Cys Met 10 370 375 380	1153
10	ATA ACA GAC TTC TTC CCT GAA GAC ATT ACT GTG GAG TGG CAG TGG AAT Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn 385 390 395	1201
	GGG CAG CCA GCG GAG AAC TAC AAG AAC ACT CAG CCC ATC ATG GAC ACA Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr 400 405 410	1249
	GAT GGC TCT TAC TTC GTC TAC AGC AAG CTC AAT GTG CAG AAG AGC AAC Asp Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn 415 420 425	1297
15	TGG GAG GCA GGA AAT ACT TTC ACC TGC TCT GTG TTA CAT GAG GGC CTG Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu 430 435 440 445	1345
	CAC AAC CAC CAT ACT GAG AAG AGC CTC TCC CAC TCT CCT GGT AAA T His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys 450 455 460	1391
20	GATCCCAGTG TCCTTGGAGC CCTCTGGTCC TACAGGACTC TGACACCTAC CTCCACCCCT CCCTGTATAA ATAAAGCACC CAGCACTGCC TTGGACCC	1451
		1489

(2) INFORMATION FOR SEQ ID NO:2:

- 25 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 460 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear

30

35

-63-

(ii) MOLECULE TYPE: protein

1

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Lys Cys Ser Trp Val Ile Phe Phe Leu Met Ala Val Val Thr Gly
1 5 10 15

Val Asn Ser Glu Ile Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg
5 20 25 30

Pro Gly Ala Leu Val Lys Leu Ser Cys Lys Ala Ser Gly Phe Asn Ile
35 40 45

Lys Asp Tyr Tyr Met His Trp Val Lys Gln Arg Pro Glu Gln Gly Leu
50 55 60

Glu Trp Ile Gly Leu Ile Asp Pro Glu Asn Gly Asn Thr Ile Tyr Asp
10 65 70 75 80

Pro Lys Phe Gln Gly Lys Ala Ser Ile Thr Ala Asp Thr Ser Ser Asn
85 90 95

Thr Ala Tyr Leu Gln Leu Ser Ser Leu Thr Ser Glu Asp Thr Ala Val
100 105 110

Tyr Tyr Cys Ala Arg Asp Asn Ser Tyr Tyr Phe Asp Tyr Trp Gly Gln
115 120 125

Gly Thr Thr Leu Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser Val
130 135 140

Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val Thr
145 150 155 160

Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val Thr
20 165 170 175

Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala Val
180 185 190

Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro Ser
195 200 205

Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro Ala
25 210 215 220

30

35

-64-

Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly Cys
 225 230 235 240
 1 Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile Phe
 245 250 255
 Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys Val
 260 265 270
 5 Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln Phe
 275 280 285
 Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln Pro
 290 295 300
 Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu Pro
 305 310 315 320
 10 Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg Val
 325 330 335
 Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr
 340 345 350
 Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro Lys
 355 360 365
 15 Glu Gln Met Ala Lys Asp Lys Val Ser Leu Asn Cys Met Ile Thr Asp
 370 375 380
 Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln Pro
 385 390 395 400
 Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly Ser
 405 410 415
 20 Tyr Phe Val Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu Ala
 420 425 430
 Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn His
 435 440 445
 His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 450 455 460

25

30

35

(2) INFORMATION FOR SEQ ID NO:3:

- 1 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 937 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear
- 5 (ii) MOLECULE TYPE: peptide
- 5 (ix) FEATURE:
 (A) NAME/KEY: CDS
 (B) LOCATION: 5..706

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

10	GGAC ATG CGG GCC CCT GCT CAG TTT TTT GGG ATC TTG TTG CTC TGG TTT Met Arg Ala Pro Ala Gln Phe Phe Gly Ile Leu Leu Leu Trp Phe 1 5 10 15	49
15	CCA GGT ATC AGA TGT GAC ATC AAG ATG ACC CAG TCT CCA TCC TCC ATG Pro Gly Ile Arg Cys Asp Ile Lys Met Thr Gln Ser Pro Ser Ser Met 20 25 30	97
20	TAT GCA TCG CTG GGA GAG AGA GTC ACT ATC ACT TGT AAG GCG AGT CAG Tyr Ala Ser Leu Gly Glu Arg Val Thr Ile Thr Cys Lys Ala Ser Gln 35 40 45	145
25	GAC ATT AGA AAG TAT TTA AAC TGG TAC CAG CAG AAA CCA TGG AAA TCT Asp Ile Arg Lys Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Trp Lys Ser 50 55 60	193
30	CCT AAG ACC CTG ATC TAT TAT GCA ACA AGC TTG GCA GAT GGG GTC CCA Pro Lys Thr Leu Ile Tyr Tyr Ala Thr Ser Leu Ala Asp Gly Val Pro 65 70 75	241
35	TCA AGA TTC AGT GGC AGT GGA TCT GGG CAA GAT TAT TCT CTA ACC ATC Ser Arg Phe Ser Gly Ser Gly Ser Gly Gln Asp Tyr Ser Leu Thr Ile 80 85 90 95	289
40	AGC AGC CTG GAG TCT GAC GAT ACA GCA ACT TAT TAC TGT CTA CAA CAT Ser Ser Leu Glu Ser Asp Asp Thr Ala Thr Tyr Tyr Cys Leu Gln His 100 105 110	337
45	GGT GAG AGC CCG TAC ACG TTC GGA GGG GGG ACC AAG CTG GAA ATA AAC Gly Glu Ser Pro Tyr Thr Phe Gly Gly Thr Lys Leu Glu Ile Asn 115 120 125	385

-66-

	AGG GCT GAT GCT GCA CCA ACT GTA TCC ATC TTC CCA CCA TCC AGT GAG	433
1	Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu	
	130 135 140	
	CAG TTA ACA TCT GGA GGT GCC TCA GTC GTG TGC TTC TTG AAC AAC TTC	481
	Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe	
	145 150 155	
5	TAC CCC AAA GAC ATC AAT GTC AAG TGG AAG ATT GAT GGC AGT GAA CGA	529
	Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg	
	160 165 170 175	
	CAA AAT GGC GTC CTG AAC AGT TGG ACT GAT CAG GAC AGC AAA GAC AGC	577
	Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser	
	180 185 190	
10	ACC TAC AGC ATG AGC AGC ACC CTC ACG TTG ACC AAG GAC GAG TAT GAA	625
	Thr Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu	
	195 200 205	
	CGA CAT AAC AGC TAT ACC TGT GAG GCC ACT CAC AAG ACA TCA ACT TCA	673
	Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser	
	210 215 220	
	CCC AAT GTC AAG AGC TTC AAC AAG AAT GAG TGT TAGAGACAAA GGTCCTGAGA	726
	Pro Asn Val Lys Ser Phe Asn Lys Asn Glu Cys	
	225 230	
15	CGCCACCAACC AGCTCCCCAG CTCCATCCTA TCTTCCCTTC TAAGGTCTTG GAGGCTTCCC	786
	CACAAGCGAC CTACCACTGT TGCGGTGCTC CAAACCTCCT CCCCACCTCC TTCTCCTCCT	846
	CCTCCCTTTCTTGGCTTTT ATCATGCTAA TATTTGCAGA AAATATTCAA TAAAGTGAGT	906
	CTTTGCACTT GAAAAAAA AAAAAAAA A	937
20		

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 234 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

25 (iii) MOLECULE TYPE: protein

30

35

-67-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

1 Met Arg Ala Pro Ala Gln Phe Phe Gly Ile Leu Leu Leu Trp Phe Pro
 5 10 15
 Gly Ile Arg Cys Asp Ile Lys Met Thr Gln Ser Pro Ser Ser Met Tyr
 20 25 30
 5 Ala Ser Leu Gly Glu Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp
 35 40 45
 Ile Arg Lys Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Trp Lys Ser Pro
 50 55 60
 Lys Thr Leu Ile Tyr Tyr Ala Thr Ser Leu Ala Asp Gly Val Pro Ser
 65 70 75 80
 10 Arg Phe Ser Gly Ser Gly Ser Gly Gln Asp Tyr Ser Leu Thr Ile Ser
 85 90 95
 Ser Leu Glu Ser Asp Asp Thr Ala Thr Tyr Tyr Cys Leu Gln His Gly
 100 105 110
 Glu Ser Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Asn Arg
 115 120 125
 15 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 130 135 140
 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 145 150 155 160
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 165 170 175
 20 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 180 185 190
 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 195 200 205
 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 210 215 220
 25 Asn Val Lys Ser Phe Asn Lys Asn Glu Cys
 225 230

30

35

-68-

(2) INFORMATION FOR SEQ ID NO:5:

- 1 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear
- 5 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Asp Asp Tyr Met His
1 5

10 (2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 17 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

15 (iii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Leu Ile Asp Pro Glu Asn Gly Asn Thr Ile Tyr Lys Pro Lys Phe Gln
1 5 10 15
Gly

20

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 8 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

25 (ii) MOLECULE TYPE: peptide

30

35

-69-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

1 Asp Asn Ser Tyr Tyr Phe Asp Tyr
1 5

(2) INFORMATION FOR SEQ ID NO:8:

5 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 11 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Lys Ala Ser Gln Asp Ile Arg Lys Tyr Leu Asn
1 5 10

(2) INFORMATION FOR SEQ ID NO:9:

15 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Tyr Ala Thr Ser Leu Ala Asp
1 5

25

30

35

-70-

(2) INFORMATION FOR SEQ ID NO:10:

- 1 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 9 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

5 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Leu Gln His Gly Glu Ser Pro Tyr Thr
1 5

10 (2) INFORMATION FOR SEQ ID NO:11:

- 1 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 117 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Gln Val Gln Leu Val Gln Ser Gly Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Leu Leu Arg Leu Ser Cys Lys Ala Ser Gly Phe Asn Ile Lys Asp Tyr
20 20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile
25 35 40 45

Gly Leu Ile Asp Pro Glu Asn Gly Asn Thr Ile Tyr Asp Pro Lys Phe
30 50 55 60

Gln Gly Arg Phe Ser Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Phe
35 65 70 75 80

25

30

35

-71-

1 Leu Gln Met Asp Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Asp Asn Ser Tyr Tyr Phe Asp Tyr Trp Gly Gln Gly Thr Pro
100 105 110
Val Thr Val Ser Ser
115

5

(2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:

 - (A) LENGTH: 108 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

15 Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Ile Arg Lys Tyr
20 25 30

Leu Asn Trp Tyr Gln Gln Lys Pro Trp Lys Ala Pro Lys Thr Leu Ile
35 40 45

Tyr Tyr Ala Thr Ser Leu Ala Asp Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Phe Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

85 78 75 80

Glu Asp Ile Ala Thr Tyr Tyr Cys Leu Gln His Gly Glu Ser Pro Tyr
85 90 95

Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Thr Arg
100 105

25

30

35

-72-

(2) INFORMATION FOR SEQ ID NO:13:

- 1 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 117 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
- 5 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Lys Ala Ser Gly Phe Asn Ile Lys Asp Tyr
20 25 30

10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Leu Ile Asp Pro Glu Asn Gly Asn Thr Ile Tyr Asp Pro Lys Phe
50 55 60

Gln Gly Arg Phe Thr Ile Ser Ala Asp Asn Ser Lys Asn Thr Leu Phe
65 70 75 80

15 Leu Gln Met Asp Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asp Asn Ser Tyr Tyr Phe Asp Tyr Trp Gly Gln Gly Thr Pro
100 105 110

20 Val Thr Val Ser Ser
 115

(2) INFORMATION FOR SEQ ID NO:14:

- 25 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 108 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

30

35

-73-

1 (ii) MOLECULE TYPE: peptide

1

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

5

Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Ile Arg Lys Tyr
20 25 30

Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

10

Tyr Tyr Ala Thr Ser Leu Ala Asp Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Phe Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Ile Ala Thr Tyr Tyr Cys Leu Gln His Gly Glu Ser Pro Tyr
85 90 95

Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Thr Arg
100 105

15

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 7073 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 61..717

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1111..1146

25

30

35

-74-

(ix) FEATURE:
 1 (A) NAME/KEY: CDS
 (B) LOCATION: 1268..1594

(ix) FEATURE:
 1 (A) NAME/KEY: CDS
 (B) LOCATION: 1692..2012

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

GAATTCCGCT CCACCATGGA ATGGAGCTGG GTCTTTCTCT TCTTCTTGTC AGTAAC TACA	60
GGT GTA CAC TCA CAA GTT CAG CTG GTG GAG TCT GGA GGA GGA GTA GTA	108
Gly Val His Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val	
1 5 10 15	
CAA CCT GGA AGG TCA CTG AGA CTG TCT TGT AAG GCT AGT GGA TTC AAT	156
10 Gln Pro Gly Arg Ser Leu Arg Leu Ser Cys Lys Ala Ser Gly Phe Asn	
20 25 30	
ATC AAG GAC TAT TAT ATG CAC TGG GTC AGA CAA GCT CCT GGA AAA GGA	204
Ile Lys Asp Tyr Tyr Met His Trp Val Arg Gln Ala Pro Gly Lys Gly	
35 40 45	
CTC GAG TGG ATA GGT TTA ATT GAT CCT GAG AAT GGT AAC ACG ATA TAT	252
Leu Glu Trp Ile Gly Leu Ile Asp Pro Glu Asn Gly Asn Thr Ile Tyr	
15 50 55 60	
GAT CCC AAG TTC CAA GGA AGA TTC ATA ATT TCT GCA GAC AAC TCT AAG	300
Asp Pro Lys Phe Gln Gly Arg Phe Ile Ile Ser Ala Asp Asn Ser Lys	
65 70 75 80	
AAT ACA CTG TTC CTG CAG ATG GAC TCA CTC AGA CCT GAG GAT ACA GCA	348
Asn Thr Leu Phe Leu Gln Met Asp Ser Leu Arg Pro Glu Asp Thr Ala	
85 90 95	
20 GTC TAC TTT TGT GCT AGA GAT AAC AGT TAT TAC TTC GAC TAC TGG GGC	396
Val Tyr Phe Cys Ala Arg Asp Asn Ser Tyr Tyr Phe Asp Tyr Trp Gly	
100 105 110	
CAA GGA ACA CCA GTC ACC GTG AGC TCA GCT TCC ACC AAG GGC CCA TCC	444
Gln Gly Thr Pro Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser	
115 120 125	
25 GTC TTC CCC CTG GCG CCC TGC TCC AGG AGC ACC TCC GAG AGC ACA GCC	492
Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala	
130 135 140	

30

35

-75-

	GCC CTG GGC TGC CTG GTC AAG GAC TAC TTC CCC GAA CCG GTG ACG GTG Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val	540
1	145 150 155 160	
	TCG TGG AAC TCA GGC GCC CTG ACC AGC GGC GTG CAC ACC TTC CCG GCT Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala	588
	165 170 175	
5	GTC CTA CAG TCC TCA GGA CTC TAC TCC CTC AGC AGC GTG GTG ACC GTG Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val	636
	180 185 190	
	CCC TCC AGC AGC TTG GGC ACG AAG ACC TAC ACC TGC AAC GTA GAT CAC Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val Asp His	684
	195 200 205	
	AAG CCC AGC AAC ACC AAG GTG GAC AAG AGA GTT GGTGAGAGGC CACCAACAGGG Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val	737
10	210 215	
	CAGGGAGGGT GTCTGCTGGA AGCCAGGCTC AGCCCTCCCTG CCTGGACGCC CCCCCGGCTGT	797
	GCAGCCCCAG CCCAGGGCAG CAAGGCATGC CCCATCTGTC TCCTCACCCG GAGGCCTCTG	857
	ACCACCCCCAC TCATGCTCAG GGAGAGGGTC TTCTGGATT TTCCACCAGG CTCCGGGCAG	917
	CCACAGGCTG GATGCCCTA CCCCAGGCC TGCGCATACA GGGGCAGGTG CTGCGCTCAG	977
15	ACCTGCCAAC AGCCATATCC GGGAGGGACCC TGCCCTGAC CTAAGCCCCAC CCCAAAGGCC	1037
	AAACTCTCCA CTCCCTCAGC TCAGACACCT TCTCTCCTCC CAGATTCGAG TAACTCCCAA	1097
	TCTTCTCTCT GCA GAG TCC AAA TAT GGT CCC CCA TGC CCA TCA TGC CCA Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro	1146
	1 5 10	
20	GGTAAGCCAA CCCAGGCCTC GCCCTCCAGC TCAAGGGGG ACAGGTGCC TAGAGTAGCC	1206
	TGCATCCAGG GACAGGCCAGG AGCCGGGTGC TGACGCATCC ACCTCCATCT CTTCCCTCAGC	1266
	A CCT GAG TTC CTG GGG GGA CCA TCA GTC TTC CTG TTC CCC CCA AAA Pro Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys	1312
	1 5 10 15	
25	CCC AAG GAC ACT CTC ATG ATC TCC CGG ACC CCT GAG GTC ACG TGC GTG Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val	1360
	20 25 30	

-76-

	GTG GTG GAC GTG AGC CAG GAA GAC CCC GAG GTC CAG TTC AAC TGG TAC Val Val Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr	1408
1	35 40 45	
	GTG GAT GGC GTG GAG GTG CAT AAT GCC AAG ACA AAG CCG CGG GAG GAG Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu	1456
	50 55 60	
5	CAG TTC AAC AGC ACG TAC CGT GTG GTC AGC GTC CTC ACC GTC ATG CAC Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Met His	1504
	65 70 75	
	CAG GAC TGG CTG AAC GGC AAG GAG TAC AAG TGC AAG GTC TCC AAC AAA Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys	1552
	80 85 90 95	
10	GCG CTC CCG TCC ATC GAG AAA ACC ATC TCC AAA GCC AAA Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys	1594
	100 105	
	GGTGGGACCC ACGGGGTGCG AGGGCCACAT GGACAGAGGT CAGCTGGCC CACCCCTCTGC	1654
	CCTGGGAGTG ACCGCTGTGC CAACCTCTGT CCCTACA GGG CAG CCC CGA GAG CCA Gly Gln Pro Arg Glu Pro	1709
	1 5	
15	CAG GTG TAC ACC CTG CCC CCA TCC CAG GAG GAG ATG ACC AAG AAC CAG Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln	1757
	10 15 20	
	GTC AGC CTG ACC TGC CTG GTC AAA GGC TTC TAC CCC AGC GAC ATC GCC Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala	1805
	25 30 35	
20	GTC GAG TGG GAG AGT AAT GGG CAG CCG GAG AAC AAC TAC AAG ACC ACG Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr	1853
	40 45 50	
	CCT CCC GTG CTG GAC TCC GAC GGC TCC TTC TTC CTC TAC AGC AGG CTA Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu	1901
	55 60 65 70	
	ACC GTG GAC AAG AGC AGG TGG CAG GAG GGG AAT GTC TTC TCA GTC TCC Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Val Ser	1949
	75 80 85	

25

30

35

-77-

	GTC ATG CAT GAG GCT CTG CAC AAC CAC TAC ACA CAG AAG AGC CTC TCC Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser 1 90 95 100	1997
1	CTG TCT CTG GGT AAA TGAGTGCCAG GCCCGGCAAG CCCCCGCTCC CGGGCTCTC Leu Ser Leu Gly Lys 105	2052
5	GGGGTCGCGC GAGGATGCTT GGCACGTACC CCGTCTACAT ACTTCCCAGG CACCCAGCAT GAAAATAAAG CACCCACCCAC TGCCCTGGGC CCCTGTGAGA CTGTGATGGT TCTTTCCACG GGTCAGGCCG AGTCTGAGGC CTGAGTGACA TGAGGGAGGC AGAGCGGGTC CCACTGTCCC CACACTGGCC CAGGCTGTGC AGGTGTGCCT GGGCACCTA GGGTGGGCT CAGCCAGGGG CTGCCCTCGG CAGGGTGGGG GATTGCCAG CGTGGCCCTC CCTCCAGCAG CAGGACTCTA	2112 2172 2232 2292 2352
10	GAGGATCATA ATCAGCCATA CCACATTTGT AGAGGTTTA CTTGCTTTAA AAAACCTCCC ACACCTCCCC CTGAACCTGA AACATAAAAT GAATGCRAATT GTTGTGTTA ACTTGTAT TGCAGCTTAT AATGGTTACA AATAAAGCAA TAGCATCACA AATTCACAA ATAAAGCATT TTTTCACTG CATTCTAGTT GTGGTTGTC CAAACTCATC AATGTATCTT ATCATGTCTG 15 15 GATCCTCTAC GCCGGACGCA TCGTGGCCGG CATCACCGGC GCCACAGGTG CGGTTGCTGG CGCCTATATC GCCGACATCA CCGATGGGA AGATCGGGCT CGCCACTTCG GGCTCATGAG CGCTTGTTTC GGCGTGGTA TGGTGGCAGG CCCGTGGCCG GGGACTGTT GGGCGCCATC TCCTTGATG CACCATTCCCT TGCGGCGGGC GTGCTCAACG GCCTCAACCT ACTACTGGC TGCTTCCCTAA TGCAGGAGTC GCATAAGGGA GAGCGTCGAC CTGGGGCCGC GTTGCTGGCG	2412 2472 2532 2592 2652 2712 2772 2832 2892
20	TTTTCCATA GGCTCCGCCC CCCTGACGAG CATCACAAAA ATCGACGCTC AAGTCAGAGG TGGCGAAACC CGACAGGACT ATAAAGATAC CAGGCCTTTC CCCCTGGAAG CTCCCTCGTG CGCTCTCCTG TTCCGACCCCT GCGCTTACC GGATACCTGT CGCCTTTCT CCCTTCGGGA AGCGTGGCGC TTTCTCAATG CTCACGCTGT AGGTATCTCA GTTCGGTGTGTA GGTCGTTCGC TCCAAGCTGG GCTGTGTGCA CGAACCCCCC GTTCAGCCCG ACCGCTGCGC CTTATCCGGT 25 25 AACTATCGTC TTGAGTCCAA CCCGGTAAGA CACGACTTAT CGCCACTGGC AGCAGCCACT	2952 3012 3072 3132 3192 3252

30

35

	GGTAACAGGA TTAGCAGAGC GAGGTATGTA GGCGGTGCTA CAGAGTTCTT GAAGTGGTGG	3312
1	CCTAACTACG GCTACACTAG AAGGACAGTA TTTGGTATCT GCGCTCTGCT GAAGCCAGTT	3372
	ACCTTCGGAA AAAGAGTTGG TAGCTCTTGA TCCGGCAAAC AAACCACCGC TGGTAGCCGT	3432
	GGTTTTTTTG TTTGCAAGCA GCAGATTACG CGCAGAAAAA AAGGATCTCA AGAAGATCCT	3492
	TTGATCTTTT CTACGGGGTC TGACGCTCAG TGGAACGAAA ACTCACGTTA AGGGATTTG	3552
5	GTCATGAGAT TATCAAAAAG GATCTTCACC TAGATCCTTT TAAATTAAAA ATGAAGTTT	3612
	AAATCAATCT AAAGTATATA TGAGTAAACT TGGTCTGACA GTTACCAATG CTTAATCAGT	3672
	GAGGCACCTA TCTCAGCGAT CTGTCATTT CGTTCATCCA TAGTTGCCTG ACTCCCCGTC	3732
	GTGTAGATAA CTACGATAACG GGAGGGCTTA CCATCTGGCC CCAGTGCTGC AATGATACCG	3792
10	CGAGACCCAC GCTCACCGGC TCCAGATTTA TCAGCAATAA ACCAGCCAGC CGGAAGGGCC	3852
	GAGCGCAGAA GTGGTCCTGC AACTTTATCC GCCTCCATCC AGTCTATTAA TTGTTGCCGG	3912
	GAAGCTAGAG TAAGTAGTTTC GCCAGTTAAT AGTTTGCAGCA ACGTTGTTGC CATTGCTACA	3972
	GGCATCGTGG TGTCAAGCCTC GTCTGGGGT ATGGCATCAT TCAGCTCCGG TTCCCAACGA	4032
	TCAAGGCGAG TTACATGATC CCCCATGTTG TGCAAAAAG CGGTTAGCTC CTTCGGTCCT	4092
15	CCGATCGTTG TCAGAAAGTAA GTTGGCCGCA GTGTTATCAC TCATGGTTAT GGCAGCACTG	4152
	CATAATTCTC TTACTGTCAT GCCATCCGTA AGATGCTTT CTGTGACTGG TGAGTACTCA	4212
	ACCAAGTCAT TCTGAGAATA GTGTATGCGG CGACCGAGTT GCTCTTGCCTT GGCGTCAACA	4272
	CGGGATAATA CCGCGCCACA TAGCAGAACT TTAAAAGTGC TCATCATTGG AAAACGTTCT	4332
20	TCCGGGGCGAA AACTCTCAAG GATCTTACCG CTGTTGAGAT CCAGTTCGAT GTAACCCACT	4392
	CGTGCACCCA ACTGATCTTC AGCATCTTT ACTTTCACCA GCGTTCTGG GTGAGCAAAA	4452
	ACAGGAAGGC AAAATGCCGC AAAAAGGGA ATAAGGGCGA CACGGAAATG TTGAATACTC	4512
	ATACTCTTCC TTTTTCAATA TTATTGAAGC ATTATCAGG GTTATTGTCT CATGAGCGGA	4572
	TACATATTG AATGTATTAA GAAAATAAA CAAATAGGGG TTCCGCGCAC ATTTCCCCGA	4632
25	AAAGTGCCAC CTGACGTCTA AGAAACCATT ATTATCATGA CATTAACCTA TAAAATAGG	4692

	CGTATCACGA GGCCCTGATG GCTCTTGCG GCACCCATCG TTCTGTAATGT TCCGTGGCAC	4752
1	CGACGACAAC CCTCAAGAGA AAATGTAATC ACACCTGGCTC ACCTTCGGGT GGGCCTTTCT GCGTTATAA GGAGACACTT TATGTTAAG AAGGTTGGTA AATTCCCTTGC GGCTTTGGCA	4812
	GCCAAGCTAG AGATCTCTAG CTTCGTGTCA AGGACGGTGA CTGCAGTGAA TAATAAAATG TGTGTTGTC CGAAATACGC GTTTGAGAT TTCTGTGCC GACTAAATTC ATGTCGCGCG	4872
5	4932 ATAGTGGTGT TTATCGCCGA TAGAGATGGC GATATTGGAA AAATCGATAT TTGAAAATAT GGCATATTGA AAATGTCGCC GATGTGAGTT TCTGTGTAAC TGATATGCC ATTGTTCCAA	4992
	AAGTGATTT TGGGCATACG CGATATCTGG CGATAGCGCT TATATCGTTT ACGGGGGATG GCGATAGACG ACTTTGGTGA CTTGGCGAT TCTGTGTGTC GCAAATATCG CAGTTTCGAT	5052
10	5112 ATAGGTGACA GACGATATGA GGCTATATCG CCGATAGAGG CGACATCAAG CTGGCACATG GCCAATGCAT ATCGATCTAT ACATTGAATC AATATTGCC ATTAGCCATA TTATTCAATTG	5172
	GTTATATAGC ATAAATCAAT ATTGGCTATT GGCCATTGCA TACGTTGTAT CCATATCATA ATATGTACAT TTATATTGGC TCATGTCCAA CATTACGCC ATGTTGACAT TGATTATTGA	5232
15	5412 CTAGTTATTA ATAGTAATCA ATTACGGGT CATTAGTTCA TAGCCCATAAT ATGGAGTTCC GCGTTACATA ACTTACGGTA AATGGCCCGC CTGGCTGACC GCCAACGAC CCCCGCCCCAT	5472
	TGACGTCAAT AATGACGTAT GTTCCCATAG TAACGCCAAT AGGGACTTTC CATTGACGTC AATGGGTGGA GTATTTACGG TAAACTGCC ACITGGCAGT ACATCAAGTG TATCATATGC	5532
	5592 CAAGTACGCC CCCTATTGAC GTCAATGACG GTAAATGCC CGCCTGGCAT TATGCCAGT	5652
20	5712 ACATGACCTT ATGGGACTTT CCTACTTGGC AGTACATCTA CGTATTAGTC ATCGCTATTA CCATGGTGAT GCGGTTTGG CAGTACATCA ATGGGCGTGG ATAGCGTTT GACTCACGGG	5772
	GATTCCAAG TCTCCACCCC ATTGACGTCA ATGGGAGTTT GTTTGGCAC CAAAATCAAC GGGACTTTCC AAAATGTCGT AACAACTCCG CCCCATTGAC GCAAATGGGC GGTAGGCGTG	5832
25	5952 TACGGTGGGA GGTCTATATA AGCAGAGCTC GTTTAGTGAA CCGTCAGATC GCCTGGAGAC GCCATCCACG CTGTTTGAC CTCCATAGAA GACACCGGGA CCGATCCAGC CTCCGCGGCC	6012
	6072	
	6132	

-80-

	GGGAACGGTG CATTGGAACG CGGATTCCCC GTGCCAAGAG TGACGTAAGT ACCGCCTATA	6192
1	GAGTCTATAG GCCCACCCCC TTGGCTTCTT ATGCATGCTA TACTGTTTT GGCTTGGGT	6252
	CTATACACCC CCGCTTCCTC ATGTTATAGG TGATGGTATA GCTTAGCCTA TAGGTGTGGG	6312
	TTATTGACCA TTATTGACCA CTCCCCTATT GGTGACGATA CTTTCCATTA CTAATCCATA	6372
5	ACATGGCTCT TTGCCACAAC TCTCTTATT GGCTATATGC CAATACACTG TCCTTCAGAG	6432
	ACTGACACGG ACTCTGTATT TTTACAGGAT GGGGTCTCAT TTATTATTTA CAAATTCA	6492
	TATACAAACAC CACCGTCCCC AGTGCCCGCA GTTTTATTA AACATAACGT GGGATCTCCA	6552
	CGCGAATCTC GGGTACGTGT TCCGGACATG GGCTCTTC TC GGTTAGCGGC GGAGCTTCTA	6612
	CATCCGAGCC CTGCTCCCAT CCCTCCAGCG ACTCATGGTC GCTCGGCAGC TCCTTGCTCC	6672
10	TAACAGTGGG GCCCAGACTT AGGCACAGCA CGATGCCAC CACCACCA GTGCCGCACA	6732
	AGGCCGTGGC GGTAGGGTAT GTGTCTGAAA ATGAGCTCGG GGAGCGGGCT TGACCCGCTG	6792
	ACGCATTTGG AAGACTTAAG GCAGCGGCAG AAGAAGATGC AGGCAGCTGA GTTGTGTGT	6852
	TCTGATAAGA GTCAGAGGTA ACTCCCGTTG CGGTGCTGTT AACGGTGGAG GGCAGTGTAG	6912
15	TCTGAGCACT ACTCGTTGCT GCCCGCGCGC CCACCAAGACA TAATAGCTGA CAGACTAAC	6972
	GACTGTTCCCT TTCCATGGGT CTTTCTGCA GTCACCGTCC TTGACACGAA GCTTGGGCTG	7032
	CAGGTCGATC GACTCTAGAG GATCGATCCC CGGGCGAGCT C	7073

(2) INFORMATION FOR SEQ ID NO:16:

- 20 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 219 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

25

30

35

-81-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

1 Gly Val His Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val
 1 5 10 15
 Gln Pro Gly Arg Ser Leu Arg Leu Ser Cys Lys Ala Ser Gly Phe Asn
 20 25 30
 Ile Lys Asp Tyr Tyr Met His Trp Val Arg Gln Ala Pro Gly Lys Gly
 5 35 40 45
 Leu Glu Trp Ile Gly Leu Ile Asp Pro Glu Asn Gly Asn Thr Ile Tyr
 50 55 60
 Asp Pro Lys Phe Gln Gly Arg Phe Ile Ile Ser Ala Asp Asn Ser Lys
 65 70 75 80
 Asn Thr Leu Phe Leu Gln Met Asp Ser Leu Arg Pro Glu Asp Thr Ala
 10 85 90 95
 Val Tyr Phe Cys Ala Arg Asp Asn Ser Tyr Tyr Phe Asp Tyr Trp Gly
 100 105 110
 Gln Gly Thr Pro Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
 115 120 125
 Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala
 15 130 135 140
 Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
 145 150 155 160
 Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
 165 170 175
 Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
 20 180 185 190
 Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val Asp His
 195 200 205
 Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val
 210 215

25

30

35

-82-

(2) INFORMATION FOR SEQ ID NO:17:

1 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 12 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro
1 5 10

(2) INFORMATION FOR SEQ ID NO:18:

10

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 109 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

15

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

Pro Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
1 5 10 15
Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
20 25 30
Val Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val
20 35 40 45
Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
50 55 60
Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Met His Gln
65 70 75 80
Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
25 85 90 95

30

35

-83-

Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys
100 105
l

(2) INFORMATION FOR SEQ ID NO:19:

- (i) SEQUENCE CHARACTERISTICS:
5 (A) LENGTH: 107 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:
10 Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu
1 5 10 15
Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
20 25 30
Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
35 40 45
Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
15 50 55 60
Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly
65 70 75 80
Asn Val Phe Ser Val Ser Val Met His Glu Ala Leu His Asn His Tyr
85 90 95
Thr Gln Lys Ser Leu Ser Leu Ser Leu Gly Lys
20 100 105

(2) INFORMATION FOR SEQ ID NO:20:

- (i) SEQUENCE CHARACTERISTICS:
25 (A) LENGTH: 7864 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

30

35

- 84 -

(ii) MOLECULE TYPE: peptide

1 (ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 9..711

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

5	AATTCACCAT GGGTGTGCCA ACTCAGGTAT TAGGATTACT GCTGCTGTGG CTTACAGATG	60
	CAAGATGTGA TATCCAAATG ACACAATCTC CTTCTTCTCT AAGTGCTTCT GTCGGAGATA	120
	GAGTAACAAT TACATGTAAG GCGAGTCAGG ACATTAGAAA GTATTAAAC TGGTATCAGC	180
	AAAAACCTGG GAAGGCTCCT AAGCTACTGA TTTATTATGC AACAAAGTTG GCAGATGGAG	240
	TACCTTCTAG ATTTTCTGGT TCTGGCTCTG GAACAGACTA CACATTACACA ATTTCTTCTC	300
10	TCCAACCTGA GGACATTGCT ACATACTACT GCCTACAAACA TGGTGAGAGT CCGTATACAT	360
	TTGGACAAGG AACAAAACCA GAGATCACAA GAACTGTTGC GGCGCCGTCT GTCTTCATCT	420
	TCCCCGCCATC TGATGAGCAG TTGAAATCTG GAACTGCCTC TGTTGTGTGC CTGCTGAATA	480
	ACTTCTATCC CAGAGAGGCC AAAGTACAGT GGAAGGTGGA TAACGCCCTC CAATCGGGTA	540
15	ACTCCCAGGA GAGTGTACACA GAGCAGGACA GCAAGGACAG CACCTACAGC CTCAGCAGCA	600
	CCCTGACGCT GAGCAAAGCA GACTACGAGA AACACAAAGT CTACGCCTGC GAAAGTCACCC	660
	ATCAGGGCCT GAGCTCGCCC GTCACAAAGA GCTTCAACAG GGGAGAGTGT TAGAGGGAGA	720
	AGTGCCCTCCA CCTGCTCCTC AGTTCCAGCC TGGGGATCAT AATCAGCCAT ACCACATTG	780
	TAGAGGTTTT ACTTGCTTTA AAAAACCTCC CACACCTCCC CCTGAACCTG AACACATAAAA	840
20	TGAATGCAAT TGGTGTGTT AACTTGTTA TTGCAGCTTA TAATGGTTAC AAATAAAAGCA	900
	ATAGCATCAC AAATTCACA AATAAAGCAT TTTTTCACT GCATTCTAGT TGTGGTTGT	960
	CCAAACTCAT CAATGTATCT TATCATGTCT GGATCCTCTA CGCCGGACGC ATCGTGGCCG	1020
	GCATCACCGG CGCCACAGGT GCGGTTGCTG GCGCCTATAT CGCCGACATC ACCGATGGGG	1080
25	AAGATCGGGC TCGCCACTTC GGGCTCATGA GCGCTTGTGTT CGGGCTGGGT ATGGTGGCAG	1140

30

35

	GCCCCGTGGCC	GGGGGACTGT	TGGGCGCCAT	CTCCTTGCAT	GCACCATTCC	TTGCAGCGGC	1200
1	GGTGCTCAAC	GGCCTCAACC	TACTACTGGG	CTGCTTCCTA	ATGCAGGAGT	CGCATAAGGG	1260
	AGAGCGTCGA	CCTCGGGCCG	CGTTGCTGGC	GTTTTCCAT	AGGCTCCGCC	CCCCTGACGA	1320
	GCATCACAAA	AATCGACGCT	CAAGTCAGAG	GTGGCGAAAC	CCGACAGGAC	TATAAAGATA	1380
	CCAGGCCTTT	CCCCCTGGAA	GCTCCCTCGT	GCGCTCTCCT	GTTCCGACCC	TGCCGCTTAC	1440
5	CGGATACCTG	TCCGCCTTTC	TCCCTCGGG	AAGCGTGGCG	CTTTCTCAAT	GCTCACGCTG	1500
	TAGGTATCTC	AGTTCGGTGT	AGGTGTTCG	CTCCAAGCTG	GGCTGTGTGC	ACGAACCCCC	1560
	CGTTCAGCCC	GACCGCTGCG	CCTTATCCGG	TAACTATCGT	CTTGAGTCCA	ACCCGGTAAG	1620
	ACACGACTTA	TCGCCACTGG	CAGCAGCCAC	TGGTAACAGG	ATTAGCAGAG	CGAGGTATGT	1680
10	AGGCGGTGCT	ACAGAGTTCT	TGAAGTGGTG	GCCTAACTAC	GGCTACACTA	GAAGGACAGT	1740
	ATTGGTATC	TGCGCTCTGC	TGAAGCCAGT	TACCTTCGGA	AAAAGAGTTG	GTAGCTCTTG	1800
	ATCCGGCAAA	CAAACCACCG	CTGGTAGCGG	TGGTTTTTTT	GTTTCAAGC	AGCAGATTAC	1860
	GCGCAGAAAA	AAAGGATCTC	AAGAAGATCC	TTTGATCTTT	TCTACGGGGT	CTGACGCTCA	1920
	GTGGAACGAA	AACTCACGTT	AAGGGATTTT	GGTCATGAGA	TTATCAAAAAA	GGATCTTCAC	1980
15	CTAGATCCTT	TTAAATTAAA	AATGAAGTTT	TAAATCAATC	TAAAGTATAT	ATGAGTAAAC	2040
	TTGGTCTGAC	AGTTACCAAT	GCTTAATCAG	TGAGGCACCT	ATCTCAGCGA	TCTGTCTATT	2100
	TCGTTCATCC	ATAGTTGCCT	GACTCCCCGT	CGTGTAGATA	ACTACGATAC	GGGAGGGCTT	2160
	ACCATCTGGC	CCCAGTGTG	CAATGATACC	GCGAGACCCA	CGCTCACCGG	CTCCAGATTT	2220
20	ATCAGCAATA	AACCAGCCAG	CCGGAAGGGC	CGAGCGCAGA	AGTGGTCCTG	CAACTTTATC	2280
	CGCCTCCATC	CAGTCTATTA	ATTGTTGCCG	GGAAGCTAGA	GTAAGTAGTT	CGCCAGTTAA	2340
	TAGTTGCGC	AACGTTGTTG	CCATTGCTAC	AGGCATCGTG	GTGTCACGCT	CGTCGTTGG	2400
	TATGGCTTCA	TTCAGCTCCG	GTTCCCAACG	ATCAAGGCGA	GTTACATGAT	CCCCCATGTT	2460
	GTGCAAAAAA	GCGGTTAGCT	CCTTCGGTCC	TCCGATCGTT	GTCAGAAAGTA	AGTTGGCCGC	2520
25	AGTGTATCA	CTCATGGTTA	TGGCAGCACT	GCATAATTCT	CTTACTGTCA	TGCCATCCGT	2580

	AAGATGCTT TCTGTGACTG GTGAGTACTC AACCAAGTC A TTCTGAGAAT AGTGTATGCG	2640
1	GCGACCGAGT TGCTCTGCC CGCGTCAAC ACGGGATAAT ACCCGGCCAC ATAGCAGAAC	2700
	TTTAAAAGTG CTCATCATTG GAAAACGTT TCAGGGCGA AAACTCTCAA GGATCTTACC	2760
	GCTGTTGAGA TCCAGTTCGA TGTAACCCAC TCGTGCACCC AACTGATCTT CAGCATCTT	2820
5	TACTTTCACG AGCGTTCTG GGTGAGCAAA AACAGGAAGG CAAAATGCCG CAAAAAAGGG	2880
	AATAAGGGCG ACACGGAAAT GTTGAATACT CATACTCTTC CTTTTCAAT ATTATTGAAG	2940
	CATTTATCAG GGTTATTGTC TCATGAGCGG ATACATATTT GAATGTATTT AGAAAAATAA	3000
	ACAAATAGGG GTTCCGCGCA CATTCCCCG AAAAGTGCCA CCTGACGTCT AAGAAACCAT	3060
	TATTATCATG ACATTAACCT ATAAAAATAG GCGTATCACG AGGCCCTGAT GGCTCTTGC	3120
10	GGCACCCATC GTTCGTAATG TTCCGTGGCA CCGAGGACAA CCCTCAAGAG AAAATGTAAT	3180
	CACACTGGCT CACCTTCGGG TGGGCCTTTC TGCGTTTATA AGGAGACACT TTATGTTAA	3240
	GAAGGTTGGT AAATTCCCTG CGGCTTGCG AGCCAAGCTA GAGATCCGGC TGTGGAATGT	3300
	GTGTCAGTTA GGGTGTGGAA AGTCCCCAGG CTCCCCAGCA GGCAGAAGTA TGCAAAGCAT	3360
15	GCATCTCAAT TAGTCACCAA CCAGGCTCCC CAGCAGGCAG AAGTATGCAA AGCATGCATC	3420
	TCAATTAGTC AGCAACCATA GTCCCGCCCC TAATCCGCC CATCCCGCCC CTAACTCCGC	3480
	CCAGTTCCGC CCATTCTCCG CCCCCATGGCT GACTAATTTT TTTTATTTAT GCAGAGGCCG	3540
	AGGCCGCCCTC GGCTCTGAG CTATTCCAGA AGTAGTGAGG AGGCTTTTT GGAGGCCTAG	3600
	GCTTTGCAA AAAGCTAGCT TGGGGCCACC GCTCAGAGCA CCTTCCACCA TGGCCACCTC	3660
20	AGCAAGTTCC CACTTGAAACA AAAACATCAA GCAAATGTAC TTGTGCCTGC CCCAGGGTGA	3720
	GAAAGTCCAA GCCATGTATA TCTGGGTTGA TGGTACTGGA GAAGGACTGC GCTGCAAAAC	3780
	CCGCACCCCTG GACTGTGAGC CCAAGTGTGT AGAAGAGTTA CCTGAGTGG A TTTTGATGG	3840
	CTCTAGTACC TTTCAGTCTG AGGGCTCCAA CAGTGACATG TATCTCAGCC CTGTTGCCAT	3900
25	GTTCAGGGAC CCCTTCCGCA GAGATCCCAA CAAGCTGGTG TTCTGTGAAG TTTTCAAGTA	3960
	CAACCGGAAG CCTGCAGAGA CCAATTAAAG GCACTCGTGT AACCGGATAA TGGACATGGT	4020

GAGCAACCAG	CACCCCTGGT	TTGGAATGGA	ACAGGAGTAT	ACTCTGATGG	GAACAGATGG	4080
1 GCACCCCTTT	GGTTGGCCTT	CCAATGGCTT	TCCTGGGCC	CAAGGTCCGT	ATTACTGTGG	4140
	TGTGGCGCA	GACAAAGCCT	ATGGCAGGGA	TATCGTGGAG	GCTCACTACC	4200
	GTATGCTGGG	GTCAAGAGTTA	CAGGAACAAA	TGCTGAGGTC	ATGCCCTGCC	4260
5 CCAAATAGGA	CCCTGTGAAG	GAATCCGCAT	GGGAGATCAT	CTCTGGGTGG	CCC GTTTCAT	4320
10 CTTNCATCGA	GTATGTGAAG	ACTTTGGGGT	AATAGCAACC	TTTGACCCCCA	AGCCCATTCC	4380
	TGGGAACCTGG	AATGGTGCAG	GCTGCCATAC	CAACTTTAGC	ACCAAGGCCA	4440
	GAATGGTCTG	AAGCACATCG	AGGAGGCCAT	CGAGAAACTA	AGCAAGCGGC	4500
	CATTGAGCC	TACGATCCCA	AGGGGGGCCT	GGACAATGCC	CGTGGTCTGA	4560
15 CGAAACGTCC	AACATCAACG	ACTTTCTGC	TGGTGTGCC	AATCGCAGTG	CCAGCATTCCG	4620
	CATCCCCCG	ACTGTGGCC	AGGAGAAGAA	AGGTTACTTT	GAAGACCGCG	4680
	CAATTGTGAC	CCCTTTGCAG	TGACAGAACG	CATCGTCCGC	ACATGCCCTTC	4740
	TGGCCACGAG	CCCTTCCAAT	ACAAAAACTA	ATTAGACTTT	GAGTGATCTT	4800
20 TAGTTCATCC	CACCCCCCCC	CAGAGAGATC	TTTGTGAAGG	AACCTTACTT	CTGTGGTGTG	4860
25 ACATAATTGG	ACAAACTACC	TACAGAGATT	AAAAGCTCTA	AGGTAAATAT	AAAATTTTA	4920
	AGTGTATAAT	GTGTTAAACT	ACTGATTCTA	ATTGTTGTG	TATTTAGAT	4980
	GGAACGTGATG	AATGGGAGCA	GTGGTGGAAAT	GCCTTTAATG	AGGAAAACCT	5040
	GAAGAAATGC	CATCTAGTGA	TGATGAGGCT	ACTGCTGACT	CTCAACATTC	5100
30 AAAAGAAGA	GAAAGGTAGA	ACACCCCAAG	GA CTTCCCTT	CAGAATTGCT	AAGTTTTTG	5160
	AGTCATGCTG	TGTTTACTAA	TAGAACTCTT	GCTTGCTTTG	CTATTTACAC	5220
	AAAGCTGCAC	TGCTATACAA	GAAAATTATG	GAAAATATT	CTGTAACCTT	5280
	CATAACAGTT	ATAATCATAA	CATACTGTTT	TTCTTACTC	CACACAGGCA	5340
	GCTATTAATA	ACTATGCTCA	AAAATTGTGT	ACCTTTAGCT	TTTTAATTG	5400
35 AATAAGGAAT	ATTTGATGTA	TAGTGCCTAG	ACTAGAGATC	ATAATCAGCC	ATACCACATT	5460

-88-

	TGTAGAGGTT TTACTTCCTT TAAAAAAACCT CCCACACCTC CCCCTGAACC TGAAACATAA	5520
1	AATGAATGCA ATTGTTGTTG TTAACTTGTT TATTGCAGCT TATAATGGTT ACAAAATAAG	5580
	CAATAGCATC ACAAAATTCA CAAATAAAGC ATTTTTTCA CTGCATTCTA GTTGTGGTT	5640
	GTCCAACCTC ATCAATGTAT CTTATCATGT CTGGATCTCT AGCTTCGTGT CAAGGACGGT	5700
5	GACTGCAGTG AATAATAAAA TGTGTGTTG TCCGAAATAC GCGTTTGAG ATTTCTGTCG	5760
	CCTACTAAAT TCATGTCGCG CGATAGTGGT GTTTATGCC GATAGAGATG GCGATATTGG	5820
	AAAAATCGAT ATTTGAAAAT ATGGCATATT GAAAATGTCG CCGATGTGAG TTTCTGTGTA	5880
	ACTGATATCG CCATTTTCC AAAAGTGATT TTTGGCATA CGCGATATCT GGCGATAGCG	5940
	CTTATATCGT TTACGGGGGA TGGCGATAGA CGACTTGGT GACTTGGCG ATTCTGTGTC	6000
10	TCGCAAATAT CGCAGTTCG ATATAGGTGA CAGACGATAT GAGGCTATAT CGCCGATAGA	6060
	GGCGACATCA AGCTGGCAC A TGCCAAATGC ATATCGATCT ATACATTGAA TCAATATTGG	6120
	CCATTAGCCA TATTATTCA TGGTTATATA GCATAAAATCA ATATTGGCTA TTGGCCATTG	6180
	CATACGTTGT ATCCATATCA TAATATGTAC ATTTATATTG GCTCATGTCC AACATTACCG	6240
15	CCATGTTGAC ATTGATTATT GACTAGTTAT TAATAGTAAT CAATTACGG GTCATTAGTT	6300
	CATAGCCCAT ATATGGAGTT CCGCGTTACA TAACTTACGG TAAATGGCCC GCCTGGCTGA	6360
	CCGCCCCAACG ACCCCCCCCC ATTGACGTCA ATAATGACGT ATGTTCCCAT AGTAACGCCA	6420
	ATAGGGACTT TCCATTGACG TCAATGGGTG GAGTATTAC GGTAAACTGC CCACTTGGCA	6480
	GTACATCAAG TGTATCATAT GCCAAGTACG CCCCCTATTG ACGTCAATGA CGGTAAATGG	6540
20	CCCGCCTGGC ATTATGCCCA GTACATGACC TTATGGACT TTCCTACTTG GCAGTACATC	6600
	TACGTATTAG TCATCGCTAT TACCATGGTG ATGCGGTTTT GGCAGTACAT CAATGGCGT	6660
	GGATAGCGGT TTGACTCACG GGGATTTCCA AGTCTCCACC CCATTGACGT CAATGGGAGT	6720
	TTGTTTTGGC ACCAAAATCA ACGGGACTTT CCAAAATGTC GTAACAACTC CGCCCCATTG	6780
25	ACGCAATGG CGGGTAGGCG TGTACGGTGG GAGGTCTATA TAAGCAGAGC TCGTTTAGTG	6840
	AACCGTCAGA TCGCCTGGAG ACGCCATCCA CGCTGTTTG ACCTCCATAG AAGACACCGG	6900

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No	
PCT/US 96/09287	

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A-8807543		FI-A- 954347 GR-A- 88100198 JP-T- 1503438 US-A- 5437864	15-09-95 31-01-89 22-11-89 01-08-95
WO-A-9411029	26-05-94	US-A- 5437864 AU-A- 5671594	01-08-95 08-06-94
WO-A-9405328	17-03-94	AU-A- 5093593	29-03-94

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No	
PCT/US 96/09287	

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
WO-A-9109968	11-07-91	AT-T-	129017	15-10-95
		AT-T-	124459	15-07-95
		AU-B-	664801	30-11-95
		AU-A-	6461294	22-12-94
		AU-B-	646009	03-02-94
		AU-A-	6974091	24-07-91
		AU-B-	649645	02-06-94
		AU-A-	7033091	24-07-91
		AU-B-	631481	26-11-92
		AU-A-	7048691	24-07-91
		BG-B-	60462	28-04-95
		CA-A-	2037607	07-09-92
		CA-A-	2046904	22-06-91
		CA-A-	2050479	22-06-91
		DE-D-	69020544	03-08-95
		DE-T-	69020544	18-01-96
		DE-D-	69022982	16-11-95
		DE-T-	69022982	28-03-96
		EP-A-	0460167	11-12-91
		EP-A-	0460171	11-12-91
		EP-A-	0460178	11-12-91
		EP-A-	0620276	19-10-94
		EP-A-	0626390	30-11-94
		ES-T-	2079638	16-01-96
		ES-T-	2074701	16-09-95
		WO-A-	9109966	11-07-91
		WO-A-	9109967	11-07-91
		GB-A,B	2246781	12-02-92
		GB-A,B	2246570	05-02-92
		GB-A,B	2268744	19-01-94
		GB-A,B	2268745	19-01-94
		JP-T-	4505398	24-09-92
		JP-T-	4506458	12-11-92
		JP-T-	5500312	28-01-93
-----	-----	-----	-----	-----
WO-A-8807543	06-10-88	US-A-	5110730	05-05-92
		US-A-	5223427	29-06-93
		AU-B-	605864	24-01-91
		AU-A-	1627488	02-11-88
		EP-A-	0309548	05-04-89

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 96/09287

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. Claims Nos.: 31-35 because they relate to subject matter not required to be searched by this Authority, namely:
Remark: Although claims 31-35 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- The additional search fees were accompanied by the applicant's protest.
 No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 96/09287

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	JOURNAL OF CRYSTAL GROWTH, vol. 122, no. 1-4, August 1992, AMSTERDAM, NL, pages 253-264, XP002015918 W. RUF ET AL.: "Purification, sequence and crystallization of an anti-tissue factor Fab and its use for the crystallization of tissue factor." see abstract see table 1 -----	1-37

1

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 96/09287

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C12N15/13 C07K16/36 C07K16/46 A61K39/395 //C12N5/10,
C12N15/85

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C12N C07K A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 91 09968 A (CELLTECH LIMITED) 11 July 1991 see examples see claims ---	1-37
Y	WO 88 07543 A (SCRIPPS CLINIC AND RESEARCH FOUNDATION) 6 October 1988 see claims ---	1-37
A	WO 94 11029 A (THE SCRIPPS RESEARCH INSTITUTE ET AL.) 26 May 1994 see claims ---	1-37
A	WO 94 05328 A (THE SCRIPPS RESEARCH INSTITUTE) 17 March 1994 see examples see claims ---	1-37
	-/-	

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

& document member of the same patent family

1

Date of the actual completion of the international search

15 October 1996

Date of mailing of the international search report

08.11.96



Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

Nooij, F

41/41

FIG. 9**FIG. 10**

RECTIFIED SHEET (RULE 91)
ISA/EP

40/41





FIG. 8


RECTIFIED SHEET (RULE 91)
ISA/EP

FIG. 7
anti-TF COMPETITION ASSAY



RECTIFIED SHEET (RULE 91)
ISA/EP

FIG. 6



RECTIFIED SHEET (RULE 91)
ISA/EP

37/41

FIG. 5 O

7830

7840

7850

7860

CGA TCG ACT CTA GAG GAT CGA TCC CCC GGC GAG CTC G
GCT AGC TGA GAT CTC CTA GCT AGG GGC CCC CTC GAG C

RECTIFIED SHEET (RULE 91)
ISA/EP

36/41

FIG. 5 N

7260	7270	7280	7290	
TGG GGT CTC ATT TAT TAT TTA CAA ATT CAC ATA TAC AAC ACC ACC GTC ACC CCA GAG TAA ATA ATA AAT GTT TAA GTG TAT ATG TTG TGG TCG CAG				
7300	7310	7320	7330	7340
CCC AGT CCC CCC AGT TTT TAT TAA ACA TAA CGT GGG ATC TCC ACG CGA GGG TCA CGG GCG TCA AAA ATA ATT TGT ATT GCA CCC TAG AGG TCC GCT				
7350	7360	7370	7380	7390
ATC TCG GGT ACG TGT TCC GGA CAT GGG CTC TTC TCC GGT AGC CCC GGA TAG AGC CCA TGC ACA AGG CCT GTA CCC GAG AAG AGG CCA TCG CGG CCT				
7400	7410	7420	7430	7440
GCT TCT ACA TCC GAG CCC TGC TCC CAT GCC TCC ACC GAC TCA TGG TCG CGA AGA TGT AGG CTC GGG AGC AGG GTA CGG AGG TCG CTG AGT ACC AGC				
7450	7460	7470	7480	7490
CTC CGC AGC TCC TTG CTC CTA ACA GTG GAG GCG AGA CTT AGG CAC AGC GAG CGG TCG AGG AAC GAG GAT TGT CAC CTC CGG TCT GAA TCC GTG TCG				
7500	7510	7520	7530	
ACG ATG CCC ACC ACC ACC AGT GTG CGG CAC AAG GCC GTG GCG GTC CGA GGC TCC TAC CGG TCG TCG TCA CAC CGC GTG TTC CGG CAC CCC CAT CCC				
7540	7550	7560	7570	7580
TAT GTG TCT GAA AAT GAG CTC GGG GAG CGG CCT TGC ACC CCT GAC CGA ATA CAC AGA CTT TTA CTC GAG CCC CTC CGC CGA ACC TCG CGA CTG CGT				
7590	7600	7610	7620	7630
TTT CGA AGA CTT AAG GCA CGG GCA GAA GAA GAT GCA GGC AGC TGA GTT AAA CCT TCT GAA TTC CGT CGC CGT CTT CTC CTA CGT CGG TCG ACT CAA				
7640	7650	7660	7670	7680
GTT CTG TTC TGA TAA GAG TCA GAG GTC ACT CCC GTT CGG GTG CTG TTA CAA CAC AAG ACT ATT CTC ACT CTC CAT TGA CGG CAA CGC CAC GAC AAT				
7690	7700	7710	7720	7730
ACC GTC GAG CGC AGT GTC CTC TGA CGA CGA CTC GTT CCT CGC CGG CGC TCC CAC CTC CGG TCA CAT CGC ACT CGT CAT GAG CAA CGA CGG CGC CGC				
7740	7750	7760	7770	
GCC ACC AGA CAT AAT ACC TCA CGC ACT AAC AGA CTC TTC CTT TCC ATC CGG TGG TCT GTC TTA CGC ACT GTC TGA TTG TCT GAC AAG GAA AGC TAC				
7780	7790	7800	7810	7820
GGT CTT TTC TGC AGT CAC CGT CCT TGA CGC GAA CCT TGG CCT CGA CGT CCA GAA AAG ACC TCA GTG CGA GGA ACT GTG CTT CGA ACC CGA CGT CGA				

RECTIFIED SHEET (RULE 91)
ISA/EP

35/41

FIG. 5 M

6680	6690	6700	6710	6720
TCA CGG GGA TTT CCA AGT CTC CAC CCC ATT GAC CTC AAT GGG AGT TTG AGT GCC CCT AAA GGT TCA GAG GTG GGG TAA CTG CAG TTA CCC TCA AAC				
6730	6740	6750	6760	6770
TTT TGG CAC CAA AAT CAA CGG GAC TTT CCA AAA TGT CGT AAC AAC TCC AAA ACC GTG GTT TTA GTT GCC CTG AAA GGT TTT ACA GCA TTG TTG AGG				
6780	6790	6800	6810	
GCC CCA TTG ACG CAA ATG GGC GGT AGG CGT GTA CGG TGG GAG GTC TAT CGG GGT AAC TGC GTT TAC CCG CCA TCC GCA CAT CCC ACC CTC CAG ATA				
6820	6830	6840	6850	6860
ATA AGC AGA GCT CGT TTA GTG AAC CGT CAG ATC GCC TGG AGA CCC CTT TAT TCG TCT CGA GCA AAT CAC TTG GCA GTC TAG CGG ACC TCT CCC GTA				
6870	6880	6890	6900	6910
CCA CGC TGT TTT GAC CTC CTT AGA AGA CAC CGG GAC CCA TCC AGC CTC GGT CGG ACA AAA CTG GAG GTA TCT TCT GTG GCC CTG CCT AGG TCC GAG				
6920	6930	6940	6950	6960
CCC CGC CGG GAA CGG TCC ATT CGA ACC CGG ATT CCC CGT CCC AAC AGT CGG CGG GCC CTT CGC ACC TAA CCT TGC GCC TAA CGG GCA CGG TTC TCA				
6970	6980	6990	7000	7010
GAC GTA AGT ACC GCC TAT AGA GTC TAT AGG CCC ACC CCC TTG GCT TCT CTG CAT TCA TGG CGG ATA TCT CAG ATA TCC CGG TGG CGG AAC CGA AGA				
7020	7030	7040	7050	
TAT CGA TGC TAT ACT CTT TTT CGC TTG CGG TCT ATA CAC CCC CCC TTC ATA CGT ACC ATA TGA CAA AAA CGG AAC CCC AGA TAT GTG CGG CGG AAG				
7060	7070	7080	7090	7100
CTC ATC TTA TAG GTC ATC GTA TAG CTT ACC CTA TAC GTC TGG GTT ATT GAG TAC ATT ATC CAC TAC CAT ATC GAA TGG GAT ATC CAC ACC CAA TAA				
7110	7120	7130	7140	7150
GAC CAT TAT TGA CCA CTC CCC TAT TGG TGA CGA TAC TTT CCA TTA CTA CTG GTA ATA ACT CGT GAG CGG ATA ACC ACT CCT ATG AAA GGT ATA GAT				
7160	7170	7180	7190	7200
ATC CAT AAC ATC CCT CTT TGC CAC AAC TCT CTT TAT TGG CTA TAT GCC TAG GTA TTG TAC CGA GAA ACC GTC TTG AGA GAA ATA ACC CAT ATA CGG				
7210	7220	7230	7240	7250
ATA ACA CTG TCC TTC AGA GAC TGA CAC CGA CTC TGT ATT TTT ACA CGA TTA TGT GAC AGG AAG TCT CTC ACT GTG CCT GAG ACA TAA AAA TGT CCT				

RECTIFIED SHEET (RULE 91)

ISA/EP

34/41

FIG. 5 L

6100	6110	6120	6130	6140
TAT ACA TTG AAT CAA TAT TGG CCA TTA GCC ATA TTA TTC ATT GGT TAT				
ATA TGT AAC TTA GTT ATA ACC GGT AAT CGG TAT AAT AAG TAA CCA ATA				
6150	6160	6170	6180	6190
ATA GCA TAA ATC AAT ATT GGC TAT TGG CCA TTG CAT ACG TTG TAT CCA				
TAT CGT ATT TAG TTA TAA CCG ATA ACC GGT AAC GTA TGC AAC ATA GGT				
6200	6210	6220	6230	6240
TAT CAT AAT ATG TAC ATT TAT ATT GGC TCA TGT CCA ACA TTA CCG CCA				
ATA GTA TTA TAC ATC TAA ATA TAA CCG AGT ACA GGT TGT AAT GGC GGT				
6250	6260	6270	6280	6290
TGT TGA CAT TGA TTA TTG ACT AGT TAT TAA TAG TAA TCA ATT ACG GGG				
ACA ACT GTA ACT AAT AAC TGA TCA ATA ATT ATC ATT AGT TAA TGC CCC				
6300	6310	6320	6330	
TCA TTA GTT CAT ACG CCA TAT ATG GAG TTC CCC GTT ACA TAA CTT ACG				
AGT AAT CAA GTA TCG GGT ATA TAC CTC AAG CCC CAA TGT ATT GAA TGC				
6340	6350	6360	6370	6380
GTA AAT GGC CCG CCT GGC TGA CCG CCC AAC GAC CCC CCC CCA TTG ACC				
CAT TTA CCG CCC GGA CCG ACT GGC GGG TTG CTC GGG GCG GGT AAC TCC				
6390	6400	6410	6420	6430
TCA ATA ATG ACG TAT GTT CCC ATA GTA ACG CCA ATA CGG ACT TTC CAT				
AGT TAT TAC TGC ATA CAA CGG TAT CAT TGC GGT TAT CCC TGA AAG GTA				
6440	6450	6460	6470	6480
TGA CGT CAA TGG GTG GAG TAT TTA CCG TAA ACT GCC CAC TTG CCA GTA				
ACT GCA GTT ACC CAC CTC ATA AAT CCC ATT TGA CGG GTC AAC CGT CAT				
6490	6500	6510	6520	6530
CAT CAA GTG TAT CAT ATG CCA AGT ACG CCC CCT ATT GAC GTC AAT GAC				
GTA GTT CAC ATA GTA TAC GGT TCA TGC CGG GGA TAA CTG CAG TTA CTC				
6540	6550	6560	6570	
GGT AAA TGG CCC CCC TGG CAT TAT GCC CAG TAC ATG ACC TTA TGG GAC				
CCA TTT ACC GGG CCC ACC GTA ATA CGG GTC ATG TAC TGG AAT ACC CTC				
6580	6590	6600	6610	6620
TTT CCT ACT TGG CAC TAC ATC TAC GTA TTA GTC ATC CCT ATT ACC ATG				
AAA GGA TGA ACC GTC ATG TAG ATG CAT AAT CAG TAC CGA TAA TGG TAC				
6630	6640	6650	6660	6670
GTC ATG CGG TTT TGG CAG TAC ATC AAT CGG CGT GGA TAG CGG TTT GAC				
CAC TAC GCC AAA ACC GTC ATG TAG TTA CCC GCA CCT ATC GCC AAA CTG				

RECTIFIED SHEET (RULE 91)

ISA/EP

33/41

FIG. 5 K

5530 5540 5550 5560 5570
 GAA TGC AAT TGT TGT TGT TAA CTT GTT TAT TGC AGC TTA TAA TGG TTA
 CTT ACG TTA ACA ACA ACA ATT GAA CAA ATA ACG TCG AAT ATT ACC AAT

 5580 5590 5600 5610
 CAA ATA AAG CAA TAG CAT CAC AAA TTT CAC AAA TAA AGC ATT TTT TTC
 GTT TAT TTC GTT ATC GTA GTG TTT AAA GTG TTT ATT TCG TAA AAA AAG

 5620 5630 5640 5650 5660
 ACT GCA TTC TAG TTG TCG TTT GTC CAA ACT CAT CAA TGT ATC TTA TCA
 TGA CGT AAG ATC AAC ACC AAA CAG GTT TGA GTA GTT ACA TAG AAT AGT

 5670 5680 5690 5700 5710
 TGT CTG GAT CTC TAG CTT CGT GTC AAG GAC CGT GAC TGC AGT GAA TAA
 ACA GAC CTA GAG ATC GAA GCA CAG TTC CTG CCA CTG ACG TCA CTT ATT

 5720 5730 5740 5750 5760
 TAA AAT CTG TGT TTG TCC GAA ATA CGC GTT TTG AGA TTT CTG TCG CCG
 ATT TTA CAC ACA AAC AGG CTT TAT GCG CAA AAC TCT AAA GAC AGC CCC

 5770 5780 5790 5800 5810
 ACT AAA TTC ATG TCG CGC GAT AGT GGT GTT TAT CGC CGA TAG AGA TCG
 TGA TTT AAG TAC AGC GCG CTA TCA CCA CAA ATA CGC CCT ATC TCT ACC

 5820 5830 5840 5850
 CGA TAT TCG AAA AAT CGA TAT TTG AAA ATA TGG CAT ATT GAA AAT GTC
 GCT ATA ACC TTT TTA GCT ATA AAC TTT TAT ACC GTA TAA CTT TTA CAG

 5860 5870 5880 5890 5900
 CCC GAT CTG AGT TTC TGT GTT ACT GAT ATC GCC ATT TTT CCA AAA GTC
 CGG CTA CAC TCA AAC ACA CAT TGA CTA TAG CGG TAA AAA CGT TTT CAC

 5910 5920 5930 5940 5950
 ATT TTT GGG CAT ACC CGA TAT CTG GCG ATA CGC CTT ATA TCG TTT ACC
 TAA AAA CCC GTA TGC CCT ATA GAC CGC TAT CGC GAA TAT AGC AAA TGC

 5960 5970 5980 5990 6000
 CGG GAT CGC GAT AGA CGA CTT TGG TGA CTT GGG CGA TTC TGT GTG TCG
 CCC CTA CGG CTA CCT GCT GAA ACC ACT GAA CCC CCT AAG ACA CAC AGC

 6010 6020 6030 6040 6050
 CAA ATA TCG CAG TTT CGA TAT AGG TGA CAG ACC ATA TGA CGC TAT ATC
 GTT TAT AGC GTC AAA CCT ATA TCC ACT GTC TGC TAT ACT CCC ATA TAG

 6060 6070 6080 6090
 CGC GAT AGA CGC GAC ATC AAG CTG GCA CAT CGC CAA TGC ATA TCG ATC
 CGG CTA CCT CGG CTC TAG TTC GAC CGT GTA CGG GTT ACC TAT AGC TAG

RECTIFIED SHEET (RULE 91)

ISA/EP

32/41

FIG. 5 J

4950 4960 4970 4980 4990
 CTA ATT GTT TGT GTA TTT TAG ATT CCA ACC TAT GGA ACT GAT GAA TGG
 GAT TAA CAA ACA CAT AAA ATC TAA GGT TGG ATA CCT TGA CTA CTT ACC

 5000 5010 5020 5030 5040
 GAG CAG TGG TGG AAT GCC TTT AAT GAG GAA AAC CTG TTT TGC TCA GAA
 CTC GTC ACC ACC TTA CGG AAA TTA CTC CTT TTG GAC AAA ACG AGT CTT

 5050 5060 5070 5080 5090
 GAA ATG CCA TCT AGT GAT GAT GAG GCT ACT GCT GAC TCT CAA CAT TCT
 CTT TAC GGT AGA TCA CTA CTC CGA TGA CGA CTG AGA GTT GTA AGA

 5100 5110 5120 5130
 ACT CCT CCA AAA AAG AAG AGA AAG GAA GAA GAC CCC AAG GAC TTT CCT
 TGA GGA GGT TTT TTC TTC TCT TCT CAT CTT CTG GGG TTC CTG AAA GGA

 5140 5150 5160 5170 5180
 TCA GAA TTG CTA AGT TTT TTG AGT CAT GCT GTG TTT AGT AAT AGA ACT
 AGT CTT AAC GAT TCA AAA AAC TCA GAA CGA CAC AAA TCA TTA TCT TGA

 5190 5200 5210 5220 5230
 CTT GCT TGC TTT GCT ATT TAC ACC ACA AAG GAA AAA GCT GCA CTG CTA
 GAA CGA ACG AAA CGA TAA ATG TGG TGT TTC CTT TTT CGA CGT GAC GAT

 5240 5250 5260 5270 5280
 TAC AAG AAA ATT ATG GAA AAA TAT TCT GAA ACC TTT ATA ACT AGC CAT
 ATG TTC TTT TAA TAC CTT TTT ATA AGA CAT TGG AAA TAT TCA TCC GAA

 5290 5300 5310 5320 5330
 AAC AGT TAT AAT CAT AAC ATA CTC TTT TTT CTT ACT CCA CAC AGG CAT
 TTC TCA ATA TTA GAA TTG TAT GAC AAA AAA GAA TGA CGT GTG TCC GAA

 5340 5350 5360 5370
 AGA GTG TCT GCT ATT AAT AAC TAT GCT CAA AAA TTG TGT ACC TTT AGC
 TCT CAC AGA CGA TAA TTA TTG ATA CGA GTT TTT AAC ACA TGG AAA TCG

 5380 5390 5400 5410 5420
 TTT TTA ATT TGT AAA CGG GTT AAT AAC GAA TAT TTG ATG TAT AGT GCC
 AAA AAT TAA ACA TTT CCC CAA TTA TTC CTT ATA AAC TAC ATA TCA CGG

 5430 5440 5450 5460 5470
 TTG ACT AGA GAT CAT AAT CAC CCA TAC CAC ATT TGT AGA CGT TTT ACT
 AAC TGA TCT CTA GAA TTA GTC GGT ATG GTG TAA ACA TCT CCA AAA TGA

 5480 5490 5500 5510 5520
 TGC TTT AAA AAA CCT CCC ACA CCT CCC CCT GAA CCT GAA ACA TAA AAT
 ACG AAA TTT TTT GGA CGG TGT GGA CGG GGA CTT GGA CTT TGT ATT TTA

RECTIFIED SHEET (RULE 91)
ISA/EP

31/41

FIG. 5 I

4380	4390	4400	4410	
GCC CAT TCC TGG GAA CTG GAA TGG TGC AGG CTG CCA TAC CAA CTT TAG				
CGG GTA AGG ACC CTT GAC CTT ACC ACG TCC GAC GGT ATG GTT GAA ATC				
4420	4430	4440	4450	4460
CAC CAA GGC CAT GCG GGA GAA TGG TCT GAA CCA CAT CGA GGA GGC				
GTG GTT CCG GTA CCC CCT CTT ACC AGA CTT CGT GTA GCT CCT CCC				
4470	4480	4490	4500	4510
CAT CGA GAA ACT AAG CAA GCG GCA CGG GTA CCA CAT TCG AGC CTA CGA				
GTA GCT CTT TGA TTC GTT CGC CGT GGC CAT GGT GTA AGC TCG GAT GCT				
4520	4530	4540	4550	4560
TCC CAA GGG GGG CCT CGA CAA TGC CGG TGG TCT GAC TGG GTT CCA CGA				
AGG GTT CCC CCC GGA CCT GTT ACG GGC ACC AGA CTG ACC CAA CGT GCT				
4570	4580	4590	4600	4610
AAC GTC CAA CAT CAA CGA CTT TTC TGC TGG TGT CGC CAA TCG CAG TGC				
TTC CAG GTT GTA GTT GCT GAA AAG ACG ACC ACA CGC GTT AGC GTC ACG				
4620	4630	4640	4650	
CAG CAT CGG CAT TCC CGG GAC TGT CGG CCA CGA GAA GAA AGG TTA CTT				
GTC GTA GGC GTA AGG GGC CTG ACA CGC GGT CCT CTT TCC AAT GAA				
4660	4670	4680	4690	4700
TGA AGA CGG CGG CCC CTC TGC CAA TTG TGA CGC CCT TGC AGT GAC AGA				
ACT TCT CGC GCC GGG GAG ACG GTT AAC ACT CGG GAA ACC TCA CTG TCT				
4710	4720	4730	4740	4750
AGC CAT CGT CGG CAC ATG CCT TCT CAA TGA GAC TGG CCA CGA CGC CTT				
TCC GTA CGA CGC GTC TAC CGA AGA GTT ACT CTG ACC CGT CCT CGG GAA				
4760	4770	4780	4790	4800
CCA ATA CAA AAA CTA ATT AGA CTT TGA GTG ATC TTG AGC CTT TCC TAG				
GGT TAT GTT TTT GAT TAA TCT GAA ACT CAC TAC AAC TCG GAA AGG ATC				
4810	4820	4830	4840	4850
TTC ATC CCA CCC CGC CCC AGA GAG ATC TTT GTG AAG GAA CCT TAC TTC				
AAG TAG GGT CGG CGC CGG CGG TCT CTC TAG AAA CAC TTC CTT CGA ATG AAG				
4860	4870	4880	4890	
TGT CGT GTG ACA TAA TTC GAC AAA CTA CCT ACA GAG ATT TAA ACC TCT				
ACA CGA CAC TGT ATT AAC CTC TTT GAT CGA TGT CTC TAA ATT TCG AGA				
4900	4910	4920	4930	4940
AAG GTA AAT ATA AAA TTT TTA AGT GTA TAA TGT GTT AAA CTA CTG ATT				
TTC CAT TTA TAT TTT AAA AAT TCA CAT ATT ACA CGA TTT GAT GAC TAA				

RECTIFIED SHEET (RULE 91)
ISAVEP

30/41

FIG. 5 H

3800	3810	3820	3830	3840
TGA GCC CAA GTG TGT AGA AGA GTT ACC TGA GTG GAA TTT TGA TGG CTC ACT CGG GTT CAC ACA TCT TCT CAA TGG ACT CAC CTT AAA ACT ACC GAG				
3850	3860	3870	3880	3890
TAG TAC CTT TCA GTC TGA GGG CTC CAA CAG TGA CAT GTA TCT CAG CCC ATC ATG GAA AGT CAG ACT CCC GAG GTT GTC ACT GTA CAT AGA GTC GGG				
3900	3910	3920	3930	
TGT TGC CAT GTT TCG GGA CCC CTT CCC CAG AGA TCC CAA CAA GCT GGT ACA ACG GTA CAA AGC CCT GGG GAA GGC GTC TCT AGG GTT GTT CCA CCA				
3940	3950	3960	3970	3980
GTT CTG TGA AGT TTT CAA GTA CAA CCG GAA CCC TCC AGA GAC CAA TTT CAA GAC ACT TCA AAA GTT CAT GTT GGC CTT CCC ACC TCT CTC GTT AAA				
3990	4000	4010	4020	4030
AAG GCA CTC GTG TAA ACG GAT AAT GGA CAT GGT GAG CAA CCA GCA CCC TTC CGT GAC CAC ATT TGC CTA TTA CCT GTA CCA CTC CTT GGT CGT GGG				
4040	4050	4060	4070	4080
CTG GTT TGG AAT GGA ACA GGA GTA TAC TCT GAT GGG AAC AGA TGG GCA GAC CAA ACC TTA CCT TGT CCT CAT ATG AGA CTA CCC TTC TCT ACC CGT				
4090	4100	4110	4120	4130
CCC TTT TGG TTG GCC TTC CAA TGG CTT TCC TGG CCC CCA ACC TCC GTA GGG AAA ACC AAC CCC AAG GTT ACC GAA AGG ACC CCC GGT TCC ACC CAT				
4140	4150	4160	4170	
TTA CTG TGG TGT GGG CCC AGA CAA ACC CTA TGG CAC CGA TAT CGT CGA AAT GAC ACC ACA CCC CGC TCT GTT TCC GAT ACC GTC CCT ATA GCA CCT				
4180	4190	4200	4210	4220
GGC TCA CTA CGG CGC CTC CCT CTA TCC TGG GGT CAA GAT TAC ACC AAC CCG AGT GAT CGC CGG GAC GAA CAT ACC ACC CCA GTT CTA ATG TCC TTC				
4230	4240	4250	4260	4270
AAA TGC TGA GGT CAT CCC TCC CCA GTG GGA ACT CCA AAT AGG ACC CTC TTT ACG ACT CCA GTA CGG AGC GGT CAC CCT TGA GGT TTA TCC TGG GAC				
4280	4290	4300	4310	4320
TGA AGG AAT CGG CAT GGG AGA TCA TCT CTC GGT GGC CGG CCC TTT CAT CTT ACT TCC TTA CGC GTA CCC TCT AGT AGA GAC CCA CGG GGC AAA GTA GAA				
4330	4340	4350	4360	4370
NCA TCG AGT ATG TGA AGA CTT TGG GGT AAT AGC AAC CTT TGA CCC CAA NGT AGC TCA TAC ACT TCT GAA ACC CCA TTA TGG GAA ACT GGG GTT				

RECTIFIED SHEET (RULE 91)

ISA/EP

29/41

FIG. 5 G

3220	3230	3240	3250	3260
AAG GAG ACA CTT TAT GTT TAA GAA GGT TGG TAA ATT CCT TGC GGC TTT TTC CTC TGT GAA ATA CAA ATT CTT CCA ACC ATT TAA GGA ACG CGG AAA				
3270	3280	3290	3300	3310
GGC AGC CAA CCT AGA GAT CCG GCT GTG GAA TGT GTG TCA GTT AGG GTG CCC TCG GTT CGA TCT CTA CCC CGA CAC CTT ACA CAC ACT CAA TCC CAC				
3320	3330	3340	3350	3360
TGG AAA GTC CCC AGG CTC CCC AGC AGG CAG AAG TAT GCA AAG CAT GCA ACC TTT CAG GGG TCC GAG GGG TCG TCC GTC TTC ATA CGT TTC GTA CGT				
3370	3380	3390	3400	3410
TCT CAA TTA GTC AGC AAC CAG GCT CCC CAG CAG GCA GAA GTA TGC AAA AGA GTT AAT CAG TCG TTG GTC CGA GGG GTC GTC CGT CTT CAT ACG TTT				
3420	3430	3440	3450	
GCA TGC ATC TCA ATT AGT CAG CAA CCA TAG TCC CGC CCC TAA CTC CGC CGT ACC TAG AGT TAA TCA GTC GTT GGT ATC AGG GCG GGG ATT GAG GCG				
3460	3470	3480	3490	3500
CCA TCC CGC CCC TAA CTC CGC CCA GTT CGG CCC ATT CTC CGC CCC ATG GGT AGG CGG GGG ATT GAG CGG CGT CAA CGC CGG TAA GAC CGG GGG TAC				
3510	3520	3530	3540	3550
GCT GAC TAA TTT TTT TTA TTT ATG CAG AGC CGG AGG CGG CCT CGG CCT CGA CTG ATT AAA AAA AAT AAA TAC GTC TCC CGC TCC CGC GGA CGC GGA				
3560	3570	3580	3590	3600
CTG AGC TAT TCC AGA AGT AGT GAG GAG GCT TTT TTG GAG CGC TAG CCT GAC TCG ATA AGG TCT TCA TCA CTC CTC CGA AAA AAC CTC CGG ATC CGA				
3610	3620	3630	3640	3650
TTT CCA AAA ACC TAG CTT CGG CGC ACC GCT CAG AGC ACC TTC CAC CAT AAA CGT TTT TCG ATC GAA CCC CGG TCG CGA GTC TCG TGG AAG GTG GTA				
3660	3670	3680	3690	
GGC CAC CTC ACC AAG TTC CCA CTT GAA CAA AAA CAT CAA GCA AAT GTA CGG GTG GAG TCG TTC AAC CGT GAA CTT GTT TTT GTA GTT CGT TTA CAT				
3700	3710	3720	3730	3740
CTT GTG CCT CGC CGA CGG TGA GAA AGT CCA AGC CAT GTA TAT CTG CGT GAA CAC CGA CGG CGT CCC ACT CTT TCA CGT TCG GTA CAT ATA GAC CGA				
3750	3760	3770	3780	3790
TGA TCG TAC TCG AGA AGG ACT CGG CTG CAA AAC CGG CAC CCT GGA CTG ACT ACC ATG ACC TCT TCC TGA CGC GAC GTT TTG GGC GTG GGA CCT GAC				

RECTIFIED SHEET (RULE 91)
ISA/EP

28/41

FIG. 5 F

2650	2660	2670	2680	2690
ACC GAG TTG CTC TTG CCC CGC GTC AAC ACG GGA TAA TAC CGC CCC ACA TGG CTC AAC GAG AAC GGG CGG CAG TTG TGC CCT ATT ATG GCG CGG TGT				
2700	2710	2720	2730	
TAG CAG AAC TTT AAA AGT GCT CAT CAT TGG AAA ACG TTC TTC GGG CGG ATC GTC TTG AAA TTT TCA CGA GTA ACC TTT TGC AAG AAG CCC CGC				
2740	2750	2760	2770	2780
AAA ACT CTC AAG GAT CTT ACC GCT GTT GAG ATC CAG TTC GAT GTA ACC TTT TGA GAG TTC CTA GAA TGG CGA CAA CTC TAG GTC AAG CTA CAT TGG				
2790	2800	2810	2820	2830
CAC TCG TGC ACC CAA CTG ATC TTC AGC ATC TTT TAC TTT CAC CAG CGT GTG AGC ACC TGG GTT GAC TAG AAG TCC TAG AAA ATG AAA GTG GTC GCA				
2840	2850	2860	2870	2880
TTC TGG GTG AGC AAA AAC AGG AAG GCA AAA TGC CGC AAA AAA GGG AAT AAG ACC CAC TCG TTT TTG TCC TTC CGT TTT ACG GCG TTT TTT CCC TTA				
2890	2900	2910	2920	2930
AAC GGC GAC ACC GAA ATG TTG AAT ACT CAT ACT CTT CCT TTT TCA ATA TTC CCG CTG TGC CTT TAC AAC TTA TGA GTA TGA GAA GGA AAA AGT TAT				
2940	2950	2960	2970	
TTA TTG AAG CAT TTA TCA GGG TTA TTG TCT CAT GAG CGG ATA CAT ATT AAT AAC TTC GTA AAT AGT CCC AAT AAC AGA GTA CTC CCC TAT GTA TAA				
2980	2990	3000	3010	3020
TGA ATG TAT TTA GAA AAA TAA ACA AAT AGG CGT TCC CGG CAC ATT TCC ACT TAC ATA AAT CTT TTT ATT TGT TTA TCC CCA AGG CGC GTG TAA AGG				
3030	3040	3050	3060	3070
CCC AAA ACT GCC ACC TGA CGT CTA AGA AAC CAT TAT TAT CAT GAC ATT CCC TTT TCA CGG TGG ACT GCA GAT TCT TTG GTA ATA ATA GTA CTG TAA				
3080	3090	3100	3110	3120
AAC CTA TAA AAA TAC GCG TAT CAC GAG CGC CTC ATG GCT CTT TGC GGC TTG GAT ATT TTT ATC CCC ATA GTG CTC CGG GAC TAC CGA GAA ACG CGG				
3130	3140	3150	3160	3170
ACC CAT CGT TCC TAA TGT TCC GTG GCA CGC AGG ACA ACC CTC AAG AGA TGG GTA GCA AGC ATT ACA AGG CAC CGT GGC TCC TGT TGG GAG TTC TCT				
3180	3190	3200	3210	
AAA TGT AAT CAC ACT GGC TCA CCT TCG GGT CGG CCT TTC TGC GTT TAT TTT ACA TTA GTG TGA CGG ACT GGA AGC CCA CCC GGA AAG ACC CAA ATA				

RECTIFIED SHEET (RULE 91)

ISA/EP

27/41

FIG. 5 E

2070	2080	2090	2100	2110
CAG TGA GGC ACC TAT CTC AGC GAT CTG TCT ATT TCG TTC ATC CAT AGT GTC ACT CCG TGG ATA GAG TCG CTA GAC AGA TAA AGC AAG TAG GTA TCA				
2120	2130	2140	2150	2160
TCC CTG ACT CCC CGT GTA GAT AAC TAC GAT AGC GGA GGG CTT ACC ACG GAC TGA GGG GCA GCA CAT CTA TTG ATG CTA TGC CCT CCC GAA TGG				
2170	2180	2190	2200	2210
ATC TGG CCC CAG TGC TGC AAT GAT ACC GCG AGA CCC ACG CTC ACC GGC TAG ACC GGG GTC ACG ACG TTA CTA TGG CGC TCT GGG TGC GAG TGG CGC				
2220	2230	2240	2250	
TCC AGA TTT ATC AGC AAT AAA CCA GCC AGC CGG AAG GGC CGA GCG CAG AGG TCT AAA TAG TCG TTA TTT GGT CGG TCG GCC TTC CGG GCT CGC GTC				
2260	2270	2280	2290	2300
AAG TGG TCC TGC AAC TTT ATC CGC CTC CAT CCA GTC TAT TAA TTG TTG TTC ACC AGG ACG TTG AAA TAG CGG GAG GTA GGT CAG ATA ATT AAC AAC				
2310	2320	2330	2340	2350
CCG GGA AGC TAG AGT AAG TAG TTC GCC AGT TAA TAG TTT GCC CAA CGT GGC CCT TCG ATC TCA TTC ATC AAG CGG TCA ATT ATC AAA CGC GTT GCA				
2360	2370	2380	2390	2400
TGT TGC CAT TGC TAC AGG CAT CGT GGT GTC ACG CTC GTC GTT TGG TAT ACA ACG GTA ACG ATG TCC GTA CCA CCA CAG TGC GAC CAG CAA ACC ATA				
2410	2420	2430	2440	2450
GGC TTC ATT CAG CTC CGG TTC CCA ACC ATC AAG GGC AGT TAC ATG ATC CCC AAG TAA GTC GAG CCC AAG GGT TGC TAG TTC CGC TCA ATG TAC TAG				
2460	2470	2480	2490	
CCC CAT GTT GTG CAA AAA AGC GGT TAG CTC CTT CGG TCC TCC GAT CGT GGG GTA CAA CAC GTT TTT TCG CCA ATC GAG GAA GCC ACG AGG CTA GCA				
2500	2510	2520	2530	2540
TGT CAG AAG TAA GTT GGC CGC AGT GTT ATC ACT CAT CGT TAT GGC ACG ACA GTC TTC ATT CAA CGG CGG TCA CAA TAG TGA GTA CCA ATA CGG TCG				
2550	2560	2570	2580	2590
ACT CCA TAA TTC TCT TAC TGT CAT GCC ATC CGT AAG ATG CTT TTC TGT TGA CGT ATT AAG AGA ATC ACA GTA CGG TAG CCA TTC TAC GAA AAG ACA				
2600	2610	2620	2630	2640
GAC TGG TGA GTA CTC AAC CAA GTC ATT CTG AGA ATA GTG TAT CGG CGC CTG ACC ACT CAT GAG TTG GTT CAG TAA GAC TCT TAT CAC ATA CGC CGC				

RECTIFIED SHEET (RULE 91)
ISA/EP

26/41

FIG. 5 D

1500	1510	1520	1530	
CTC ACG CTG TAG GTA TCT CAG TTC GGT GTA GGT CGT TCG CTC CAA GCT GAG TGC GAC ATC CAT AGA GTC AAG CCA CAT CCA GCA AGC GAG GTT CGA				
1540	1550	1560	1570	1580
GGG CTG TGT GCA CGA ACC CCC CGT TCA GCC CGA CGG CTG CCC CTT ATC CCC GAC ACA CGT CCT TGG GGG GCA AGT CGG GCT GGC GAC GCG GAA TAG				
1590	1600	1610	1620	1630
CGG TAA CTA TCG TCT TGA GTC CAA CCC GGT AAG ACA CGA CTT ATC GCC GCC ATT GAT AGC AGA ACT CAG GTT CCC TTC TGT GCT GAA TAG CGG				
1640	1650	1660	1670	1680
ACT GGC AGC AGC CAC TGG TAA CAG GAT TAG CAG AGC GAG GTA TGT AGG TGA CCG TCG TCG GTG ACC ATT GTC CTA ATC GTC TCG CTC CAT ACA TCC				
1690	1700	1710	1720	1730
CGG TGC TAC AGA GTT CTT GAA GTG GTG GCC TAA CTA CGG CTA CAC TAG GCC ACG ATG TCT CAA GAA CTT CAC CGG ATT GAT GCC GAT GTG ATC				
1740	1750	1760	1770	
AAG GAC AGT ATT TCG TAT CTG CCC TCT CCT GAA GCC AGT TAC CTT CGG TTC CTG TCA TAA ACC ATA GAC CGC AGA CGA CTT CGG TCA ATG GAA CGC				
1780	1790	1800	1810	1820
AAA AAG AGT TCG TAG CTC TTG ATC CGG CAA ACA AAC CAC CGC TGG TAG TTT TTC TCA ACC ATC GAG AAC TAG GCC GTT TGT TTG GTG CGC ACC ATC				
1830	1840	1850	1860	1870
CGG TCG TTT TGT TTG CAA CGA GAT TAC CGG CAG AAA AAA AGG GCC ACC AAA ACA AAC GTT CGT CTC CTA ATG CGC GTC TTT TTT TCC				
1880	1890	1900	1910	1920
ATC TCA AGA AGA TCC TTT GAT CTT TTC TAC CGG GTC TGA CGC TCA GTG TAG AGT TCT TCT AGG AAA CTA GAA AAG ATG CCC CAG ACT CGG ACT CAC				
1930	1940	1950	1960	1970
GAA CGA AAA CTC AGC TTA AGG GAT TTT GGT CAT GAG ATT ATC AAA AAG CTT GCT TTT GAG TGC AAT TCC CTA AAA CCA GTA CTC TAA TAG TTT TTC				
1980	1990	2000	2010	
GAT CTT CAC CTA GAT CCT TTT AAA TTA AAA ATG AAG TTT TAA ATC AAT CTA GAA GTG GAT CTA CGA AAA TTT AAT TTT TAC TTC AAA ATT TAG TTA				
2020	2030	2040	2050	2060
CTA AAG TAT ATA TGA GTA AAC TTC GTC TGA CAG TTA CCA ATG CTT AAT GAT TTC ATA TAT ACT CAT TTC AAC CAG ACT GTC AAT GGT TAC GAA TTA				

RECTIFIED SHEET (RULE 91)

ISA/EP

25/41

FIG. 5 C

920 930 940 950 960
 TCA CAA ATA AAG CAT TTT TTT CAC TGC ATT CTA GTT GTG GTT TGT CCA
 AGT CTT TAT TTC GTA AAA AAA GTG ACC TAA GAT CAA CAC CAA ACA GGT

 970 980 990 1000 1010
 AAC TCA TCA ATG TAT CTT ATC ATG TCT GGA TCC TCT ACG CCG GAC GCA
 TTG AGT AGT TAC ATA GAA TAG TAC AGA CCT AGG AGA TGC GGC CTG CGT

 1020 1030 1040 1050
 TCG TGG CCG GCA TCA CCG GCG CCA CAG GTG CCG TTG CTG CCC CCT ATA
 AGC ACC GGC CGT AGT GGC CGC GGT GTC CAC GCC AAC GAC CGC GGA TAT

 1060 1070 1080 1090 1100
 TCG CCG ACA TCA CCG ATG GGG AAG ATC GGG CTC GCC ACT TCG GGC TCA
 AGC GGC TGT AGT GGC TAC CCC TTC TAG CCC GAG CGG TGA AGC CCG AGT

 1110 1120 1130 1140 1150
 TGA GCG CTT GTT TCG GCG TGG GTA TGG TCG CAG GCC CCT GGC CGG GGG
 ACT CGC GAA CAA ACC CGC ACC CAT ACC ACC GTC CGG CCA CCC CCC CCC

 1160 1170 1180 1190 1200
 ACT GTT GGG CGC CAT CTC CTT GCA TGC ACC ATT CCT TGC CCC GGC GGT
 TGA CAA CCC CGG GTA GAG GAA CGT ACG TGG TAA GGA ACG CGG CCC CCA

 1210 1220 1230 1240 1250
 GCT CAA CGG CCT CAA CCT ACT ACT GGG CTG CTT CCT ATT GCA GGA GTC
 CGA GTT CCC GGA GTT GGA TGA TGA CCC GAC GAA GGA TTA CGT CCT CAG

 1260 1270 1280 1290
 GCA TAA CGG AGA CGG TCG ACC TCG GGC CGC GTT GCT GGC GTT TTT CCA
 CGT ATT CCC TCT CGC AGC TGG AGC CGG CAA CGA CCC CAA AAA GGT

 1300 1310 1320 1330 1340
 TAG GCT CGG CCC CCC TGA CGA GCA TCA CAA AAA TCG ACC CTC AAG TCA
 ATC CGA CGC GGG GGG ACT GCT CGT AGT GTT TTT AGC TGC GAG TTC AGT

 1350 1360 1370 1380 1390
 GAC GTG CGG AAA CCC GAC AGG ACT ATA AAG ATA CCA CGC GTT TCC CCC
 CTC CAC CGC TTT GGG CTG TCC TGA TAT TTC TAT GGT CGG CAA AGG GGG

 1400 1410 1420 1430 1440
 TGG AAG CTC CCT CGT CGG CTC TCC TGT TCC GAC CCT CGC GCT TAC CGG
 ACC TTC GAG GGA CGA CGC GAG AGC ACA AGG CTG GGA CGG CGA ATG CGC

 1450 1460 1470 1480 1490
 ATA CCT GTC CGC CTT TCT CCC TTC GGG AAG CGT GGC GCT TTC TCA ATG
 TAT GGA CGC CGG GAA AGA CGG AAG CCC TTC CGA CGC CGA AAG AGT TAC

RECTIFIED SHEET (RULE 91)
ISA/EP

24/41

FIG. 5 B

440 * 450 * 460 * 470 * 480 *
 GAG CAG TTG AAA TCT GGA ACT GCC TCT GTT GTG TGC CTG CTG AAT AAC
 CTC GTC AAC TTT AGA CCT TGA CGG AGA CAA CAC ACG GAC GAC TTA TTG
 Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn>
 490 * 500 * 510 * 520 * 530 *
 TTC TAT CCC AGA GAG GCC AAA GTA CAG TGG AAG GTG GAT AAC GCC CTC
 AAG ATA CGG TCT CTC CGG TTT CAT GTC ACC TTC CAC CTA TTG CGG GAG
 Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu>
 540 * 550 * 560 * 570 *
 CAA TCG GGT AAC TCC CAG GAG AGT GTC ACA GAG CAG GAC AGC AAG GAC
 GTT AGC CCA TTG AGG GTC CTC TCA CAG TGT CTC GTC CTG TCC TTC CTG
 Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp>
 580 * 590 * 600 * 610 * 620 *
 AGC ACC TAC AGC CTC ACC ACC ACC CTG ACG CTG ACC AAA GCA GAC TAC
 TCG TCG ATG TCG GAG TCG TCG GAC TCG GAC TCG TTT CGT CTG ATG
 Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr>
 630 * 640 * 650 * 660 * 670 *
 GAG AAA CAC AAA GTC TAC GCC TGC GAA GTC ACC CAT CAG GGC CTG AGC
 CTC TTT GTG TTT CAG ATG CGG ACC CCT CAG TCG GTA GTC CCC GAC TCG
 Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser>
 680 * 690 * 700 * 710 * 720 *
 TCG CCC GTC ACA AAG AGC TTC AAC AGG GGA GAG TGT T AGA CGG AGA AGT
 AGC CGG CAG TGT TTC TCG AAC TTG TCC CCT CTC ACA A TCT CCC TCT TCA
 Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys>
 730 * 740 * 750 * 760 * 770 *
 CCC CCC ACC TCC TCC TCA GTT CCA GCC TCG GGA TCA TAA TCA GCC ATA
 CGG CGG TCG ACC AGG AGT CAA CGT CGG ACC CCT AGT ATT AGT CGG TAT
 780 * 790 * 800 * 810 *
 CCA CAT TTG TAG AGG TTT TAC TTG CTT TAA AAA ACC TCC CAC ACC TCC
 CGT GTA AAC ATC TCC AAA ATC AAC GAA ATT TTT TGG AGG GTG TGG AGG
 820 * 830 * 840 * 850 * 860 *
 CCC TGA ACC TGA AAC ATA AAA TGA ATG CAA TTG TTG TTG TTA ACT TGT
 CGG ACT TGG ACT TTG TAT TTT ACT TAC GTT AAC AAC AAC ATA TGA ACA
 870 * 880 * 890 * 900 * 910 *
 TTA TTG CAG CTT ATA ATG GTT ACA AAT AAA GCA ATA GCA TCA CAA ATT
 AAT AAC GTC GAA TAT TAC CAA TGT TTA TTT CGT TAT CGT ACT GTT TAA

RECTIFIED SHEET (RULE 91)
ISA/EP

23/41

FIG. 5 A

The pEe12TF8LCDR3 expression vector DNA sequence. The coding regions of the TF8-5G9 CDR-grafted LC gene, TF8LCDR3, are translated.

Sequence Range: 1 to 7864

```

      10          20          30          40          50
      *          *          *          *          *
AAT TCA CC ATG GGT GTG CCA ACT CAG GTA TTA GGA TTA CTG CTG CTG TGG
TTA AGT GG TAC CCA CAC GGT TGA GTC CAT AAT CCT AAT GAC GAC GAC ACC
Met Gly Val Pro Thr Gln Val Leu Gly Leu Leu Leu Leu Trp>

      60          70          80          90
      *          *          *          *
CTT ACA GAT GCA AGA TGT GAT ATC CAA ATG ACA CAA TCT CCT TCT TCT
GAA TGT CTA CGT TCT ACA CTA TAG GTT TAC TGT GTT AGA GGA AGA AGA
Leu Thr Asp Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser>

100         110         120         130         140
      *          *          *          *          *
CTA AGT GCT TCT GTC GGA GAT AGA GTA ACA ATT ACA TGT AAG GCG AGT
GAT TCA CGA AGA CAG CCT CTA TCT CAT TGT TAA TGT ACA TTC CGC TCA
Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Lys Ala Ser>

150         160         170         180         190
      *          *          *          *          *
CAG GAC ATT AGA AAG TAT TTA AAC TGG TAT CAG CAA AAA CCT GGG AAG
GTC CTG TAA TCT TTC ATA AAT TTC ACC ATA GTC GTT TTT CGA CCC TTC
Gln Asp Ile Arg Lys Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys>

200         210         220         230         240
      *          *          *          *          *
GCT CCT AAC CTA CTG ATT TAT TAT GCA ACA AGT TTG GCA GAT GGA GTC
CCA CGA TTC GAT GAC TAA ATA ATA CCT TGT TCA AAC CGT CTA CCT CAT
Ala Pro Lys Leu Leu Ile Tyr Tyr Ala Thr Ser Leu Ala Asp Gly Val>

250         260         270         280         290
      *          *          *          *          *
CCT TCT AGA TTT TCT CCT TCT GGC TCT GGA ACA GAC TAC ACA TTC ACA
GGA AGA TCT AAA AGA CCA AGA CCC AGA CCT TGT CTG ATG TCT AAG TGT
Pro Ser Arg Phe Ser Gly Ser Gly Thr Asp Tyr Thr Phe Thr>

300         310         320         330
      *          *          *          *
ATT TCT TCT CTC CAA CCT GAG GAC ATT CCT ACA TAC TAC TGC CTA CAA
TAA AGA AGA GAG GTT GGA CTC CTG TAA CGA TGT ATG ATG ACG GAT GTT
Ile Ser Ser Leu Gln Pro Glu Asp Ile Ala Thr Tyr Tyr Cys Leu Gln>

340         350         360         370         380
      *          *          *          *          *
CAT CGT GAG AGT CCC TAT ACA TTT GGA CAA GGA ACA AAA CTA GAG ATC
GTA CCA CTC TCA CGC ATA TGT AAA CCT GTT CCT TGT TTT GAT CTC TAG
His Gly Glu Ser Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile>

390         400         410         420         430
      *          *          *          *          *
ACA AGA ACT GTT CGC CGC CGC TCT GTC TTC ATC TTC CGC CCA TCT GAT
TGT TCT TGA CAA CGC CGC CGC AGA CAG AAG TAG AAG CGC CGT AGA CTA
Thr Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp>

```

RECTIFIED SHEET (RULE 91)
ISA/EP

22/41

FIG. 4 N

6680	6690	6700	6710	6720
TGG AGG CCA GAC TTA GGC ACA GCA CGA TGC CCA CCA CCA CCA GTG TGC ACC TCC GGT CTG AAT CGG TGT GCT ACG GGT GGT GGT GGT CAC ACC				
6730	6740	6750	6760	6770
GGC ACA AGC CGG TGG CGG TAG GGT ATG TGT CTG AAA ATG AGC TCG GGG GCG TGT TCC GGC ACC GCC ATC CCA TAC ACA GAC TTT TAC TCG AGC CCC				
6780	6790	6800	6810	6820
AGC GGG CTT GCA CGG CTG ACG CAT TTG GAA GAC TTA ACG CAG CGG CAG TCG CCC GAA CGT GGC GAC TCC GTC AAC CTT CTG AAA TCC GTC CCC GTC				
6830	6840	6850	6860	6870
AAG AAG ATG CAG GCA CCT GAG TTG TTG TGT TCT GAT AAG AGT CAG AGG TTC TTC TAC GTC CGT CGA CTC AAC AAC ACA AGA CTA TTC TCA GTC TCC				
6880	6890	6900	6910	
TAA CTC CGG TTG CGG TGC TGT TAA CGG TCG AGC CCA GTG TAG TCT GAG ATT GAG CGC AAC GCC ACC ACA ATT CGC ACC TCC CGT CAC ATC AGA CTC				
6920	6930	6940	6950	6960
CAG TAC TCC TTG CTG CGG CGG CGG CCA CCA GAC ATA ATA GCT GAC AGA GTC ATG AGC AAC GAC GGC CGG CGC CGT GGT CTG TAT TAT CGA CTG TCT				
6970	6980	6990	7000	7010
CTA ACA GAC TGT TCC TTT CCA TGG GTC TTT TCT GCA GTC ACC GTC CTT GAT TGT CTG ACA AGC AAA CGT ACC CAG AAA AGA CGT CAG TCC CAG GAA				
7020	7030	7040	7050	7060
CAC ACG AAC CTT CGG CTG CAG GTC GAT CGA CTC TAG AGG ATC GAT CCC CTG TCC TTC GAA CCC GAC GTC CAG CTA GCT GAG ATC TCC TAG CTA GGG				
7070				
CGG CGG AGC TC GCC CGC TCG AG				

RECTIFIED SHEET (RULE 91)
ISA/EP

21/41

FIG. 4 M

6160	6170	6180	6190	
GGC GGA TTC CCC GTG CCA AGA GTG ACG TAA GTA CGC CCT ATA GAG TCT GGC CCT AAG GGG CAC GGT TCT CAC TGC ATT CAT CGC GGA TAT CTC AGA				
6200	6210	6220	6230	6240
ATA GGC CCA CCC CCT TGG CTT CTT ATG CAT CCT ATA CTG TTT TTG GCT TAT CGG GGT GGG GGA ACC GAA GAA TAC GTA CGA TAT GAC AAA AAC CGA				
6250	6260	6270	6280	6290
TGG GGT CTA TAC ACC CCC GCT TCC TCA TGT TAT AGG TGA TGG TAT AGC ACC CCA GAT ATG TGG GGG CGA AGG ACT ACA ATA TCC ACT ACC ATA TCG				
6300	6310	6320	6330	6340
TTA CCC TAT AGG TGT GGG TTA TTG ACC ATT ATT GAC CAC TCC CCT ATT AAT CGG ATA TCC ACA CCC AAT AAC TGG TAA TAA CTG GTC AGG GGA TAA				
6350	6360	6370	6380	6390
GGT GAC GAT ACT TTC CAT TAC TAA TCC ATA ACA TGG CTC TTT CCC ACA CCA CTG CTA TGA AAG GTA ATG ATT AGG TAT TGT ACC GAG AAA CGG TGT				
6400	6410	6420	6430	
ACT CTC TTT ATT CGC TAT ATG CCA ATA CAC TGT CCT TCA GAG ACT GAC TGA GAG AAA TAA CCC ATA TAC GGT TAT GTG ACA CGA ACT CTC TGA CTG				
6440	6450	6460	6470	6480
ACC GAC TCT GTA TTT TTA CAG GAT CGG GTC TCA TTT ATT ATT TAC AAA TCC CTG AGA CAT AAA AAT GTC CTA CCC CAG AGT AAA TAA TAA ATG TTT				
6490	6500	6510	6520	6530
TTC ACA TAT ACA ACA CCA CGG TCC CCA GTG CCC GCA GTT TTT ATT AAA AAG TGT ATA TGT TGT GGT GGC AGG GGT CAC CGG CGT CAA AAA TAA TTT				
6540	6550	6560	6570	6580
CAT AAC GTG GGA TCT CCA CGC GAA TCT CGG GTA CGT GTT CGG GAC ATG GTA TTG CAC CCT AGA GGT CGG CTT AGA GCC CAT GCA CAA CGC CTG TAC				
6590	6600	6610	6620	6630
GGC TCT TCT CGG GTA CGG CGG GAG CTT CTA CAT CGG AGC CCT GCT CCC CGG AGA AGA CGC CAT CGC CGC CTC GAA GAT GTA CGC TCG GGA CGA CGG				
6640	6650	6660	6670	
ATG CCT CCA CGG ACT CAT GGT CGC TCG GCA GCT CCT TGC TCC TAA CGA TAC GGA GGT CGC TGA CGA CGT CGA CGA AGC CGT CGA CGG AGG ATT GTC				

RECTIFIED SHEET (RULE 91)
ISA/EP

20/41

FIG. 4 L

5630 5640 5650 5660 5670
 TAA CGC CAA TAG GGA CTT TCC ATT GAC GTC AAT GGG TGG AGT ATT TAC
 ATT CGG GTT ATC CCT GAA AGG TAA CTG CAG TTA CCC ACC TCA TAA ATG

 5680 5690 5700 5710
 GGT AAA CTG CCC ACT TCG CAG TAC ATC AAG TGT ATC ATA TGC CAA GTA
 CCA TTT GAC GGG TGA ACC GTC ATG TAG TTC ACA TAG TAT ACC GTT CAT

 5720 5730 5740 5750 5760
 CCC CCC CTA TTG ACC TCA ATG ACC GTA AAT GGC CCG CCT GCC ATT ATG
 GCG GGG GAT AAC TGC AGT TAC TGC CAT TTA CCG GCC GGA CGG TAA TAC

 5770 5780 5790 5800 5810
 CCC AGT ACA TGA CCT TAT GGG ACT TTC CTA CTT GGC AGT ACA TCT ACG
 GGG TCA TGT ACT GGA ATA CCC TGA AAG GAT GAA CCG TCA TGT AGA TGC

 5820 5830 5840 5850 5860
 TAT TAG TCA TCG CTA TTA CCA TCG TGA TGC GGT TTT GGC AGT ACA TCA
 ATA ATC AGT ACC GAT AAT GGT ACC ACT ACC CCA AAA CCG TCA TGT AGT

 5870 5880 5890 5900 5910
 ATC GGC GTC GAT ACC GGT TTG ACT CAC GGG GAT TTC CAA GTC TCC ACC
 TAC CGG CAC CTA TCG CCA AAC TGA GTG CCC CTA AAG GTT CAG ACC TGG

 5920 5930 5940 5950
 CCA TTG ACC TCA ATG GGA GTT TGT TTT GGC ACC AAA ATC AAC GGG ACT
 GGT AAC TGC ACT TAC CCT CAA ACA AAA CCG TGG TTT TAG TTG CCC TGA

 5960 5970 5980 5990 6000
 TTC CAA AAT GTC GTA ACA ACT CCG CCC CAT TGA CGC AAA TGG GGG GTA
 AAG GTT TTA CAG CAT TGT TGA GGC GGG GTA ACT GCG TTT ACC CCC CAT

 6010 6020 6030 6040 6050
 CGC GTG TAC GGT GGG AGG TCT ATA TAA GCA GAG CTC GTT TAG TGA ACC
 CCC CAC ATG CCA CCC TCC AGA TAT ATT CGT CTC GAG CAA ATC ACT TGG

 6060 6070 6080 6090 6100
 GTC AGA TCG CCT GGA GAC GCC ATC CAC GCT GTT TTG ACC TCC ATA GAA
 CAG TCT ACC GGA CCT CTG CGG TAG GTG CGA CAA AAC TGG AGG TAT CTT

 6110 6120 6130 6140 6150
 GAC ACC CGG ACC GAT CCA GCC TCC CGG GCC CGG AAC GGT GCA TTG GAA
 CTG TGG CCC TGG CTA GGT CGG ACC CCC CGG CCC TTG CCA CGT AAC CTT

RECTIFIED SHEET (RULE 91)
ISA/EP

19/41

FIG. 4 K

5100	5110	5120	5130	5140
ATA TCG CCA TTT TTC CAA AAG TGA TTT TTG GGC ATA CGC GAT ATC TGG TAT AGC GGT AAA AAG GTT TTC ACT AAA AAC CGG TAT CGG CTA TAG ACC				
5150	5160	5170	5180	5190
CGA TAG CGG TTA TAT CGT TTA CGG GGG ATG CGG ATA GAC GAC TTT CGT GCT ATC CGG AAT ATA CGA AAT CCC TAC CGG TAT CTG CTG AAA CGA				
5200	5210	5220	5230	
GAC TTG CGC GAT TCT CTG TGT CGC AAA TAT CGC ACT TTC GAT ATA CGT CTG AAC CGG CTA AGA CAC ACA CGG TTT ATA CGG TCA AAC CTA TAT CGA				
5240	5250	5260	5270	5280
GAC AGA CGA TAT GAG CCT ATA TCG CGG ATA GAG CGG ACA TCA ACC TGG CTG TCT GCT ATA CTC CGA TAT AGC CGC TAT CTC CGC TGT AGT TCG ACC				
5290	5300	5310	5320	5330
CAC ATG GCC AAT CGA TAT CGA TCT ATA CAT TGA ATC AAT ATT CGC CAT CTG TAC CGG TTA CGT ATA GCT AGA TAT GTA ACT TAG TTA TAA CGG GTA				
5340	5350	5360	5370	5380
TAG CGA TAT TAT TCA TTG GTT ATA TAG CAT AAA TCA ATA TTG GCT ATT ATC GGT ATA ATA ACT AAC CAA TAT ATC GTA TTT AGT TAT AAC CGA TAA				
5390	5400	5410	5420	5430
GGC CAT TCC ATA CGT TGT ATC CAT ATC ATA ATA TGT ACA TTT ATA TTG CGG GTA ACC TAT CGA ACA TAG GTA TAG TAT TAT ACA TGT AAA TAT AAC				
5440	5450	5460	5470	
GCT CAT GTC CAA CAT TAC CCC CAT GTT GAC ATT GAT TAT TGA CTA GTT CGA GTA CAG GTT GTA ATG CGG GTA CAA CTG TAA CTA ATA ACT GAT CAA				
5480	5490	5500	5510	5520
ATT AAT AGT AAT CGA TTA CGG GGT CAT TAG TTC ATA GCC CAT ATA TGG TAA TTA TCA TTA GTT AAT GCC CGA GTA ATC AAG TAT CGG GTA TAT ACC				
5530	5540	5550	5560	5570
AGT TCC CGG TTA CAT AAC TTA CGG TAA ATG GCC CGG CTG CCT GAC CGC TCA AGG CGC AAT GTA TTG AAT GCC ATT TAC CGG CGG GAC CGA CTG CGG				
5580	5590	5600	5610	5620
CCA ACG ACC CCC CGC CAT TGA CGT CGA TAA TGA CGT ATG TTC CCA TAG GGT TGC TGG CGG CGG GTA ACT CGA GTT ATT ACT CGA TAC AAC CGT ATC				

RECTIFIED SHEET (RULE 91)
ISA/EP

18/41

FIG. 4 J

4570	4580	4590	4600	4610
AGC CGA TAC ATA TTT GAA TGT ATT TAG AAA AAT AAA CAA ATA CGG GTT TCG CCT ATG TAT AAA CTT ACA TAA ATC TTT TTA TTT GTT TAT CCC CAA				
4620	4630	4640	4650	4660
CCC CGC ACA TTT CCC CGA AAA GTG CCA CCT GAC GTC TAA GAA ACC ATT GGC GCG TGT AAA GGG GCT TTT CAC CGT CGA CTG CAC ATT CTT TCG TAA				
4670	4680	4690	4700	4710
ATT ATC ATG ACA TTA ACC TAT AAA AAT AGG CGT ATC ACG AGG CCC TGA TAA TAG TAC TGT AAT TCG ATA TTT TTA TCC CGA TAG TGC TCC CGG ACT				
4720	4730	4740	4750	
TCG CTC TTT CGC CGA CCC ATC GTT CGT AAT GTT CGG TGG CAC CGA GGA ACC GAG AAA CGC CGT CGG TAG CGA CCA TTA CAA CGC ACC GTC GCT CCT				
4760	4770	4780	4790	4800
CAA CCC TCA AGA CGA AAT GTC ATC ACA CTG CCT CAC CTT CGG GTG GGC GTT CGG ACT TCT CTT TTA CAT TAG TGT GAC CGA GTC GAA CGC CAC CGG				
4810	4820	4830	4840	4850
CTT TCT CGG TTT ATA AGG AGA CAC TTT ATG TTT AAG AAG GTT GGT AAA GAA AGA CGC AAA TAT TCC TCT GTG AAA TAC AAA TTC TTC CGA CCA TTT				
4860	4870	4880	4890	4900
TTC CTT CGG GCT TTG CGA GCC AAG CTA GAG ATC TCT AGC TTC GTG TCA AAG GAA CGC CGA AAC CGT CGG TTC GAT CTC TAG AGA TCG AAC CAC AGT				
4910	4920	4930	4940	4950
AGG ACG GTG ACT CGA GTG AAT AAT AAA ATG TGT GTT TGT CGG AAA TAC TCC TGC CAC TGA CGT CAC TTA TTT TAC ACA CGA CGC TTT ATG				
4960	4970	4980	4990	
CGG TTT TGA GAT TTC TGT CGC CGA CTA AAT TCA TGT CGC CGG ATA GTG CGC AAA ACT CTA AAG ACA CGC GCT GAT TTA AGT ACA CGG CGC TAT CAC				
5000	5010	5020	5030	5040
GTG TTT ATC CGC GAT AGA GAT CGC GAT ATT CGA AAA ATC GAT ATT TGA CAC AAA TAG CGG CTA TCT CTA CGG CTA TAA CCT TTT TAG CTA TAA ACT				
5050	5060	5070	5080	5090
AAA TAT CGC ATA TTG AAA ATG TCG CGG ATC TGA GTT TCT GTG TAA CTG TTT ATA CGG TAT AAC TTT TAC AGC CGC TAC ACT CGA CGC ATT GAC				

RECTIFIED SHEET (RULE 91)
ISA/EP

17/41

FIG. 4 I

4040	4050	4060	4070	4080
CGA GTT ACA TGA TCC CCC ATG TTG TGC AAA AAA GCG GTT AGC TCC TTC CCT CAA TGT ACT AGG GGG TAC AAC ACG TTT TTT CGC CAA TCG AGG AAG				
4090	4100	4110	4120	4130
CGT CCT CCG ATC GTC AGA AGT AAG TTG CCC GCA GTG TTA TCA CTC CCA CGA GGC TAG CAA CAG TCT TCA TTC AAC CGG CGT CAC AAT AGT GAG				
4140	4150	4160	4170	4180
ATG GTT ATG GCA GCA CTG CAT AAT TCT CTT ACT GTC ATG CCA TCC GTC TAC CAA TAC CGT CGT GAC GCA TTA AGA GAA TGA CAG TAC CGT AGG CAT				
4190	4200	4210	4220	4230
AGA TGC TTT TCT CTG ACT CGT GAG TAC TCA ACC AAG TCA TTC TGA GAA TCT ACG AAA AGA CAC TGA CCA CTC ATG AGT TGG TTC AGT AAG ACT CTT				
4240	4250	4260	4270	
TAG TGT ATG CGG CGA CGG ACT TGC TCT TCC CGG CGG TCA ACA CGG GAT ATC ACA TAC GCC CCT CGC TCA ACG AGA ACG CGC CGC AGT TGT GCC CTA				
4280	4290	4300	4310	4320
AAT ACC GCG CCA CAT AGC AGA ACT TTA AAA GTG CTC ATC ATT GGA AAA TTA TGG CGC GGT GTA TCG TCT TGA AAT TTT CAC GAG TAG TAA CCT TTT				
4330	4340	4350	4360	4370
CGT TCT TCG GGG CGA AAA CTC TCA AGG ATC TTA CGG CTG TTG AGA TCC GCA AGA AGC CCC GCT TTT GAG AGT TCC TAG AAT CGC GAC AAC TCT AGG				
4380	4390	4400	4410	4420
AGT TCG ATG TAA CCC ACT CGT GCA CCC AAC TGA TCT TCA GCA TCT TTT TCA AGC TAC ATT CGG TGA GCA CGT CGG TTG ACT AGA AGT CGT AGA AAA				
4430	4440	4450	4460	4470
ACT TTC ACC AGC GTT TCT CGG TGA GCA AAA ACA GGA AGG CAA AAT CCC TGA AAG TGG TCG CAA AGA CCC ACT CGT TTT TGT CCT TCC GTT TTA CGG				
4480	4490	4500	4510	
GCA AAA AAG CGA ATA AGG CGG ACA CGG AAA TGT TGA ATA CTC ATA CTC CGT TTT TTC CCT TAT TCC CGC TGT GCC TTT ACA ACT TAT GAG TAT GAG				
4520	4530	4540	4550	4560
TTC CTT TTT CAA TAT TAT TGA AGC ATT TAT CAG GGT TAT TGT CTC ATG AAC GAA AAA GTT ATA ATA ACT TCG TAA ATA GTC CCA ATA ACA GAG TAC				

RECTIFIED SHEET (RULE 91)
ISA/EP

16/41

FIG. 4 H

3520	3530	3540	3550	
TCT GAC GCT CAG TGG AAC GAA AAC TCA CGT TAA CGG ATT TTG GTC ATG AGA CTG CGA GTC ACC TTC TTG AGT GCA ATT CCC TAA AAC CAG TAC				
3560	3570	3580	3590	3600
AGA TTA TCA AAA AGG ATC TTC ACC TAG ATC CTT TTA AAT TAA AAA TGA TCT AAT AGT TTT TCC TAG AAG TGG ATC TAG GAA AAT TTA ATT TTT ACT				
3610	3620	3630	3640	3650
AGT TTT AAA TCA ATC TAA AGT ATA TAT GAG TAA ACT TGG TCT GAC ACT TCA AAA TTT AGT TAG ATT TCA TAT ATA CTC ATT TGA ACC AGA CTG TCA				
3660	3670	3680	3690	3700
TAC CAA TGC TTA ATC AGT GAG GCA CCT ATC TCA GCG ATC TGT CTA TTT ATG GTT ACG AAT TAG TCA CTC CGT GGA TAG AGT CGC TAG ACA GAT AAA				
3710	3720	3730	3740	3750
CGT TCA TCC ATA GTT CCC TGA CTC CCC GTC GTG TAG ATA ACT ACG ATA GCA AGT AGG TAT CAA CGG ACT GAG CCC CAG CAC ATC TAT TGA TGC TAT				
3760	3770	3780	3790	
CGG GAG GGC TTA CCA TCT CCC CCC AGT GCT GCA ATG ATA CCG CGA GAC GCC CTC CCG AAT GGT AGA CGG GGG TCA CGA CGT TAC TAT GGC GCT CTC				
3800	3810	3820	3830	3840
CCA CGC TCA CCG CCT CCA GAT TTA TCA GCA ATA AAC CAG CCA CCC GGA GGT GCG AGT GGC CGA GGT CTA AAT AGT CGT TAT TTG GTC GGT CGG CCT				
3850	3860	3870	3880	3890
AGG GCC GAG CGC AGA AGT GGT CCT GCA ACT TTA TCC CCC TCC ATC CAG TCC CGG CTC CGG TCT TCA CCA GGA CGT TGA AAT AGG CGG AGG TAG GTC				
3900	3910	3920	3930	3940
TCT ATT AAT TGT TCC CGG GAA GCT AGA GTA AGT AGT TCG CCA GTT AAT AGA TAA TTA ACA ACC GGC CTT CGA TCT CAT TCA TCA ACC GGT CAA TTA				
3950	3960	3970	3980	3990
AGT TTG CGC AAC GTT GTT CCC ATT GCT ACA GGC ATC GTC GTG TCA CGC TCA AAC CGG TTG CAA CAA CGG TAA CGA TGT CGC TAG CAC CAC AGT CGC				
4000	4010	4020	4030	
TGG TCG TTT GGT ATG GCT TCA TTC AGC TCC GGT TCC CAA CGA TCA AGG AGC ACC AAA CCA TAC CGA AGT AAG TGG AGG CGA AGG GTT CCT AGT TCC				

RECTIFIED SHEET (RULE 91)

ISA/EP

15/41

FIG. 4 G

2990	3000	3010	3020	3030
CAC CGG TTT CCC CCT GGA AGC TCC CTC GTC CGC TCT CCT GTT CCC ACC GTC CGC AAA CGG GGA CCT TCG AGC GAG CAC CGC AGA GGA CAA CGC TGG				
3040	3050	3060	3070	
CTG CGG CTT ACC CGA TAC CTC TCC GCC TTT CTC CCT TCG GGA AGC GTG GAC CGC GAA TGG CCT ATG GAC AGC CGG AAA GAG CGA AGC CCT TCG CAC				
3080	3090	3100	3110	3120
GCC CTT TCT CAA TGC TCA CGC TGT AGG TAT CTC AGT TCG GTG TAG GTC CGC GAA AGA GTT ACG AGT CGG ACA TCC ATA GAG TCA AGC CAC ATC CAG				
3130	3140	3150	3160	3170
GTT CGC TCC AAG CTG GGC TGT GTG CAC GAA CCC CCC GTT CAG CCC GAC CAA CGG AGG TTC GAC CGG ACA CAC GTG CTT GGG GGG CAA GTC CGG CTC				
3180	3190	3200	3210	3220
CGC TGC GCC TTA TCC GGT AAC TAT CGT CTT GAG TCC AAC CGG GTA AGA GCG ACG CGG AAT AGG CCA TTG ATA GCA GAA CTC AGG TTG CGC CAT TCT				
3230	3240	3250	3260	3270
CAC GAC TTA TCG CCA CTG GCA GCA GCC ACT GGT AAC AGC AGG ATT AGC AGA GTG CTG AAT AGC GGT GAC CGT CGT CGG TGA CCA TTG TCC TAA TCG TCT				
3280	3290	3300	3310	
GCC AGG TAT GTA GGC GGT GCT ACA GAG TTC TTG AAG TGG TGG CCT AAC CGC TCC ATA CAT CGG CCA CGA TGT CTC AAG AAC TTC ACC ACC GGA TTG				
3320	3330	3340	3350	3360
TAC CGC TAC ACT AGA AGG ACA GTA TTT GGT ATC TCC GCT CTC CTG AAG ATG CGG ATG TGA TCT TCC TGT CAT AAA CCA TAG AGC CGA GAC GAC TTC				
3370	3380	3390	3400	3410
CCA GTT ACC TTC GGA AAA AGA GTT GGT AGC TCT TGA TCC CCC AAA CAA GGT CAA TCG AAG CCT TTT TCT CAA CCA TCG AGA ACT AGG CGG TTT GTT				
3420	3430	3440	3450	3460
ACC ACC CCT GGT AGC GGT TTT TTT GTT TCC AAG CAG CAG ATT AGC TGG TGG CGA CCA TCC CGA AAA AAA CAA AGC TTC GTC GTC TAA TGC				
3470	3480	3490	3500	3510
GCC AGA AAA AAA GGA TCT CAA GAA GAT CCT TTG ATC TTT TCT ACC GGG GGC TCT TTT TTT CCT AGA GTT CTT CTA CGA AAC TAG AAA AGA TGC CCC				

RECTIFIED SHEET (RULE 91)
ISA/EP

14/41

FIG. 4 F

2460	2470	2480	2490	2500
TGT TGT TAA CTT GTT TAT TGC AGC TTA TAA TGG TTA CAA ATA AAG CAA ACA ACA ATT GAA CAA ATA ACG TCG AAT ATT ACC AAT GTT TAT TTC GTT				
2510	2520	2530	2540	2550
TAG CAT CAC AAA TTT CAC AAA TAA AGC ATT TTT TTC ACT GCA TTC TAG ATC GTA GTG TTT AAA GTG TTT ATT TCC TAA AAA AAC TGA CGT AAG ATC				
2560	2570	2580	2590	
TTG TGG TTT GTC CAA ACT CAT CAA TGT ATC TTA TCA TGT CTG GAT CCT AAC ACC AAA CAG GTT TGA GTA GTT ACA TAG AAT AGT ACA GAC CTA GGA				
2600	2610	2620	2630	2640
CTA CGC CCG ACG CAT CGT GGC CCG CAT CAC CCG CGC CAC AGG TGC GGT GAT GCG GCC TGC GTA GCA CGC CCC GTA GTG CCC CGC GTG TCC ACG CCA				
2650	2660	2670	2680	2690
TGC TGG CGC CTA TAT CGC CGA CAT CAC CGA TGG GGA AGA TCG GGC TCG ACG ACC CGC GAT ATA CGG GCT GTA GTG GCT ACC CCT TCT AGC CGG ACC				
2700	2710	2720	2730	2740
CCA CTT CGG CCT CAT GAG CGC TTG TTT CGG CGT GGG TAT GGT GGC AGG GGT GAA CGC CGA GTA CTC CGG AAC AAA CGC GCA CCC ATA CCA CGG TCC				
2750	2760	2770	2780	2790
CCC GTG GCC GGG GGA CTG TTG GGC CCC ATC TCC TTG CTT GCA CCA TTC GGG CAC CGC CCC CCT CAC AAC CGC CGG TAG AGG AAC GTA CGT GGT AAG				
2800	2810	2820	2830	
CTT CGG CGC CGG GTG CTC AAC GGC CTC AAC CTA CTA CTG GGC TGC TTC GAA CGC CGC CGC CAC GAG TTG CGG GAG TTG GAT GAT GAC CGG ACG AAG				
2840	2850	2860	2870	2880
CTA ATG CAG GAG TCG CAT AAG GGA GAG CGT CGA CCT CGG CGC GCG TTG GAT TAC GTC CTC AGC GTA TTC CCT CTC CGA CCT CGA CGC CGG CGC AAC				
2890	2900	2910	2920	2930
CTG CGG TTT TTC CAT AGG CTC CGC CCC CCT GAC GAG CAT CAC AAA AAT GAC CGC AAA AAG GTA TCC GAG CGC CGG CGA CTG CTC GTA GTG TTT TTA				
2940	2950	2960	2970	2980
CGA CGC TCA ACT CAG AGG TCG CGA AAC CGG ACA GGA CTA TAA AGA TAC GCT CGG AGT TCA GTG TCC ACC CCT TTG CGC TGT CCT GAT ATT TCT ATG				

RECTIFIED SHEET (RULE 91)
ISA/EP

13/41

FIG. 4 E

1930	1940	1950	1960	1970
GAG CGG AAT GTC TTC TCA TGC TCC GTG ATG CAT GAG GCT CTG CAC AAC CTC CCC TTA CAG AAG AGT ACC AGG CAC TAC GTC CTC CGA GAC GTG TTC Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn>				
1980	1990	2000	2010	2020
CAC TAC ACA CAG AAG AGC CTC TCC CTG TCT CTG GGT AAA T GAG TGC CAG CTG ATG TGT GTC TTC TCG GAG AGG GAC AGA GAC CCA TTT A CTC ACC GTC His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Leu Gly Lys Xxx>				
2030	2040	2050	2060	2070
GGC CGG CAA GCC CCC GCT CCC CGG GCT CTC GGG GTC GCG CGA GGA TGC CCC GCC GTT CGG CGG CGA GGG GCC CGA GAG CCC TAG CGC GCT CCT ACG				
2080	2090	2100	2110	
TTG GCA CGT ACC CCG TCT ACA TAC TTC CCA CCC ACC CAG CAT GGA AAT AAC CGT GCA TGG GGC AGA TGT ATG AAG GGT CCG TGG GTC GTA CCT TTA				
2120	2130	2140	2150	2160
AAA GCA CCC ACC ACT GCC CTG CCC TGT GAG ACT GTG ATG GTT CTT TTT CGT CGG TGG TGA CGG GAC CGG GGG ACA CTC TGA CAC TAC CAA GAA				
2170	2180	2190	2200	2210
TCC ACG GGT CAG GCC GAG TCT GAG GCC TGA GTG ACA TGA GGG AGG CAG ACC TGC CCA GTC CGG CTC AGA CTC CGG ACT CAC TGT ACT CCC TCC GTC				
2220	2230	2240	2250	2260
ACC CGG TCC CAC TGT CCC CAC ACT GGC CCA CGC TGT GCA GGT GTG CCT TGC CCC AGG GTG ACA CGG GTC TGA CGG GGT CGG ACA CGT CCA CAC GGA				
2270	2280	2290	2300	2310
GGC CCA CCT ACC GTG CGG CTC ACC CGG CGG CTG CCC TCC CCA CGG TGG CCC GGT GGA TCC CAC CCC GAG TCC GTC CCC GAC CGG AGC CGT CCC ACC				
2320	2330	2340	2350	
GGG ATT TGC CAG CCT GGC CCT CCC TCC AGC ACC AGG ACT CTA GAG GAT CCC TAA ACG GTC GCA CGG GGA CGG AGG TCG TCC TGA GAT CTC CTA				
2360	2370	2380	2390	2400
CAT AAT CAG CCA TAC CAC ATT TGT AGA CGT TTT ACT TCC TTT AAA AAA GTA TTA GTC GGT ATG GTC TAA ACA TCT CCA AAA TGA ACC AAA TTT TTT				
2410	2420	2430	2440	2450
CCT CCC ACA CCT CCC CCT GAA CCT GAA ACA TAA AAT GAA TCC AAT TGT CGA CGG TGT GGA CGG CGA CTT GGA CTT TGT ATT TTA CTT ACC TTA ACA				

RECTIFIED SHEET (RULE 91)

ISA/EP

12/41

FIG. 4 D

1450	1460	1470	1480	
AAG CCG CGG GAC GAG CAG TTC AAC ACC ACG TAC CGT CTG GTC AGC GTC TTC CCC CCC CTC CTC GTC AAG TTG TCG TGC ATG GCA CAC CAG TCG CAG Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val>				
1490	1500	1510	1520	1530
CTC ACC GTC CTG CAC CAG GAC TGG CTG AAC GGC AAG GAG TAC AAG TCC GAG TGG CAG GAC GTG GTC CTG ACC GAC TTG CCG TTC CTC ATG TTC ACG Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys>				
1540	1550	1560	1570	1580
AAG GTC TCC AAC AAA GGC CTC CCG TCC TCC ATC GAG AAA ACC ATC TCC TTC CAG AGG TTG TTT CCG GAG GGC ACC AGG TAG CTC TTT TGG TAG AGG Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser>				
1590	1600	1610	1620	1630
AAA GCC AAA GG TGG GAC CCA CGG GGT GCG AGG GCC ACA TCG ACA GAG GTC TTT CGG TTT CC ACC CTG GGT GCC CCA CGC TCC CGG TGT ACC TGT CTC CAG Lys Ala Lys>				
1640	1650	1660	1670	1680
AGC TCG GCC CAC CCT CTG CCC TGG GAG TGA CGG CTG TGC CAA CCT CTG TCG AGC CGG CTG GGA GAC GGG ACC CTC ACT CCC GAC ACG GTT GGA GAC				
1690	1700	1710	1720	1730
TCC CTA CA CGG CAG CCC CGA GAG CCA CAG GTC TAC ACC CTG CCC CCA TCC AGG GAT GT CCC GTC CGG GCT CTC GGT GTC CAC ATC TGG GAC CGG GGT AGG Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser>				
1740	1750	1760	1770	1780
CAG GAG GAC ATG ACC AAG AAC CAG GTC ACC CTG ACC TCC CTG GTC AAA GTC CTC CTC TAC TCG TTC TGC GTC CAG TCC GAC TCC ACC GAC CAG TTT Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys>				
1790	1800	1810	1820	
GGC TTC TAC CCC AGC GAC ATC GGC GTG GAG TGG GAG ACC AAT GGG CAG CCG AAG ATC GGG TCG CTG TAG CGG CAC CTC ACC CTC TCC TTA CCC GTC Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln>				
1830	1840	1850	1860	1870
CCG GAG AAC AAC TAC AAC ACC ACG CCT CCC GTG CTG GAC TCC GAC GGC GGC CTC TTC TTC ATG TTC TCG CGA CGG CAC GAC CTG AGG CTG CCC Pro Glu Asn Asn Tyr Thr Pro Pro Val Leu Asp Ser Asp Gly>				
1880	1890	1900	1910	1920
TCC TTC TTC CTC TAC ACC ACG CTA ACC GTG GAC AAG ACC ACC TGG CAG AGG AAG AAC GAG ATC TCG TCC GAT TGG CAC CTG TTC TCG TCC ACC GTC Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln>				

RECTIFIED SHEET (RULE 91)
ISA/EP

11/41

FIG. 4 C

920 930 940 950 960
 * * * * *
 GCC AGC CAC AGG CTG GAT GCC CCT ACC CCA CCC CCT GCG CAT ACA GGG
 CGG TCG GTG TCC GAC CTA CGG GGA TCG GGT CGG GGA CGC GTA TGT CCC

 970 980 990 1000
 * * * *
 GCA CGT CCT GCG CTC AGA CCT GCC AAG AGC CAT ATC CGG GAG GAC CCT
 CGT CCA CGA CGC GAG TCT GGA CGG TTC TCG GTA TAG GCC CTC CTG GGA

 1010 1020 1030 1040 1050
 * * * * *
 GCC CCT GAC CTA AGC CCA CCC CAA AGG CCA AAC TCT CCA CTC CCT CAG
 CGG GGA CTG GAT TCG GGT GGG GTT TCC GGT TTC AGA GGT GAG GGA GTC

 1060 1070 1080 1090 1100
 * * * * *
 CTC AGA CAC CTT CTC TCC TCC CAG ATT CGA GTA ACT CCC AAT CTT CTC
 GAG TCT GTG GAA GAG AGG GTC TAA GCT CAT TGA GGG TTA GAA GAG

 1110 1120 1130 1140 1150
 * * * * *
 TCT GCA GAG TCC AAA TAT GGT CCC CCA TGC CCA TCA TGC CCA GGT AAG
 AGA CGT CTC AGC TTT ATA CCA CGG GGT AGC CGT AGT AGC GGT CCA TTC
 Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro>

 1160 1170 1180 1190 1200
 * * * * *
 CCA ACC CAG GCC TCG CCC TCC AGC TCA AGG CGG GAC AGG TGC CCT AGA
 GGT TCG GTC CGG AGC GGG AGG TCG AGT TCC GCC CTG TCC ACC GGA TCT

 1210 1220 1230 1240
 * * * *
 GTA CCC TCC ATC CAG GGA CAG GCC CCA GGG TGC TGA CGC ATC CAC
 CAT CGG AGC TAG GTC CCT GTC CGG GGT CGG CCC AGC ACT CGG TAG GTG

 1250 1260 1270 1280 1290
 * * * * *
 CTC CAT CTC TTC CTC AGC A CCT GAC TTC CTG CGG GGA CCA TCA GTC TTC
 GAG GTA GAG AAG GAG TCC T GGA CTC AAG GAC CCC CCT GGT AGT CAG AAG
 Pro Glu Phe Leu Gly Gly Pro Ser Val Phe>

 1300 1310 1320 1330 1340
 * * * * *
 CTC TTC CCC CCA AAA CCC AAG GAC ACT CTC ATG ATC TCC CGG ACC CCT
 GAC AAC GGG GGT TTT GGG TTC CTG TGA GAG TAC TAC AGG CCC TCG GGA
 Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro>

 1350 1360 1370 1380 1390
 * * * * *
 GAG GTC ACC TCC GTC GTG GAC GTG ACC CAG GAA GAC CCC GAG GTC
 CTC CAG TCC ACC CAC CAC CAC TCC GTC CTT CTG CGG CTC CAC
 Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp Pro Glu Val>

 1400 1410 1420 1430 1440
 * * * * *
 CAG TTC AAC TCG TAC GTG GAT GGC GTG GAG GTG CAT AAT GCC AAG ACA
 GTC AAG TTG ACC ATG CAC CTA CGG CAC CTC CAC GTA TTA CGG TTC TGT
 Gln Phe Asn Tyr Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr>

RECTIFIED SHEET (RULE 91)
ISA/EP

10/41

FIG. 4 B

440 450 460 470 480
 AAG GGC CCA TCC GTC TTC CCC CTG GCG CCC TGC TCC AGG ACC ACC TCC
 TTC CCG GGT AGG CAG AAG GGG GAC CGC GGG ACC AGG TCC TCG TGG AGG
 Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser>

 490 500 510 520
 GAG AGC ACA CCC GCC CTG GGC TGC CTG GTC AAG GAC TAC TTC CCC GAA
 CTC TCG TGT CGG CGG GAC CCG ACG GAC CAG TTC CTG ATG AAG GGG CTT
 Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu>

 530 540 550 560 570
 CCG GTG ACC GTG TCG TGG AAC TCA GGC GCC CTG ACC AGC GGC GTG CAC
 GGC CAC TCC CAC ACC ACC TTG AGT CCG CGG GAC TGG TCG CCG CAC GTG
 Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His>

 580 590 600 610 620
 ACC TTC CCG CCT GTC CTA CAG TCC TCA CGA CTC TAC TCC CTC AGC ACC
 TGG AAG GGC CGA CAG GAT GTC AGG AGT CCT GAG ATG ACC GAG TCG TCG
 Thr Phe Pro Ala Val Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser>

 630 640 650 660 670
 GTG GTG ACC GTG CCC TCC ACC ACC TTG GGC ACC AAG ACC TAC ACC TGC
 CAC CAC TGG CAC CGG AGG TCG TCG AAC CGC TGC TTC TGG ATG TGG ACC
 Val Val Thr Val Pro Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys>

 680 690 700 710 720
 AAC GTA GAT CAC AAG CCC AGC AAC ACC AAG GTG GAC AAG AGA GTT GGT
 TTC CAT CTA GTG TTC GGG TCG TTG TGG TTC CAC CTG TTC TCT CAA CCA
 Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val>

 730 740 750 760
 GAG AGG CCA GCA CAG CCC AGG GAG GGT GTC TGC TGG AAG CCA GGC TCA
 CTC TCC GGT GTC CCC TCC CTC CCA CAG ACC ACC TTC GGT CGG ACT

 770 780 790 800 810
 CCC CTC CTG CCT CGA CGG ACC CGG GGT GTG CAG CCC CAG CCC AGG GCA
 CGG GAG GAC CGA CCT CGG TGG GGC CGA CAC GTC CGG GTC GGG TCC CGT

 820 830 840 850 860
 GCA AGG CAT GCC CCA TCT GTC TCC TCA CCC GGA GGC CTC TGA CCA CCC
 CGT TCC GTA CGG GGT AGA CAG AGG AGT GGG CCT CGG GAG ACT CGT CGG

 870 880 890 900 910
 CAC TCA TGC TCA CGG AGA GGG TCT TCT GGA TTT TTC CAC CAG GCT CGG
 GTG AGT ACC AGT CCC TCT CCC AGA AGA CCT AAA AAG GTC GTC CGA GGC

RECTIFIED SHEET (RULE 91)
ISA/EP

9/41

FIG. 4 A


The pEe6TF8HCDR20 expression vector DNA sequence. The coding regions of the TF8-5G9 CDR-grafted HC gene, TF8HCDR20, are translated.

Sequence Range: 1 to 7073

10	20	30	40	
*	*	*	*	
GAA TTC GCC GCC ACC ATG GAA TGG AGC TGG GTC TTT CTC TTC TTC TTG CTT AAG CGG CGG TGG TAC CTT ACC TCG ACC CAG AAA GAG AAG AAC AAC Met Glu Trp Ser Trp Val Phe Leu Phe Phe Leu>				
50	60	70	80	90
*	*	*	*	*
TCA GTA ACT ACA GGT GTA CAC TCA CAA GTT CAG CTG GTC GAG TCT GGA AGT CAT TGA TGT CCA CAT GTG AGT GTT CAA GTC GAC CAC CTC AGA CCT Ser Val Thr Thr Gly Val His Ser Gln Val Gln Leu Val Glu Ser Gly>				
100	110	120	130	140
*	*	*	*	*
GGA GGA GTA GTA CAA CCT CGA AGG TCA CTG AGA CTG TCT TGT AAG GCT CCT CCT CAT CAT GTT GGA CCT TCC AGT GAC TCT GAC AGA ACA TTC CGA Gly Gly Val Val Gln Pro Gly Arg Ser Leu Arg Leu Ser Cys Lys Ala>				
150	160	170	180	190
*	*	*	*	*
AGT GGA TTC AAT ATC AAG GAC TAT TAT ATG CAC TCG GTC AGA CAA CCT TCA CCT AAG TTA TAG TTC CTG ATA ATA TAC GTC ACC CAC TCT GTT CGA Ser Gly Phe Asn Ile Lys Asp Tyr Tyr Met His Trp Val Arg Gln Ala>				
200	210	220	230	240
*	*	*	*	*
CCT CGA AAA GGA CTC GAG TCG ATA GGT TTA ATT GAT CCT GAG AAT GGT GGA CCT TTT CCT GAG CTC ACC TAT CCA AAT TAA CTA GGA CTC TTA CCA Pro Gly Lys Gly Leu Glu Trp Ile Gly Leu Ile Asp Pro Glu Asn Gly>				
250	260	270	280	
*	*	*	*	
AAC ACC ATA TAT GAT CCC AAG TTC CAA CGA AGA TTC ACA ATT TCT CCA TTG TGC TAT ATA CTA GGG TTC AAG GTT CCT TCT AAG TGT TAA AGA CGT Asn Thr Ile Tyr Asp Pro Lys Phe Gln Gly Arg Phe Thr Ile Ser Ala>				
290	300	310	320	330
*	*	*	*	*
GAC AAC TCT AAC AAT ACA CTG TTC CTC CAG ATG GAC TCA CTC AGA CCT CTG TTG AGA TTC TTA TGT GAC AAG GAC GTC TAC CTG ACT GAG TCT GGA Asp Asn Ser Lys Asn Thr Leu Phe Leu Gln Met Asp Ser Leu Arg Pro>				
340	350	360	370	380
*	*	*	*	*
GAG GAT ACA GCA GTC TAC TAT TGT GCT AGA GAT AAC ACT TAT TAC TTC CTC CTA TGT CGT CAG ATG ATA ACA CGA TCT CTA TTG TCA ATA ATG AAG Glu Asp Thr Ala Val Tyr Tyr Cys Ala Arg Asp Asn Ser Tyr Tyr Phe>				
390	400	410	420	430
*	*	*	*	*
GAC TAC TGG CCC CAA GGA ACA CCA GTC ACC GTG AGC TCA GCT TCC ACC CTG ATG ACC CCC GTT CCT TGT CGT CAG TGG CAC TCG ACT CGA AGG TGG Asp Tyr Trp Gly Gln Gly Thr Pro Val Thr Val Ser Ser Ala Ser Thr>				

RECTIFIED SHEET (RULE 91)

ISA/EP

FIG. 3

RECTIFIED SHEET (RULE 91)

ISA/EP

7/41

FIG. 2 C

820 830 840 850 860
ACC TCC TCC CCA CCT CCT TCT CCT CCT CCC TTT CCT TGG CTT TTA
TGG AGG AGG GGT GGA GGA AGA GGA GGA CCC AAA GGA ACC GAA AAT
870 880 890 900 910
TCA TGC TAA TAT TTG CAG AAA ATA TTC AAT AAA GTG AGT CTT TGC ACT
AGT ACG ATT ATA AAC GTC TTT TAT AAG TTA TTT CAC TCA GAA ACC TGA
920 930
TGA AAA AAA AAA AAA AAA AAA A
ACT TTT TTT TTT TTT TTT TTT T

RECTIFIED SHEET (RULE 91)
ISA/EP

6/41

FIG. 2B

340	350	360	370	380
GGT GAG AGC CCG TAC ACG TTC GGA CGG GGG ACC AAG CTG GAA ATA AAC CCA CTC TCG GGC ATG TGC AAG CCT CCC CCC TGG TTC GAC CTT TAT TTG Gly Glu Ser Pro Tyr Thr Phe Gly Gly Thr Lys Leu Glu Ile Asn>				
390	400	410	420	430
ACG GCT GAT GCT GCA CCA ACT GTA TCC ATC TTC CCA CCA TCC AGT GAC TCC CGA CTA CGA CGT GGT TGA CAT AGG TAG AAG GGT GGT AGG TCA CTC Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu>				
440	450	460	470	480
CAG TTA ACA TCT GGA GGT GCC TCA GTC GTG TGC TTC TTG AAC AAC TTC GTC AAT TGT AGA CCT CCA CGG AGT CAG CAC ACG AAG AAC TTG TTG AAC Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe>				
490	500	510	520	
TAC CCC AAA GAC ATC AAT GTC AAC TCG AAG ATT GAT CCC AGT GAA CGA ATG GGG TTT CTG TAG TTA CAG ACC TTC TAA CTA CCC TCA CTT CCT Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg>				
530	540	550	560	570
CAA AAT CGC GTC CTG AAC AGT TGG ACT GAT CAG GAC AGC AAA GAC AGC GTT TTA CGC CAG GAC TTG TCA ACC TGA CTA GTC CTG TCG TTT CTG TCC Gln Asn Cys Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser>				
580	590	600	610	620
ACC TAC AGC ATG ACC ACC CTC ACG TTC ACC AAG GAC GAG TAT GAA TGG ATG TCG TAC TCG TCG GAG TGC AAC TCG TTC CTG CTC ATA CTT Thr Tyr Ser Met Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu>				
630	640	650	660	670
CGA CAT AAC AGC TAT ACC TGT GAG GCC ACT CAC AAG ACA TCA ACT TCA CCT GTA TTG TCG ATA TGG ACA CTC CGG TGA GTG TTC TGT AGT TGA AGT Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser>				
680	690	700	710	720
CCC ATT GTC AAG AGC TTC AAC AGG AAT GAG TGT TA GAG ACA AAG GTC CTG GGG TAA CAG TTC TCC AAG TTG TCC TTA CTC ACA AT CTC TGT TTC CAG GAC Pro Ile Val Ser Phe Asn Arg Asn Glu Cys>				
730	740	750	760	770
AGA CGC CAC CAC CAG CTC CCC AGC TCC ATC CTA TCT TCC CTT CTA AGG TCT CGC GTC GTC GAG CGG TCG AGG TAC GAT AGA AGG GAA GAT TCC				
780	790	800	810	
TCT TGG AGG CTT CCC CAC AAC CGA CCT ACC ACT GTT GCG GTC CTC CAA AGA ACC TCC GAA CGG GTC TTC GCT GGA TGG TGA CAA CGC CAC GAG GTT				

RECTIFIED SHEET (RULE 91)
ISA/EP

5/41

Sequence of the murine TF8-5G9 light chain cDNA with protein translation. The essential regions of the cDNA are as follows:

FIG. 2 A

Nucleotides	Region
1-4	5' untranslated.
5-64	Start codon and leader sequence.
65-385	Variable region.
386-706	Murine kappa constant region.
707-917	3' untranslated region.
918-937	Poly A tail.

Sequence Range: 1 to 937

10	20	30	40	
CGA C ATG CGC GCC CCT GCT CAG TTT TTT GGG ATC TTG TTG CTC TGG TTT CCT G TAC CCC CGG GGA CGA GTC AAA AAA CCC TAG AAC AAC GAG ACC AAA Met Arg Ala Pro Ala Gln Phe Phe Gly Ile Leu Leu Leu Trp Phe>				
50	60	70	80	90
CCA CGT ATC AGA TGT GAC ATC AAG ATG ACC CAG TCT CCA TCC TCC ATG GGT CCA TAG TCT ATA CTG TAC TTC TAC TGG GTC AGA GGT AGG AGG TAC Pro Gly Ile Arg Cys Asp Ile Lys Met Thr Gln Ser Pro Ser Ser Met>				
100	110	120	130	140
TAT CCA TCC CTG CGA GAC AGA GTC ACT ATC ACT TGT AAC CCC AGT CAG ATA CGT ACC GAC CCT CTC TCT CAC TGA TAG TGA ACA TTC CCC TCA GTC Tyr Ala Ser Leu Gly Glu Arg Val Thr Ile Thr Cys Lys Ala Ser Gln>				
150	160	170	180	190
GAC ATT AGA AAC TAT TTA AAC TGG TAC CAG CAG AAA CCA TGG AAA TCT CTG TAA TCT TTC ATA AAT TTC ACC ATG GTC GTC TTT GGT ACC TTT AGA Asp Ile Arg Lys Tyr Leu Asn Tyr Gln Gln Lys Pro Trp Lys Ser>				
200	210	220	230	240
CCT AAG ACC CTG ATC TAT TAT CCA ACA AGC TTC GCA GAT CGG GTC CCA GGA TTC TGG GAC TAG ATA ATA CGT TGT TCG AAC CGT CTA CCC CAG GGT Pro Lys Thr Leu Ile Tyr Tyr Ala Thr Ser Leu Ala Asp Gly Val Pro>				
250	260	270	280	
TCA AGA TTC ACT CCC ACT GCA TCT CGG CAA GAT TAT TCT CTA ACC ATC ACT TCT AAG TCA CCC TCA CCT AGA CCC GTT CTA ATA AGA GAT TGG TAG Ser Arg Phe Ser Gly Ser Gly Gln Asp Tyr Ser Leu Thr Ile>				
290	300	310	320	330
ACC ACC CTG GAC TCT GAC GAT ACA GCA ACT TAT TAC TGT CTA CAA CAT TGG TCG GAC CTC AGA CTG CTA TGT CGT TGA ATA ATG ACA GAT GTT GTA Ser Ser Leu Glu Ser Asp Asp Thr Ala Thr Tyr Tyr Cys Leu Gln His>				

RECTIFIED SHEET (RULE 91)
ISA/EP

4/41

FIG. 1 D

1300	1310	1320	1330	1340
TGG GAG CCA CGA AAT ACT TTC ACC TGC TCT GTG TTA CAT GAG GGC CTG ACC CTC CGT CCT TTA TGA AAG TCG ACG AGA CAC AAT GTA CTC CCG GAC Ter Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu>				
1350	1360	1370	1380	1390
CAC AAC CAC CAT ACT GAG AAG AGC CTC TCC CAC TCT CCT GGT AAA TG ATC GTG TTG GTG GTA TGA CTC TTC TCG GAG AGG GTG AGA GGA CCA TTT AC TAG His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys>				
1400	1410	1420	1430	1440
CCA GTG TCC TTG GAG CCC TCT GGT CCT ACA GGA CTC TGA CAC CTA CCT GGT CAC AGG AAC CTC GGG AGA CCA GGA TGT CCT GAG ACT GTG GAT GGA				
1450	1460	1470	1480	
CCA CCC CTC CCT GTA TAA ATA AAG CAC CCA GCA CTC CCT TGG ACC C GGT GGG GAG GGA CAT ATT TAT TTC GTG GGT CGT GAC GGA ACC TGG G				

RECTIFIED SHEET (RULE 91)
ISA/EP

3/41

FIG. 1 C

820 830 840 850 860
 CCT AAG GTC ACG TGT GTG GTA GAC ATC AGC AAG GAT GAT CCC GAG
 CGA TTC CAG TCC ACA CAA CAC CAT CTG TAG TCG TTC CTA CTA CGG CTC
 Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu>

 870 880 890 900 910
 GTC CAG TTC AGC TCG TTT GTA GAT GAT GTG GAG GTG CAC ACA GCT CAG
 CAG GTC AAG TCG ACC AAA CAT CTA CTA CAC CTC CAC GTG TGT CGA GTC
 Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val Val His Thr Ala Gln>

 920 930 940 950 960
 ACG CAA CCC CGG GAG GAG CAG TTC AAC AGC ACT TTC CGC TCA GTC AGT
 TGC GTT GGG CCC CTC CTC GTC AAG TTG TCG TGA AAG GCG AGT CAC TCA
 Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser>

 970 980 990 1000
 GAA CTT CCC ATC ATG CAC CAC GAC TCG CTC AAT GGC AAG GAG TTC AAA
 CTT GAA CGG TAG TAC GTC GTC CTG ACC GAG TTA CCG TTC CTC AAG TTT
 Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys>

 1010 1020 1030 1040 1050
 TGC AGG GTC AAC AGT GCA GCT TTC CCT CCC CCC ATC GAG AAA ACC ATC
 ACC TCC CAG TTC TCA CCT CGA AAG GCA CGG GGG TAG CTC TTT TGG TAG
 Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile>

 1060 1070 1080 1090 1100
 TCC AAA ACC AAA CGC AGA CGG AAG GCT CCA CAG GTG TAC ACC ATT CCA
 AGG TTT TGG TTT CGG TCT GGC TTC CGA GCT GTC CAC ATG TCG TAA GGT
 Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro>

 1110 1120 1130 1140 1150
 CCT CCC AAC GAG CAG ATG GCC AAG GAT AAA GTC AGT CTC ACC TGC ATG
 CGA CGG TTC CTC GTC TAC CGG TTC CTA TTT CAG TCA GAC TCG ACG TAC
 Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met>

 1160 1170 1180 1190 1200
 ATA ACA GAC TTC TTC CCT GAA GAC ATT ACT GTC GAG TCC CAG TGG AAT
 TAT TGT CTC AAG AAG GGA CTT CTG TAA TGA CAC CTC ACC GTC ACC TTA
 Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Tyr Gln Tyr Asn>

 1210 1220 1230 1240
 CGG CAG CCA CGG GAG AAC TAC AAG AAC ACT CAG CCC ATC ATG GAC ACA
 CCC CTC GGT CGC CTC TTG ATG TTC TTG TGA GTC GGG TAG TAC CTC TGT
 Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr>

 1250 1260 1270 1280 1290
 GAT CGC TCT TAC TTC GTC TAC ACC AAG CTC AAT GTC CAG AAG AGC AAC
 CTA CGG AGA ATC AAC CAG ATG TCG TTC GAG TTA CAC GTC TTC TCC TTG
 Asp Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn>

RECTIFIED SHEET (RULE 91)

ISA/EP

2/41

FIG. 1 B

340 350 360 370 380
 * * * * *
 ACT ·GCC GTC TAT TAC TGT GCT AGA GAT AAC TCG TAC TAC TTT GAC TAC
 TGA CGG CAG ATA ATG ACA CGA TCT CTA TTG AGC ATG ATG AAA CTG ATG
 Thr Ala Val Tyr Tyr Cys Ala Arg Asp Asn Ser Tyr Tyr Phe Asp Tyr>

 390 400 410 420 430
 * * * * *
 TGG CCC CAA CGC ACC ACT CTC ACA GTC TCC TCA CCC AAA ACG ACA CCC
 ACC CCG GTT CCG TGG TGA GAG TGT CAG AGG AGT CGG TTT TGC TGT GGG
 Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Ala Lys Thr Thr Pro>

 440 450 460 470 480
 * * * * *
 CCA TCT GTC TAT CCA CTG GCC CCT GGA TCT GCT GCC CAA ACT AAC TCC
 GGT AGA CAG ATA CGT GAC CGG GGA CCT AGA CGA CGG GTT TGA TTG AGG
 Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser>

 490 500 510 520
 * * * *
 ATC GTG ACC CTG GGA TGC CTG GTC AAG GGC TAT TTC CCT GAG CCA GTC
 TAC CAC TGG GAC CCT ACG GAC CAG TTC CCG ATA AAG GGA CTC GGT CAC
 Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val>

 530 540 550 560 570
 * * * * *
 ACA GTG ACC TCG AAC TCT GGA TCC CTG TCC ACC GGT GTG CAC ACC TTC
 TGT CAC TGG ACC TTG AGA CCT AGG GAC ACC TCC CCA CAC GTG TGG AAC
 Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe>

 580 590 600 610 620
 * * * * *
 CCA GCT GTC CTG CAG TCT GAC CTC TAC ACT CTG AGC ACC TCA GTG ACT
 GGT CGA CAG GAC GTC AGA CTG GAG ATG TGA GAC TCG TCG AGT CAC TGA
 Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Val Thr>

 630 640 650 660 670
 * * * * *
 GTC CCC TCC ACC ACC TCG CCC ACC GAG ACC GTC ACC TGC AAC GTT GCC
 CAC CGG AGG TCG TGG ACC CGG TCG CTC TGG CAG TGG AGC TTG CAA CGG
 Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala>

 680 690 700 710 720
 * * * * *
 CAC CGG CCC ACC ACC AAC GTG GAC AAG AAA ATT CTG CCC ACC GAT
 GTG CCC CGG TCG TGG TTC CAC CTG TTC TTT TAA CAC CGG TCC CTA
 His Pro Ala Ser Ser Thr Lys Val Asp Lys Ile Val Pro Arg Asp>

 730 740 750 760
 * * * *
 TGT GGT TGT AAG CCT TGC ATA TGT ACA GTC CCA GAA GTC TCA TCT GTC
 ACA CCA ACA TTC CGA ACC TAT ACA TGT CAG GGT CTT CAT ACT AGA CAG
 Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val>

 770 780 790 800 810
 * * * * *
 TTC ATC TTC CCC CCA AAG CCC AAC GAT GTG CTC ACC ATT ACT CTG ACT
 AAG TAG AAG CGG GGT TTC CGG TTC CTA CAC GAG TGG TAA TGA GAC TGA
 Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Leu Thr>

RECTIFIED SHEET (RULE 91)

ISA/EP

1/41

Sequence of the murine TF8-5G9 heavy chain cDNA with protein translation. The essential regions of the cDNA are as follows:

FIG. 1 A

<u>Nucleotides</u>	<u>Region</u>
1-10	5' untranslated region.
11-67	Start codon and leader sequence.
68-418	Variable region.
419-1390	Murine IgG1 constant region.
1391-1489	3' untranslated region.

Sequence Range: 1 to 1489

10	20	30	40	
•	•	•	•	
GGT CCT TAC A ATG AAA TGC AGC TGG GTC ATC TTC TTC CTG ATG GCA GTG				
CCA GGA ATG T TAC TTT ACG TCG ACC CAG TAG AAG AAG GAC TAC CGT CAC				
Met Lys Cys Ser Trp Val Ile Phe Phe Leu Met Ala Val>				
50	60	70	80	90
•	•	•	•	•
GTG ACA GGG GTC AAT TCA GAG ATT CAG CTG CAG CAG TCT GGG CCT GAG				
CAA TGT CCC CAG TTA AGT CTC TAA GTC GAC GTC GTC AGA CCC CGA CTC				
Val Thr Gly Val Asn Ser Glu Ile Gln Leu Gln Gln Ser Gly Ala Glu>				
100	110	120	130	140
•	•	•	•	•
CTT GTC AGG CCA GGG GCC TTA GTC AAG TTG TCC TGC AAA GCT TCT GGC				
GAA CAC TCC GGT CCC CGG AAT CAG TTC AAC AGG ACG TTT CGA AGA CGC				
Leu Val Arg Pro Gly Ala Leu Val Lys Leu Ser Cys Lys Ala Ser Gly>				
150	160	170	180	190
•	•	•	•	•
TTC AAC ATT AAA GAC TAC TAT ATC CAC TGG GTC AAG CAG AGG CCT GAA				
AAG TTG TAA TTT CTG ATG ATA TAC GTG ACC CAC TTC GTC TCC CGA CTT				
Phe Asn Ile Lys Asp Tyr Tyr Met His Trp Val Lys Gln Arg Pro Glu>				
200	210	220	230	240
•	•	•	•	•
CAG CCC CTC GAG TGG ATT CGA TTG ATT GAT CCT GAG AAT GGT AAT ACT				
GTC CCC GAC CTC ACC TAA CCT AAC TAA CTA CGA CTC TTA CCA TTA TGA				
Gln Gly Leu Glu Trp Ile Gly Leu Ile Asp Pro Glu Asn Gly Asn Thr>				
250	260	270	280	
•	•	•	•	
ATA TAT GAC CCC AAG TTC CAG GGC AAG GCC AGT ATA ACA GCA GAC ACA				
TAT ATA CTC GGC TTC AAG GTC CCG TTC CGG TCA TAT TGT CGT CTG TGT				
Ile Tyr Asp Pro Lys Phe Gln Gly Lys Ala Ser Ile Thr Ala Asp Thr>				
290	300	310	320	330
•	•	•	•	•
TCC TCC AAC ACA GGC TAC CTG CAG CTC AGC AGC CTC ACA TCT GAG GAC				
AGG AGG TTG TGT CGG ATG GAC GTC GAG TCG TCC GAC TGT AGA CTC CTG				
Ser Ser Asn Thr Ala Tyr Leu Gln Leu Ser Ser Leu Thr Ser Glu Asp>				

RECTIFIED SHEET (RULE 91)

ISA/EP

-94-

37. The pharmaceutical composition of Claim
1 36 wherein said CDR-grafted antibody is TF8HCDR20 x
TF8LCDR3.

5

10

15

20

25

30

35

26. The method of Claim 19 wherein said
1 expression vector comprising a nucleic acid encoding the
CDR-grafted antibody light chain is pEel2TF8LCDR3.

27. A nucleic acid encoding the heavy chain
of the CDR-grafted antibody of Claim 1.

5 28. A nucleic acid encoding the light chain
of the CDR-grafted antibody of Claim 1.

29. The nucleic acid of Claim 27 having the
sequence of nucleotides 1-2360 of SEQ ID NO:15.

10 30. The nucleic acid of Claim 28 having the
sequence of nucleotides 1-759 of SEQ ID NO:17.

15 31. A method of attenuation of coagulation
comprising administering a therapeutically effective
amount of a CDR-grafted antibody capable of inhibiting
human tissue factor to a patient in need of said
attenuation.

32. The method of Claim 31 wherein said CDR-
grafted antibody is TF8HCDR20 x TF84CDR3.

20 33. A method of treatment or prevention of
thrombotic disorder comprising administering a
therapeutically effective amount of a CDR-grafted
antibody capable of inhibiting human tissue factor to a
patient in need of said treatment or prevention.

25 34. The method of Claim 33 wherein said
thrombotic disorder is intravascular coagulation,
arterial restenosis or arteriosclerosis.

35. The method of Claim 33 or 34 wherein said
CDR-grafted antibody is TF8HCDR20 x TF8LCDR3.

30 36. A pharmaceutical composition comprising
at least one CDR-grafted antibody capable of inhibiting
human tissue factor and a pharmaceutically acceptable
carrier.

-92-

18. The fragment of Claim 17 wherein said
1 fragment is an Fab or F(ab')₂ fragment.

19. A method of making the CDR-grafted
antibody of Claim 1 comprising cotransfected a host
cell with an expression vector comprising a nucleic acid
5 encoding the CDR-grafted antibody heavy chain and an
expression vector comprising a nucleic acid encoding the
CDR-grafted antibody light chain; culturing the
transfected host cell; and recovering said CDR-grafted
antibody.

10 20. A method of making the CDR-grafted
antibody of Claim 1 comprising transfecting a host cell
with an expression vector comprising a nucleic acid
encoding the CDR-grafted antibody heavy chain and a
nucleic acid encoding the CDR-grafted antibody light
15 chain; culturing the transfected host cell; and
recovering said CDR-grafted antibody.

21. The method of Claim 18 or 19 wherein said
nucleic acid encoding the CDR-grafted antibody heavy
chain has the sequence of nucleotides 1-2360 of SEQ ID
20 NO:15.

22. The method of Claim 18 or 19 wherein said
nucleic acid encoding the CDR-grafted light chain has
the sequence of nucleotides 1-759 of SEQ ID NO:17.

23. The method of Claim 19 or 20 wherein said
25 host cell is a bacterial cell, yeast cell, insect cell
or mammalian cell.

24. The method of Claim 23 wherein said
mammalian cell is a CHO cell, COS cell or myeloma cell.

25. The method of Claim 19 wherein said
30 expression vector comprising a nucleic acid encoding the
CDR-grafted antibody heavy chain is pEe6TF8HCDR20.

7. The CDR-grafted antibody of Claim 1
1 wherein the heavy chain variable region has the amino
acid sequence of SEQ ID NO:11.

8. The CDR-grafted antibody of Claim 1 or 7
wherein the light chain variable region has the amino
5 acid sequence of SEQ ID NO:12.

9. The CDR-grafted antibody of Claim 1
wherein the heavy chain variable region has the amino
acid sequence of SEQ ID NO:13.

10. The CDR-grafted antibody of Claim 1 or 9
10 wherein the light chain variable region has the amino
acid sequence of SEQ ID NO:14.

11. The CDR-grafted antibody of Claim 1
wherein the heavy chain constant region is the human
IgG4 constant region.

15 12. The CDR-grafted antibody of Claim 10
wherein the heavy chain constant region is the human
IgG4 constant region.

13. The CDR-grafted antibody of Claim 1
wherein the light chain constant region is the human
20 kappa constant region.

14. The CDR-grafted antibody of Claim 10
wherein the light chain constant region is the human
kappa constant region.

15. CDR-grafted monoclonal antibody TF8HCDR1
25 x TF8LCDR1.

16. CDR-grafted monoclonal antibody TF8HCDR20
x TF8LCDR3.

17. A fragment of the CDR-grafted antibody of
Claim 1 wherein said fragment is capable of inhibiting
30 human tissue factor.

-90-

WHAT IS CLAIMED IS:

1

1. A CDR-grafted antibody capable of inhibiting human tissue factor wherein the complementarity determining regions (CDRs) are derived from a non-human monoclonal antibody against tissue factor and the framework (FR) and constant (C) regions are derived from one or more human antibodies.

5 2. The CDR-grafted antibody of Claim 1 wherein said non-human monoclonal antibody is a murine antibody.

10 3. The CDR-grafted antibody of Claim 2 wherein said murine antibody is TF8-5G9.

15 4. The CDR-grafted antibody of Claim 1 wherein said CDRs of the heavy chain have the amino acid sequences:

CDR1 DDYMH (SEQ ID NO:5)

CDR2 LIDPENGNTIYDPKFQG (SEQ ID NO:6)

CDR3 DNSYYFDY (SEQ ID NO:7)

and said CDRs of the light chain have the amino acid 20 sequences:

CDR1 KASQDIRKYLN (SEQ ID NO:8)

CDR2 YATSLAD -(SEQ ID NO:9)

CDR3 LQHGESPYT (SEQ ID NO:10).

25 5. The CDR-grafted antibody of Claim 1 wherein the FR of the heavy chain is derived from the human antibody KOL.

25 6. The CDR-grafted antibody of Claim 1 wherein the FR of the light chain is derived from the human antibody REI.

30

35

- 89 -

	GACCGATCCA	GCCTCCGCGG	CCGGGAACGG	TGCATTGGAA	CGCGGATTCC	CCGTGCCAAG	6960
1	AGTGACGTA	GTACCGCTA	TAGAGTCTAT	AGGCCACCC	CCTGGCTTC	TTATGCATGC	7020
	TATACTGTT	TTGGCTTCGG	GTCTATACAC	CCCCGCTTCC	TCATGTTATA	GGTGATGGTA	7080
	TAGCTTAGCC	TATAGGTGTG	GGTTATTGAC	CATTATTGAC	CACTCCCCTA	TTGGTGACGA	7140
	TACTTTCCAT	TACTAATCCA	TAACATGGCT	CTTGCACACA	ACTCTCTTA	TTGGCTATAT	7200
5	GCCAATACAC	TGTCCTTCAG	AGACTGACAC	GGACTCTGTA	TTTTTACAGG	ATGGGGTCTC	7260
	ATTTATTATT	TACAAATTCA	CATATACAAC	ACCACCGTCC	CCAGTGCCCC	CAGTTTTAT	7320
	TAAACATAAAC	GTGGGATCTC	CACGCGAATC	TCGGGTACGT	GTTCCGGACA	TGGGCTCTTC	7380
	TCCGGTAGCG	GGGGAGCTTC	TACATCCGAG	CCCTGCTCCC	ATGCCTCCAG	CGACTCATGG	7440
10	TCGCTCGGCA	TCTCCTTGCT	CCTAACAGTG	GAGGCCAGAC	TTAGGCACAG	CACGATGCC	7500
	ACCACCAACCA	GTGTGCCGCA	CAAGGCCGTG	GCGGTAGGGT	ATGTGTCTGA	AAATGAGCTC	7560
	GGGGAGCCGG	CTTGCACCGC	TGACGCATTT	GGAAGACTTA	AGGCAGCGCC	AGAAGAAGAT	7620
	GCAGGCAGCT	GAGTTGTTGT	GTTCTGATAA	GAGTCAGAGG	TAACTCCGT	TGCGGTGCTG	7680
	TTAACGGTGG	AGGGCAGTGT	AGTCTGAGCA	GTACTCGTTG	CTGCCGCGCG	CGCCACCAGA	7740
15	CATAATAGCT	GACAGACTAA	CAGACTGTTG	CTTTCCATGG	GTCTTTCTG	CAGTCACCGT	7800
	CCTTGACACG	AAGCTTGGC	TGCAGGTGCA	TCGACTCTAG	AGGATCGATC	CCCGGGCGAG	7860
	CTCG						7864

20

25

30

35